ļ	~ .		\bigcirc		KA	NSAS			(<u> </u>		401.		
	WELL COMPLETION REPORT AND DRILLER'S LOG									؛	36 C	32 R. 15 X	*	
	API No. 15 —	15007		2098	4					Colo	CL GANT	NE SEE NWE		
-	Operator	PI No. 15 — 15007 — 20984 County Number								A HIS	County B	ARBER		
L	-	API No. 15 — 15007 — 20984 County Number Gemini Oil Company										640 Acres N		
ľ	Address P.O. Bo	P.O. Box 18611 Wichita, Kansas 67207									160			
ţ	Well No.	II No. Lease Name												
ŀ	#2 Carr								-		HOHH			
ľ											LE LE			
Ī	Principal Contractor	ontractor Geologist								160	60			
ŀ	5pud Date	30 Inc.		A.G. Siemens Total Depth P.B.T.D				:			Lo	cete well correctly		
V	8-26-80	9-12-80	2-80 3704 N/A				┙'	ilev.: Gr	1958					
	Directional Deviation	irectional Deviation Oil and/or Gas Purch				haser	iser			,	ı <u> 1967</u>	<u>кв 1970</u>		
CASING RECORD														
ŀ	Report of all string	gs set — surface,	interme	ediate,	production, et	c.								
-	Purpose of string	Sino con				Setting	etting depth Type cemen			nt .	Sacks	Type and percer additives	nt	
Ī	surface			5/8	/8 23		302 Reg.		g. Po:	rtlar	id 70			
ŀ	0011000	Surface 7 0 3												
ŀ		ļ			ļ				 					
٧l														
		•												
Ì		LINER RECORD PER								ERFORA	FORATION RECORD			
ŀ	Top, ft. Bottom, ft. S			Sacks co	ement		Shots per ft.			Sizo	& type	Depth interval	ı	
ŀ														
ŀ	TUBING RECORD Size Setting depth Packer set at													
1	FOCKET SET OF													
	ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD									RD				
ļ	Amount and kind of material used										Depth interval treated			
٦														
Ì														
ŀ											1			
	Date of first production			Producin	INITIAL PR			os lift	, etc.)					
	N/A dry hole													
	RATE OF PRODUCTION PER 24 HOURS	5 44 HAHBA								Gas-oil ratio				
١	Disposition of gas (venter	d, used on lease or	sold)	bb	HS. 110	<u></u>		MCF	Producis	g interva	bbis.		CFPB	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation vision, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note 92-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

GEMINI OIL COMPANY

Well No. Lease Name Carr #2 36 15xWELL LOG SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. DEPTH FORMATION DESCRIPTION, CONTENTS, ETC. NAME 2308 2371 Herrington-Krider 2372 2641 Winfield 2642 2923 Wreford 2924 3001 Neva 3002 3139 Red Eagle 3140 3189 0naga 3190 3491 Wabaunsee 3492 3597 Howard 3624 3598 Severy 3625 Topeka USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL BECORD. Date Received

State Geological Survey KANSAS DRILLERS LOG

Gemini Oil Company

*** 36 ** 32 ** 15

Carr

ND. 2

COUNTY Barber

ROTARY TOTAL DEPTH 3,700'

COMM. September 4, 1980

COMP. September 12, 1980

COMPRACTOR H-30, INC. (Rig #77)

ISSUED September 23, 1980

CASING

10 3/4" 8 5/8" Set	at	302'	cemented	w/275	sxs	cement	ELEVATION	None
5 1/2"								
4 1/2"								

FIGURES INDICATE SOTTOM OF FORMATIONS

Sand and Gypsum	830'
Red Bed and Sand	1,000'
Red Bed	2,100'
Shale	2,152'
Shale and Lime	2,431'
Lime and Shale	3,700'
Rotary Total Depth	3,700'

"I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, INC.

Dean Britting

Subscribed and Sworn to before me a Notary Public in and for said county and state this 23rd day of