


FORMATION TEST REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE : 6-16-87
CUSTOMER : WILLIAM N. BUCKLIN III
WELL : #1 TEST: 1
ELEVATION : -
SECTION : 17
RANGE : 7W COUNTY : HARPER
GAUGE SN# : 3086 RANGE : 4500
TICKET : 13497
LEASE : ZIMMERMAN
GEOLOGIST : W ???
FORMATION : MISSISSIPPI
TOWNSHIP : 32S
STATE : KANSAS
CLOCK : 12

INTERVAL FROM : 4405 TO : 4430 TOTAL DEPTH : 4430
DEPTH OF SELECTIVE ZONE :
PACKER DEPTH : 4400 SIZE : 6.63
PACKER DEPTH : 4405 SIZE : 6.63
PACKER DEPTH : SIZE :
PACKER DEPTH : SIZE :

DRILLING CON. : RED TIGER RIG #4
MUD TYPE : CHEMICAL VISCOSITY : 47
WEIGHT : 9.2 WATER LOSS (CC) : 13.6
CHLORIDES (PPM) : 7500
JARS-MAKE : WTC SERIAL NUMBER : 408
DID WELL FLOW ? : NO REVERSED OUT ? : NO

DRILL COLLAR LENGTH : 0 FT I.D. inch : 0.00
WEIGHT PIPE LENGTH : 1105 FT I.D. inch : 2.70
DRILL PIPE LENGTH : 3271 FT I.D. inch : 3.80
TEST TOOL LENGTH : 29 FT TOOL SIZE : 5.50
ANCHOR LENGTH : 25 FT ANCHOR SIZE : 5.50
SURFACE CHOKE SIZE : .75 IN BOTTOM CHOKE SIZE : .75
MAIN HOLE SIZE : 7.875 IN TOOL JOINT SIZE : 4.5 FH

BLOW COMMENT #1 : WEAK BLOW THROUGHOUT TEST.
BLOW COMMENT #2 :
BLOW COMMENT #3 :
BLOW COMMENT #4 :

RECOVERED : 20 FT OF: DRILLING MUD


Total Barrels Fluid = 0.14
Total Fluid Prod Rate = 0.00 BFPD

REMARK 1 : MISRUN: NO VALID PRESSURES AVAILABLE.
REMARK 2 :
REMARK 3 :
REMARK 4 :

SET PACKER(S) :	2:45 PM	TIME STARTED OFF BOTTOM :	3:45 PM
WELL TEMPERATURE :	128		
INITIAL HYDROSTATIC PRESSURE		(A)	2254
INITIAL FLOW PERIOD MIN:	0	(B)	0 PSI TO (C) : 0
INITIAL CLOSED IN PERIOD MIN:	0	(D)	0
FINAL FLOW PERIOD MIN:	0	(E)	0 PSI TO (F) : 0
FINAL CLOSED IN PERIOD MIN:	0	(G)	0
FINAL HYDROSTATIC PRESSURE		(H)	2175

TK 13497


I



96

TK 13497

0



52