

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 27 2002

CONSERVATION DIVISION
WICHITA, KS

15-033-21275




DRILL STEM TEST REPORT

Prepared for

Imperial Oil Properties, Inc.
200 E. 1st Suite 413
Wichita, KS 67202

Wilbanks #1-9
9 32s 18w
Comanche co KS

Trilobite Testing, Inc
PO Box 362 - Hays, Kansas - 67601
ph: 785-625-4778 fax: 785-625-5620
e-mail: trilobite@eaglecom.net



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Well name#:	Wilbanks #1-	Date:	11/30/2001
Location#:	9 32s 18w	Ticket #:	15660
		DST#	1

General Informaion:

Formation:	LKC "A"	Test Type:	Conventional	BHT:	
Interval:	4471-4500	Tester:	John Schmidt	OIL API:	
Total Depth:	4500	Elevation:	2112	H2O Salinity:	
Hole Diameter:	7 7/8"				
			ft(KB)		
			ft(CF)		
Start Date:	11/30/2001	Tool Weight:	2800	Mud Type:	Chemical
Start Time:	18:00:00	Weight Set on Packers:	25000	Mud Weight:	9.1
Time tool opened:	20:50:00	Weight to Pull Loose:	75000	Viscosity:	50
Time Off Btm:	22:35:00	Initial String Weight:	54000	Water Loss:	12.8
End Date:	11/30/01	Final String Weight:	54000	Resistivity:	
End Time:	1:30:00	Drill Pipe Length:	180	Salinity:	10000
		Drill Collar Length:	4290		

Test Comment:
IFP - Weak blow, died in 18 min.
FFP - No blow

Recovery	30ft	30ft DC
Length(ft):	Description:	
30ft	Mud	

Gas Volume Report

Recorder #:	11085	Open	Min:	Ins. Of water	Orifice	CF/D
Pressure Summary:	Time:(min)			PSIG	size	
Initial Hydro-static:	1880					
Open to Flow (1):	90	30				
Shut-in (1):	90					
End Shut-in (1):	116	30				
Open to Flow (2):	90	15				
Shut-in (2):	90					
End Shut-in (2):	107	30				
Final Hydro-static:	2157					

CHART PAGE

This is a photocopy of the actual AK-1 recorder chart

