

**ARROW TESTING COMPANY**  
P. O. BOX 1051                      GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>1</b>
Well Number <b>35-1</b>	Zone Tested <b>Drum</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/6/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3295</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u> Clock Range <u>12</u>	Recorder No. <u>4377</u> Clock Range <u>12</u>
Depth <u>4642</u>	Depth <u>4626</u>
Initial Hydro Mud Press. <u>2356</u>	Initial Hydro Mud Press. <u>2356</u>
Initial Shut-in Press. <u>1750</u>	Initial Shut-in Press. <u>1752</u>
Initial Flow Press. <u>70-94</u>	Initial Flow Press. <u>70-94</u>
Final Flow Press. <u>105-164</u>	Final Flow Press. <u>105-164</u>
Final Shut-in Press. <u>1750</u>	Final Shut-in Press. <u>1752</u>
Final Hydro Mud Press. <u>2356</u>	Final Hydro Mud Press. <u>2356</u>
Temperature _____	Tool Open Before I. S. I. <u>30</u> Mins.
Mud Weight <u>9.0</u> Viscosity <u>42</u>	Initial Shut-in <u>60</u> Mins.
Fluid Loss <u>11.2</u>	Flow Period <u>60</u> Mins.
Interval Tested <u>4602-30</u>	Final Shut-in <u>90</u> Mins.
Top Packer Dept. <u>4597</u>	Surface Choke Size <u>1 1/2</u>
Bottom Packer Depth <u>4602</u>	Bottom Choke Size <u>3/4</u>
Total Depth <u>4630</u>	Main Hole Size <u>7 7/8</u>
Drill Pipe Size <u>4 1/2 X H</u> Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>
Drill Collar I. D. <u>2 1/4</u> Ft. Run <u>300</u>	

Recovery—Total Feet \_\_\_\_\_

Recovered 430 Feet Of Muddy water

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks

Strong blow gas to surface in 13 min, gauge -20,500 in 30 min second

open-23,600 - in 10 min, 21, 800 in 20, 21,800 in 30, 23,600 in 40 min

& stableized.


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*


3088

3295



3277


3295






3088

5296



4397

5296



**ARROW TESTING COMPANY**  
P. O. BOX 1051 GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>3</b>
Well Number <b>35-1</b>	Zone Tested <b>Nertha</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/7/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3297</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u> Clock Range <u>12</u>	Recorder No. <u>4377</u> Clock Range <u>12</u>
Depth <u>4817</u>	Depth <u>4821</u>
Initial Hydro Mud Press. <u>2356</u>	Initial Hydro Mud Press. <u>2356</u>
Initial Shut-in Press. <u>636</u>	Initial Shut-in Press. <u>636</u>
Initial Flow Press. <u>35-47</u>	Initial Flow Press. <u>35-47</u>
Final Flow Press. <u>52-70</u>	Final Flow Press. <u>52-70</u>
Final Shut-in Press. <u>447</u>	Final Shut-in Press. <u>447</u>
Final Hydro Mud Press. <u>2356</u>	Final Hydro Mud Press. <u>2356</u>
Temperature _____	Tool Open Before I. S. I. <u>30</u> Mins.
Mud Weight <u>9.0</u> Viscosity <u>47</u>	Initial Shut-in <u>30</u> Mins.
Fluid Loss <u>8.8</u>	Flow Period <u>30</u> Mins.
Interval Tested <u>4805-25</u>	Final Shut-in <u>30</u> Mins.
Top Packer Depth <u>4800</u>	Surface Choke Size <u>1 1/2</u>
Bottom Packer Depth <u>4805</u>	Bottom Choke Size <u>3/4</u>
Total Depth <u>4825</u>	Main Hole Size <u>7 7/8</u>
Drill Pipe Size <u>4 1/2 X H</u> Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>
Drill Collar I. D. <u>2 1/4</u> Ft. Run <u>300</u>	

Recovery—Total Feet \_\_\_\_\_

Recovered 65 Feet Of mud

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks

Weak blow decreasing on initial flow

very weak blow dead in 17 min on final flow


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*


3088

5297



4377

3299



**ARROW TESTING COMPANY**  
P. O. BOX 1051                      GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>4</b>
Well Number <b>35-1</b>	Zone Tested <b>Altamont</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/9/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3298</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u> Clock Range <u>12</u>	Recorder No. <u>4377</u> Clock Range <u>12</u>
Depth <u>4963</u>	Depth <u>4967</u>
Initial Hydro Mud Press. <u>2367</u>	Initial Hydro Mud Press. <u>2367</u>
Initial Shut-in Press. <u>1681</u>	Initial Shut-in Press. <u>1684</u>
Initial Flow Press. <u>23-28</u>	Initial Flow Press. <u>23-28</u>
Final Flow Press. <u>23-23</u>	Final Flow Press. <u>23-23</u>
Final Shut-in Press. <u>1554</u>	Final Shut-in Press. <u>1558</u>
Final Hydro Mud Press. <u>2367</u>	Final Hydro Mud Press. <u>2367</u>
Temperature _____	Tool Open Before I. S. I. <u>30</u> Mins.
Mud Weight <u>9.2</u> Viscosity <u>51</u>	Initial Shut-in <u>30</u> Mins.
Fluid Loss <u>10.4</u>	Flow Period <u>60</u> Mins.
Interval Tested <u>4946-71</u>	Final Shut-in <u>60</u> Mins.
Top Packer Depth <u>4941</u>	Surface Choke Size <u>1 1/2</u>
Bottom Packer Depth <u>4946</u>	Bottom Choke Size <u>3/4</u>
Total Depth <u>4971</u>	Main Hole Size <u>7 7/8</u>
Drill Pipe Size <u>4 1/2 X H</u> Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>
Drill Collar I. D. <u>2 1/4</u> Ft. Run <u>300</u>	

Recovery—Total Feet \_\_\_\_\_

Recovered 30 Feet Of mud

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks

**Gas to surface on second open gauge 4,450 in 10 min - 3,370 in 20 min  
& stable thru-test**


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*


4377

3298



3088

3298



**ARROW TESTING COMPANY**  
P. O. BOX 1051                      GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>5</b>
Well Number <b>35-1</b>	Zone Tested <b>Pawnee</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/9/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3299</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u> Clock Range <u>12</u>	Recorder No. <u>4377</u> Clock Range <u>12</u>
Depth <u>5011</u>	Depth <u>5015</u>
Initial Hydro Mud Press. <u>2458</u>	Initial Hydro Mud Press. <u>2458</u>
Initial Shut-in Press. <u>1681</u>	Initial Shut-in Press. <u>1684</u>
Initial Flow Press. <u>58-70</u>	Initial Flow Press. <u>58-70</u>
Final Flow Press. <u>82-117</u>	Final Flow Press. <u>82-117</u>
Final Shut-in Press. <u>1681</u>	Final Shut-in Press. <u>1684</u>
Final Hydro Mud Press. <u>2458</u>	Final Hydro Mud Press. <u>2458</u>
Temperature _____	Tool Open Before I. S. I. <u>30</u> Mins.
Mud Weight <u>9.1</u> Viscosity <u>57</u>	Initial Shut-in <u>60</u> Mins.
Fluid Loss <u>9.6</u>	Flow Period <u>60</u> Mins.
Interval Tested <u>4985-5019</u>	Final Shut-in <u>90</u> Mins.
Top Packer Depth <u>4980</u>	Surface Choke Size <u>1 1/2</u>
Bottom Packer Depth <u>4985</u>	Bottom Choke Size <u>3/4</u>
Total Depth <u>5019</u>	Main Hole Size <u>7 7/8</u>
Drill Pipe Size <u>4 1/2 X H</u> Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>
Drill Collar I. D. <u>2 1/4</u> Ft. Run <u>300</u>	

Recovery—Total Feet \_\_\_\_\_

Recovered 170 Feet Of Gas cut mud

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks

Gas to surface in 15 min on initial shut in Second open gauge 16,700  
in 10 min - 20,000 in 20 min - 25,100 in 30 min - 29,300 in 40 min -  
30,700 in 50 min - 33,200 in 60 & still building.


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*


5085

3299



4377

3299



**ARROW TESTING COMPANY**  
P. O. BOX 1051                      GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>6</b>
Well Number <b>35-1</b>	Zone Tested <b>Miss</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/10/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3300</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u> Clock Range <u>12</u>	Recorder No. <u>4377</u> Clock Range <u>12</u>
Depth <u>5108</u>	Depth <u>5108</u>
Initial Hydro Mud Press. <u>2526</u>	Initial Hydro Mud Press. <u>2526</u>
Initial Shut-in Press. <u>1381</u>	Initial Shut-in Press. <u>1386</u>
Initial Flow Press. <u>300-117</u>	Initial Flow Press. <u>305-117</u>
Final Flow Press. <u>189-117</u>	Final Flow Press. <u>199-117</u>
Final Shut-in Press. <u>1266</u>	Final Shut-in Press. <u>1272</u>
Final Hydro Mud Press. <u>2435</u>	Final Hydro Mud Press. <u>2526</u>
Temperature _____	Tool Open Before I. S. I. <u>30</u> Mins.
Mud Weight <u>9.0</u> Viscosity <u>48</u>	Initial Shut-in <u>60</u> Mins.
Fluid Loss <u>9.6</u>	Flow Period <u>60</u> Mins.
Interval Tested <u>5080-5112</u>	Final Shut-in <u>90</u> Mins.
Top Packer Depth <u>5075</u>	Surface Choke Size <u>1 1/2</u>
Bottom Packer Depth <u>5080</u>	Bottom Choke Size <u>3/4</u>
Total Depth <u>5112</u>	Main Hole Size <u>7 7/8</u>
Drill Pipe Size <u>4 1/2 X H</u> Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>
Drill Collar I. D. <u>2 1/4</u> Ft. Run <u>300</u>	

Recovery—Total Feet \_\_\_\_\_

Recovered 320 Feet Of Gas cut muddy water

Recovered 30 Feet Of Heavy oil & gas cut mut

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks Gst in 2 min 1 1/2" orifice gauge 1,123,000 in 10 - 341,000 in 20 - 251,000  
in 30 - second open 295,000 in 10 - 197,000 in 20 - 116,000 in 30 -  
change to 1/14" orifice - 158,000 in 40 - 128,000 in 50 - 120,000 in 60


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*


4377

2300



2089

2300



**ARROW TESTING COMPANY**  
P. O. BOX 1051 GREAT BEND, KANSAS 67530

**DRILL-STEM TEST DATA**

Well Name <b>Kimble</b>	Test No. <b>7</b>
Well Number <b>35-1</b>	Zone Tested <b>Miss</b>
Company <b>Imperial Oil Properties Inc.</b>	Date <b>4/11/99</b>
Comp. Rep. <b>J Williams</b>	Tester <b>Don Fabricius</b>
Contractor <b>Duke</b>	Ticket No. <b>3301</b>
Location <b>35-32-18</b>	Elevation

Recorder No. <u>3088</u>	Clock Range <u>12</u>	Recorder No. <u>4377</u>	Clock Range <u>12</u>
Depth <u>5122</u>		Depth <u>5126</u>	
Initial Hydro Mud Press. <u>2515</u>		Initial Hydro Mud Press. <u>2576</u>	
Initial Shut-in Press. <u>58</u>		Initial Shut-in Press. <u>58</u>	
Initial Flow Press. <u>35-35</u>		Initial Flow Press. <u>35-35</u>	
Final Flow Press. <u>35-35</u>		Final Flow Press. <u>35-35</u>	
Final Shut-in Press. <u>35</u>		Final Shut-in Press. <u>35</u>	
Final Hydro Mud Press. <u>2515</u>		Final Hydro Mud Press. <u>2520</u>	
Temperature _____		Tool Open Before I. S. I. <u>20</u>	Mins.
Mud Weight <u>9.0</u>	Viscosity <u>48</u>	Initial Shut-in <u>20</u>	Mins.
Fluid Loss <u>9.6</u>		Flow Period <u>20</u>	Mins.
Interval Tested <u>5112-30</u>		Final Shut-in <u>20</u>	Mins.
Top Packer Depth <u>5107</u>		Surface Choke Size <u>1 1/2</u>	
Bottom Packer Depth <u>5112</u>		Bottom Choke Size <u>3/4</u>	
Total Depth <u>5130</u>		Main Hole Size <u>7 7/8</u>	
Drill Pipe Size <u>4 1/2 X H</u>	Wt. <u>16.60</u>	Rubber Size <u>6 3/4</u>	
Drill Collar I. D. <u>2 1/4</u>	Ft. Run <u>300</u>		

Recovery—Total Feet \_\_\_\_\_

Recovered 15 Feet Of \_\_\_\_\_ mud

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks Very weak blow for 30 seconds - flushed tool surge

\_\_\_\_\_

\_\_\_\_\_


**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.


By \_\_\_\_\_  
*Owner, Operator or his Agent*

3088

3301



4377



### DRILL-STEM TEST DATA

Well Name <u>Kimble</u>	Test No. <u>8</u>
Well Number <u>35-1</u>	Zone Tested <u>Viola</u>
Company <u>Imperial Oil Properties Inc.</u>	Date <u>4/13/99</u>
Comp. Rep. <u>J Williams</u>	Tester <u>Don Fabricius</u>
Contractor <u>Duke</u>	Ticket No. <u>3302</u>
Location <u>35-32-18</u>	Elevation _____

Recorder No. 3088 Clock Range 12 Recorder No. 4377 Clock Range 12  
Depth \_\_\_\_\_ Depth \_\_\_\_\_  
Initial Hydro Mud Press. \_\_\_\_\_ Initial Hydro Mud Press. 2708  
Initial Shut-in Press. \_\_\_\_\_ Initial Shut-in Press. not taken  
Initial Flow Press. Clock Stopped Initial Flow Press. 1002-1692  
Final Flow Press. \_\_\_\_\_ Final Flow Press. \_\_\_\_\_  
Final Shut-in Press. \_\_\_\_\_ Final Shut-in Press. \_\_\_\_\_  
Final Hydro Mud Press. \_\_\_\_\_ Final Hydro Mud Press. 2708  
Temperature \_\_\_\_\_ Tool Open Before I. S. I. 30 Mins.  
Mud Weight 9.1 Viscosity 47 Initial Shut-in 10 Mins.  
Fluid Loss 9 Flow Period \_\_\_\_\_ Mins.  
Interval Tested 5595-5627 Final Shut-in \_\_\_\_\_ Mins.  
Top Packer Depth 5590 Surface Choke Size 1 1/4  
Bottom Packer Depth 5595 Bottom Choke Size 3/4  
Total Depth 5627 Main Hole Size 7 7/8  
Drill Pipe Size 4 1/2 X H Wt. 16.60 Rubber Size 6 3/4  
Drill Collar I. D. 2 1/4 Ft. Run 300  
Recovery—Total Feet \_\_\_\_\_  
Recovered 3000 Feet Of Gas cut water  
Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_  
Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_  
Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_  
Remarks  
Gas to surface in 4 min Gauge - 62,000 in 10 min - 15,000 in 20  
spray mud & water in 30 min pulled tool loose when spray water

**THIS ORDER MUST BE SIGNED BEFORE WORK IS COMMENCED. CONDITIONS:** It is expressly understood and agreed that the above described work shall be done under the exclusive control, direction and supervision of the owner or contractor. As a part of the consideration for this agreement, it is expressly understood and agreed that Arrow Testing Company shall not be responsible for damages or losses of any kind whatsoever occasioned by or incident to the use of the above described Tools, whether run or operated by customer, or by anyone employed directly or indirectly by Arrow Testing Company, nor whether resulting from the acts or omissions of Arrow Testing Company, or any of its agents, servants or employees in any way connected with or related to the use of such Tools.

It is expressly understood and agreed that Arrow Testing Company, shall not be bound by any agreement, not herein contained, and no agent or representative connected with or employed by Arrow Testing Company has authority to alter or extend the terms of this agreement. I have read and understand the terms of this agreement and represent that I am authorized to sign the same as agent of customer.

By \_\_\_\_\_  
*Owner, Operator or his Agent*

2088

3302



4377

3302

