


OWWO

State Kansas Field Stevens
 Company Joe N. Champlin County Meade
 Farm Holmes No. 1-28
 Sec. 28 Twp. 32S Range 30W

Spot NW NW NW

Contractor _____

Remarks _____



Comm. _____ Comp. _____

Elev. _____ DF _____ GL _____ KB _____ TD _____ PB _____

Pay _____

_____ I.P. _____ Press. _____

Casing Record: 13 $\frac{3}{8}$ _____ 7" _____

20" _____ 10 $\frac{3}{4}$ _____ 5 $\frac{1}{2}$ " _____

16" _____ 8 $\frac{5}{8}$ _____

Orig. Petroleum Expl., Inc.

Log

Datum

comp Miss 12,300 MCF. Sold
 to Bob Lange & Joe Champlin:

New Dope - MICT, swb 75 GOPH,

sq/perfs, set pl 5106-16, comm,

sq/cem; $\emptyset$ cem 5308.

MAY 18 Back Dope before Champlin
 WO.

MICT sub 2 BOPH/8hm

A/1000 (7 $\frac{1}{2}$ %) sub 2 BOPH

SI SITP 400 sq/5575-5635/

50sx P 20/5561-66

A/1000 (7 $\frac{1}{2}$ %) sub, ld +

tr heavy crude and 35G

sq/25-3X

P56/5574-88

sub w/ w/35G

A/3000 sub AW +

tr oil later sub 3.19 BO

+ 3.19 BW/6 $\frac{1}{2}$ hm

$\emptyset$ cem @ 5575

MAY 25 C 5590 no Perf

Fx subld POP "fite hole"

JUN 1

10-paf 24/55 74-80 Fx 10 X 10

sub @ BFPH POP

tite hale

JUN 8

JUL 20

State Kansas Field Stevens
 Company Petroleum Exploration County Meade
 Farm Holmes No. 1-28
 Sec. 28 Twp. 32S Range 30W
 Spot NW NW NW
 Contractor Moran G.M Miss.
 Remarks Al Stokes FO

0			

Comm 4/1/59 Comp. 6/17/59
 Elev 2766 DF 2766 GL 2759 KB 2769 TD 5690 PB 5590
 Pay Miss 5575-81

est del 5. AM
 I.P. 12.3 AM Press. SITP 1500
 Casing Record: 13 3/8 7"
 20" 10 3/4 4 1/2" 5694/275
 16" 8 5/8 1625/1090

RURT	Sample	Log
MAK 2 5	Mor 5558	Mrm 5084
APR 1 <u>MKT</u>	<u>ss 5560</u>	<u>Cher 5280</u>
APR 8 <u>3P Csg #3243</u>		<u>Mor 2792 5558</u>
APR 15 <u>#5274</u>		<u>ss 2794 5560</u>
APR 22 <u>DST 5552-</u>		<u>10' 70</u>
<u>69 q1 rec 75' m</u>		<u>Miss 2807 5573</u>
<u>151P 385/30"</u>		
<u>FP 30-40</u>		
<u>FSIP 105/30"</u>		
<u>RTD 5690 log</u>		
<u>5694</u>		
<u>DST 5564-5694</u>		
<u>q 75" gts 2"</u>		
<u>g. 1, 930 muf 15"</u>		
<u>g. 3, 690 muf 15"</u>		
<u>spray mud 146"</u>		
<u>g. 3, 590 muf w/3P oil 165"</u>		
<u>g. 3, 400 muf 175"</u>		
<u>rec 165' free oil</u>		
<u>151P 1953/30" FP 1110-1260</u>		
<u>FSIP 1910/30"</u>		
<u>DST 5590-5694 q1 gts 3"</u>		
<u>g. 584 muf 110" g. 325 muf 150"</u>		
<u>(over)</u>		

rec 930' free oil 151P 1480/30"
FP 335-370 FSIP 1465/30"
log.

Miss
Disc.

APR 29 MICT LO 5670 P16/5631-35
A/500m sub w/530 P24/5594-5600
ph @ 5613 sub 50 A/500m
sub approx 40 BO (low gr.)
sub chg pl @ 5590
P24/5575-81 g. 1,500 mcf
1/4" ck A/6000 g. 3,700 mcf
3/8" ck FTP 1230 SI

MAY 6

MAY 13

MAY 20

Cal. 12,300 mcf
calc del 5,400
to run offhand test.

MAY 27

JUN 3

SITP 1400th SICP 240th

JUN 10

JUN 17

COF 12.3 MA SITP 1500
est del 5.4 MA
Miss 5575-81

4