


NO



DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City KS 67846-0399

ATTN: Al Downing

34 32 31 Seward KS

Singley #10

Start Date: 2008.04.26 @ 02:45:00

End Date: 2008.04.26 @ 12:01:15

Job Ticket #: 30951 DST #: 1

CONFIDENTIAL
JUN 20 2008
KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 20 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

American Warrior Inc

Singley #10

34 32 31 Seward KS

DST # 1

Marmaton

2008.04.26



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Al Downing


Singley #10
34 32 31 Seward KS
Job Ticket: 30951 **DST#: 1**
Test Start: 2008.04.26 @ 02:45:00

GENERAL INFORMATION:

Formation: **Marmaton**
Deviated: **No Whipstock:** ft (KB)
Time Tool Opened: 05:33:15
Time Test Ended: 12:01:15
Interval: **5028.00 ft (KB) To 5100.00 ft (KB) (TVD)**
Total Depth: 5100.00 ft (KB) (TVD)
Hole Diameter: 7.78 inches Hole Condition: Fair
Reference Elevations: 2782.00 ft (KB)
2773.00 ft (CF)
KB to GR/CF: 9.00 ft
Test Type: Conventional Bottom Hole
Tester: Harley Davidson
Unit No: 33

Serial #: 8355 Inside
Press@RunDepth: 182.01 psig @ 5093.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2008.04.26 End Date: 2008.04.26 Last Calib.: 1899.12.30
Start Time: 02:45:01 End Time: 12:01:15 Time On Btm: 2008.04.26 @ 05:28:15
Time Off Btm: 2008.04.26 @ 09:43:15

TEST COMMENT: IF Strong blow BOB ASAO GTS 1 min.
ISI NO blow back
FF Strong blow BOB GTS ASAO
FSI Weak surface blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2479.70	109.09	Initial Hydro-static
5	195.62	109.62	Open To Flow (1)
32	192.45	99.59	Shut-In(1)
88	1575.93	99.78	End Shut-In(1)
94	224.79	106.98	Open To Flow (2)
149	182.01	80.70	Shut-In(2)
253	1573.24	108.18	End Shut-In(2)
255	2428.97	107.84	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
180.00	GM 15%G 85%M	1.98

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	1.00	25.00	1132.70
Last Gas Rate	1.00	19.00	960.21
Max. Gas Rate	1.00	26.00	1161.45



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
 PO Box 399
 Garden City KS 67846-0399
 ATTN: Al Downing

Singley #10
34 32 31 Seward KS
 Job Ticket: 30951 **DST#: 1**
 Test Start: 2008.04.26 @ 02:45:00

Tool Information

Drill Pipe:	Length: 4966.00 ft	Diameter: 3.80 inches	Volume: 69.66 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 60.00 ft	Diameter: 2.25 inches	Volume: 0.30 bbl	Weight to Pull Loose: 67000.00 lb
			<u>Total Volume: 69.96 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 65000.00 lb
Depth to Top Packer:	5028.00 ft			Final 67000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	72.00 ft			
Tool Length:	99.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5002.00	
Shut In Tool	5.00			5007.00	
Hydraulic tool	5.00			5012.00	
Jars	5.00			5017.00	
Safety Joint	2.00			5019.00	
Packer	5.00		Fluid	5024.00	27.00 Bottom Of Top Packer
Packer	4.00			5028.00	
Stubb	1.00			5029.00	
Perforations	1.00			5030.00	
Change Over Sub	1.00			5031.00	
Drill Pipe	62.00			5093.00	
Recorder	0.00	8355	inside	5093.00	
Recorder	0.00	6751	inside	5093.00	
Perforations	3.00			5096.00	
Bullnose	4.00			5100.00	72.00 Bottom Packers & Anchor

Total Tool Length: 99.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Al Downing

Singley #10
34 32 31 Seward KS
Job Ticket: 30951 DST#: 1
Test Start: 2008.04.26 @ 02:45:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.19 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 1900.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
180.00	GM 15%G 85%M	1.978

Total Length: 180.00 ft Total Volume: 1.978 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

American Warrior Inc
PO Box 399
Garden City KS 67846-0399

Singley #10

34 32 31 Seward KS

Job Ticket: 30951

DST#: 1

ATTN: Al Downing

Test Start: 2008.04.26 @ 02:45:00

Gas Rates Information

Temperature: 59 deg C
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m ³ /d)
1	15	1.00	25.00	1132.70
1	15	1.00	25.00	1132.70
2	10	1.00	26.00	1161.45
2	20	1.00	25.00	1132.70
2	30	1.00	23.00	1075.21
2	40	1.00	20.00	988.96
2	50	1.00	19.00	960.21

CONFIDENTIAL
JUN 20 2008
KCC

Serial #: 8355


Inside


American Warrior Inc

34 32 31 Seward KS

DST Test Number: 1

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City KS 67846-0399

CONFIDENTIAL

JUN 20 2008

KCC

ATTN: Al Downing

34 32 31 Seward KS

Singley #10

Start Date: 2008.04.28 @ 00:00:01

End Date: 2008.04.28 @ 06:24:31

Job Ticket #: 30952 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

American Warrior Inc


Singley #10

34 32 31 Seward KS

DST # 2

Atoka

2008.04.28



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc

Singley #10

PO Box 399
Garden City KS 67846-0399

34 32 31 Seward KS

Job Ticket: 30952 **DST#: 2**

ATTN: Al Downing

Test Start: 2008.04.28 @ 00:00:01

Tool Information

Drill Pipe:	Length: 5441.00 ft	Diameter: 3.80 inches	Volume: 76.32 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 60.00 ft	Diameter: 2.25 inches	Volume: 0.30 bbl	Weight to Pull Loose: 75000.00 lb
		Total Volume:	76.62 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 67000.00 lb
Depth to Top Packer:	5503.00 ft			Final 67000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	17.00 ft			
Tool Length:	44.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Change Over Sub	1.00			5477.00	
Shut In Tool	5.00	CONFIDENTIAL		5482.00	
Hydraulic tool	5.00	JUN 20 2008		5487.00	
Jars	5.00			5492.00	
Safety Joint	2.00	KCC		5494.00	
Packer	5.00		Fluid	5499.00	27.00 Bottom Of Top Packer
Packer	4.00			5503.00	
Stubb	1.00			5504.00	
Perforations	1.00			5505.00	
Recorder	0.00	6751	Inside	5505.00	
Recorder	0.00	8355	Inside	5505.00	
Perforations	12.00			5517.00	
Bullnose	3.00			5520.00	17.00 Bottom Packers & Anchor

Total Tool Length: 44.00



**TRIOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Al Downing

Singley #10
34 32 31 Seward KS
Job Ticket: 30952 **DST#: 2**
Test Start: 2008.04.28 @ 00:00:01

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 57.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.20 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2600.00 ppm			
Filter Cake: inches			


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	100%M	0.098

Total Length: 20.00 ft Total Volume: 0.098 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Pressure vs. Time



198285

198285