


MD



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City KS 67846-0399

CONFIDENTIAL
JUN 10 2008
KCC

ATTN: Jim Biltz

34 32S 31W Seward KS

Singley #8

Start Date: 2008.03.22 @ 12:45:00

End Date: 2008.03.22 @ 19:35:00

Job Ticket #: 30841 DST #: 1

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 11 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

American Warrior Inc


Singley #8

34 32S 31W Seward KS

DST # 1

Hodges Lime

2008.03.22



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
PO Box 399
Garden City KS 67846-0399

ATTN: Jim Biltz

Singley #8
34 32S 31W Seward KS
Job Ticket: 30841 **DST#: 1**
Test Start: 2008.03.22 @ 12:45:00

Tool Information

Drill Pipe:	Length: 4862.00 ft	Diameter: 3.80 inches	Volume: 68.20 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			Total Volume: 68.20 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	8.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4882.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	18.00 ft			
Tool Length:	46.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

CONFIDENTIAL
JUN 10 2008

Tool Description Length (ft) Serial No. Position Depth (ft) Accum. Lengths


Change Over Sub	1.00			4855.00	
Shut In Tool	5.00			4860.00	
Hydraulic tool	5.00			4865.00	
Jars	5.00			4870.00	
Safety Joint	3.00			4873.00	
Packer	5.00			4878.00	28.00 Bottom Of Top Packer
Packer	4.00			4882.00	
Stubb	1.00			4883.00	
Perforations	8.00			4891.00	
Recorder	0.00	6751	Inside	4891.00	
Recorder	0.00	8355	Inside	4891.00	
Perforations	5.00			4896.00	
Bullnose	4.00			4900.00	18.00 Bottom Packers & Anchor

Total Tool Length: 46.00

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 11 2008

CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Singley #8

PO Box 399
Garden City KS 67846-0399

34 32S 31W Seward KS

ATTN: Jim Biltz

Job Ticket: 30841

DST#: 1

Test Start: 2008.03.22 @ 12:45:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

10000 ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.75 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2900.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	1000' GIP	0.000
60.00	30%W 70%M	0.842

Total Length: 60.00 ft Total Volume: 0.842 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:


Recovery Comments:

Pressure vs. Time



CONFIDENTIAL
 JUN 10 2008
 KCC

22 Sat Mar 2008



**TRILOBITE
TESTING, INC.**

CONFIDENTIAL
JUN 10 2008
KCC

DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City KS 67846-0399

ATTN: Jim Biltz

34 32S 31W Seward KS


Singley #8

Start Date: 2008.03.24 @ 21:54:05

End Date: 2008.03.25 @ 05:13:35

Job Ticket #: 29914 DST #: 2

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Jim Biltz

Singley #8
34 32S 31W Seward KS
Job Ticket: 29914 **DST#: 2**
Test Start: 2008.03.24 @ 21:54:05

Tool Information

Drill Pipe:	Length: 5493.00 ft	Diameter: 3.80 inches	Volume: 77.05 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 88000.00 lb
			<u>Total Volume: 77.05 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial 70000.00 lb
Depth to Top Packer:	5494.00 ft			Final 70000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	16.00 ft			
Tool Length:	44.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		


CONFIDENTIAL

JUN 10 2008

KCC

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5467.00	
Shut In Tool	5.00			5472.00	
Hydraulic tool	5.00			5477.00	
Jars	5.00			5482.00	
Safety Joint	3.00			5485.00	
Packer	5.00			5490.00	28.00 Bottom Of Top Packer
Packer	4.00			5494.00	
Stubb	1.00			5495.00	
Recorder	0.00	8017	Inside	5495.00	
Recorder	0.00	8351	Inside	5495.00	
Perforations	10.00			5505.00	
Bullnose	5.00			5510.00	16.00 Bottom Packers & Anchor

Total Tool Length: 44.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Singley #8

PO Box 399
Garden City KS 67846-0399

34 32S 31W Seward KS

Job Ticket: 29914 **DST#: 2**

ATTN: Jim Blitz

Test Start: 2008.03.24 @ 21:54:05

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 52.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.97 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3100.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
45.00	DM w/spots of Oil in tool 100%M	0.631

Total Length: 45.00 ft Total Volume: 0.631 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:



TRIBLOMITE
TESTING, INC.


American Warrior Inc
PO Box 399
Garden City KS 67846-0399

Singley #8
34 325 31W Seward KS
Job Ticket: 29915
DST#: 3
ATTN: Jim Billz
Test Start: 2008.03.25 @ 17:51:00

GENERAL INFORMATION:

Formation: **Morrow Sand**
Deviated: No Whipstock
Time Tool Opened: 20:19:45
Time Test Ended: 03:14:00
Interval: **5493.00 ft (KB) To 5575.00 ft (KB) (TVD)**
Total Depth: **5575.00 ft (KB) (TVD)**
Hole Diameter: 7.78 inchesHole Condition: Good
Reference Elevations: 2785.00 ft (KB)
2776.00 ft (CF)
9.00 ft
KB to GR/CF:

Serial #: 8017
Inside
Press@RunDepth: 26.91 psig @ 5495.00 ft (KB)
Start Date: 2008.03.25
End Date: 17:51:01
Capacity: 7000.00 psig
Last Callb.: 2008.03.26
Time On Btm: 2008.03.25 @ 20:17:30
Time Off Btm: 2008.03.26 @ 00:22:15
TEST COMMENT: IF 1" blow receded to 1/2"
ISI No return
FF 10" blow built to BOB @ 10 min.
FSI No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2794.24	113.43	Initial Hydro-static
3	124.01	112.93	Open To Flow (1)
32	283.29	113.91	Shut-in (1)
92	446.47	115.34	End Shut-in (1)
94	48.37	115.79	Open To Flow (2)
153	26.91	117.67	Shut-in (2)
244	249.27	118.88	End Shut-in (2)
245	2695.66	122.26	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	Mw/spot of Oil in tool 100%M	0.42
0.00	620' GIP	0.00

Gas Rates

Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT



DRILL STEM TEST REPORT

Prepared For: American Warrior Inc

PO Box 399
Garden City KS 67846-0399

ATTN: Jim Biltz

34 32S 31W Seward KS

Singley #8

Start Date: 2008.03.25 @ 17:51:00

End Date: 2008.03.26 @ 03:14:00

Job Ticket #: 29915 DST #: 3


Trilobite Testing, Inc


PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

CONFIDENTIAL
JUN 10 2008
KCC

Pressure vs. Time





**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Jim Biltz

Singley #8
34 32S 31W Seward KS
Job Ticket: 29915 **DST#: 3**
Test Start: 2008.03.25 @ 17:51:00


Tool Information

Drill Pipe:	Length: 5490.00 ft	Diameter: 3.80 inches	Volume: 77.01 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 27000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 85000.00 lb
			<u>Total Volume: 77.01 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 70000.00 lb
Depth to Top Packer:	5493.00 ft			Final 70000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	82.00 ft			
Tool Length:	110.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

CONFIDENTIAL
JUN 10 2008

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5466.00	
Shut In Tool	5.00			5471.00	
Hydraulic tool	5.00			5476.00	
Jars	5.00			5481.00	
Safety Joint	3.00			5484.00	
Packer	5.00			5489.00	28.00 Bottom Of Top Packer
Packer	4.00			5493.00	
Stubb	1.00			5494.00	
Perforations	1.00			5495.00	
Recorder	0.00	8017	Inside	5495.00	
Recorder	0.00	8351	Inside	5495.00	
Perforations	12.00			5507.00	
Change Over Sub	1.00			5508.00	
Drill Pipe	61.00			5569.00	
Change Over Sub	1.00			5570.00	
Bullnose	5.00			5575.00	82.00 Bottom Packers & Anchor
Total Tool Length:	110.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Singley #8

PO Box 399
Garden City KS 67846-0399

34 32S 31W Seward KS

Job Ticket: 29915

DST#: 3

ATTN: Jim Blitz

Test Start: 2008.03.25 @ 17:51:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 55.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.97 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3200.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	Mw/spot of Oil in tool 100%M	0.421
0.00	620' GIP	0.000

Total Length: 30.00 ft Total Volume: 0.421 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

CONFIDENTIAL
JUN 10 2008
KCC

Prepared For: **American Warrior Inc**

PO Box 399
Garden City KS 67846-0399

ATTN: Jim Biltz

34 32S 31W Seward KS

Singley #8

Start Date: 2008.03.27 @ 19:09:57

End Date: 2008.03.28 @ 01:38:06

Job Ticket #: 29487 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

American Warrior Inc


Singley #8

34 32S 31W Seward KS

DST # 4

St. Louis

2008.03.27



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

American Warrior Inc
 PO Box 399
 Garden City KS 67846-0399
 ATTN: Jim Blitz


Singley #8
34 32S 31W Seward KS
 Job Ticket: 29487 **DST#: 4**
 Test Start: 2008.03.27 @ 19:09:57

GENERAL INFORMATION:

Formation: **St. Louis**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 22:04:37
 Time Test Ended: 01:38:06
 Test Type: Conventional Bottom Hole
 Tester: Brandon Turley
 Unit No: 35
 Interval: **5900.00 ft (KB) To 5945.00 ft (KB) (TVD)**
 Total Depth: 5945.00 ft (KB) (TVD)
 Reference Elevations: 2785.00 ft (KB)
 Hole Diameter: 7.78 inches Hole Condition: Good
 2776.00 ft (CF)
 KB to GR/CF: 9.00 ft

Serial #: 6772 Outside
 Press@RunDepth: psig @ 5901.00 ft (KB) Capacity: 7000.00 psig
 Start Date: 2008.03.27 End Date: 2008.03.28 Last Calib.: 2008.03.28
 Start Time: 19:09:57 End Time: 01:38:06 Time On Btm: 2008.03.27 @ 22:01:22
 Time Off Btm: 2008.03.27 @ 22:52:07

TEST COMMENT: IF 1/4 blow built to 7 in 23 min. Packers failed after 23 min.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	3009.24	123.32	Initial Hydro-static
4	23.46	122.72	Open To Flow (1)
27	28.86	123.71	Shut-In(1)
51	2968.95	125.99	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
620.00	100%M	8.70

Gas Rates

Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
 PO Box 399
 Garden City KS 67846-0399
 ATTN: Jim Blitz

Singley #8
34 32S 31W Seward KS
 Job Ticket: 29487 **DST#: 4**
 Test Start: 2008.03.27 @ 19:09:57


Tool Information

Drill Pipe:	Length: 5901.00 ft	Diameter: 3.80 inches	Volume: 82.78 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 82.78 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial 70000.00 lb
Depth to Top Packer:	5900.00 ft			Final 80000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	45.00 ft			
Tool Length:	72.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

CONFIDENTIAL
JUN 10 2008
KCC

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Stubb	1.00			5874.00	
Shut In Tool	5.00			5879.00	
Hydraulic tool	5.00			5884.00	
Jars	5.00			5889.00	
Safety Joint	2.00			5891.00	
Packer	5.00			5896.00	27.00 Bottom Of Top Packer
Packer	4.00			5900.00	
Stubb	1.00			5901.00	
Recorder	0.00	6769	Inside	5901.00	
Recorder	0.00	6772	Outside	5901.00	
Perforations	5.00			5906.00	
Change Over Sub	1.00			5907.00	
Drill Pipe	32.00			5939.00	
Change Over Sub	1.00			5940.00	
Bullnose	5.00			5945.00	45.00 Bottom Packers & Anchor

Total Tool Length: 72.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc
PO Box 399
Garden City KS 67846-0399
ATTN: Jim Blitz

Singley #8
34 32S 31W Seward KS
Job Ticket: 29487 **DST#: 4**
Test Start: 2008.03.27 @ 19:09:57

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 55.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.97 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3000.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
620.00	100%M	8.697

Total Length: 620.00 ft Total Volume: 8.697 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

