

WELL NAME: Singley #6
COMPANY: American Warrior
LOCATION: 34-32S-31W
Seward County Kansas
DATE: 07/11/97

TRILOBITE TESTING L.L.C.

OPERATOR : American Warrior Inc.

DATE 7-7-97

WELL NAME: Singley #6

KB 2780.00 ft

TICKET NO: 9149

DST #1

LOCATION : 34-32S-31W

GR 2770.00 ft

FORMATION: Judy

INTERVAL : 4620.00 To 4670.00 ft

TD 4670.00 ft

TEST TYPE: CONV

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 45 Rec.	1055	1055	3024			PF Fr. 1223 to 1308 hr
SI 45 Range(Psi)	4150.0	4150.0	4995.0	0.0	0.0	IS Fr. 1308 to 1353 hr
SF 45 Clock(hrs)	12 hr	12 hr	Elec			SF Fr. 1353 to 1438 hr
FS 60 Depth(ft)	4665.0	4665.0	4623.0	0.0	0.0	FS Fr. 1438 to 1538 hr

	Field	1	2	3	4	
1. Init Hydro	2339.0	2293.0	2265.0	0.0	0.0	T STARTED 0930 hr
3. First Flow	43.0	53.0	24.0	0.0	0.0	T ON BOTM 1220 hr
31. Final Flow	43.0	45.0	32.0	0.0	0.0	T OPEN 1223 hr
2. In Shut-in	855.0	859.0	863.0	0.0	0.0	T PULLED 1538 hr
0. Init Flow	54.0	61.0	35.0	0.0	0.0	T OUT 1830 hr
5. Final Flow	43.0	47.0	37.0	0.0	0.0	
7. Fl Shut-in	845.0	830.0	832.0	0.0	0.0	TOOL DATA-----
3. Final Hydro	2288.0	2262.0	2206.0	0.0	0.0	Tool Wt. 1800.00 lbs
Inside/Outside	0	0	I			Wt Set On Packer 25000.00 lbs
						Wt Pulled Loose 85000.00 lbs
						Initial Str Wt 70000.00 lbs
						Unseated Str Wt 72000.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.25 in
						D. Pipe ID 3.80 in
						D.C. Length 295.00 ft
						D.P. Length 4353.00 ft

RECOVERY

Net Fluid	65.00 ft of	65.00 ft in DC and	0.00 ft in DP
55.00	ft of Drilling Mud		
0.00	ft of		
0.00	ft of		
0.00	ft of		
0.00	ft of		
0.00	ft of		
0.00	ft of		
0.00	ft of		
0.00	ft of		

SALINITY 0.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow:
Strong blow, bottom of bucket in 1 min

Initial Shut In:
Bled off 2" no blow back

Final Flow:
Strong blow, bottom of bucket soon
as tool opened, Gas to Surface in
5 mins, MCF @ 7.88

Final Shut In:

SAMPLES: NO
SENT TO:

Test Successful: Y

MUD DATA-----	
Mud Type	Chemical
Weight	9.00 lb/cf
Vis.	35.00 S/L
W.L.	16.80 in3
F.C.	0.00 in
Mud Drop Y	45.0 ft
Amt. of fill	0.00 ft
Btm. H. Temp.	116.00 F
Hole Condition	Good
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out N	
Tool Chased N	
Tester	Mike Colantonio
Co. Rep.	Scott Corsair
Contr.	Cheyenne
Rig #	5
Unit #	
Pump T.	

*** TOOL DIAGRAM *** CONV

WELL NAME: Singley #6

LOCATION : 34-32S-31W

TICKET No. 9149 D.S.T. No. 1 DATE 7-7-97

TOTAL TOOL TO BOTTOM OF TOP PACKERS 28

INTERVAL TOOL

BOTTOM PACKERS AND ANCHOR 20

TOTAL TOOL 48

DRILL COLLAR ANCHOR IN INTERVAL

D.C. ANCHOR STND.Stands Single Total

D.P. ANCHOR STND.Stands Single 1 Total 30

TOTAL ASSEMBLY

D.C. ABOVE TOOLS.Stands5 Single Total 295

D.P. ABOVE TOOLS.Stands69 Single 1 Total 4323

TOTAL DRILL COLLARS DRILL PIPE & TOOLS .. 4696

TOTAL DEPTH 4670

TOTAL DRILL PIPE ABOVE K.B. 26

REMARKS:

P.O. SUB Top tool	4591
C.O. SUB 1ft	4592
S.I. TOOL Sterling	4597
HMV Sterling	4597
JARS Sterling	4602
SAFETY JOINT Sterling	4610
PACKER 5ft	4615
PACKER 5ft	4620
DEPTH	
STUBB	4621
ANCHOR	
2ft perf	4623
Alpine Rec. @ 4523	
T.C.	
DEPTH	
10ft perf	4633
32ft Drlg pipe sub	4665
AK-1 Rec. @ 4665	
BULLNOSE	
T.D. 5ft bullplug	4670

GAS RECOVERY

COMPANY: American Worrior Inc.

DATE: 7-7-97

WELL NAME: Singley #6

KB Elev: 2780.00 ft TICKET #9149

DST #1

WELL LOCATION: 34-32S-31W

GR Elev: 2770.00 ft FORMATION: Judy

INTERVAL Fr.: 4620.00 To 4670.00 T.D.: 4670.00 ft TEST TYPE: CONV

GAS RECOVERY MEASURED WITH Merla Data

***** GAS RATES FOR FLOW #2

Time (min)	Orifice (in)	Pressure (Psi)	H2O (in)	Rate (cf/d)
10	0.25	0	20	7051.0
15	0.25	0	22	7088.0
20	0.25	0	20	7051.0
25	0.25	0	20	7051.0
30	0.25	0	18	7012.0
35	0.25	0	16	6072.0
40	0.25	0	16	6072.0
45	0.25	0	16	6072.0

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

	Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
***** Initial Hydro.	149.75	2264.8	0.0	106.42		
***** Start Flow 1	0.00	23.9	0.0	106.78		
	0.25	24.5	0.6	106.83		
	0.50	23.9	0.0	106.87		
	0.75	23.3	-0.7	106.91		
	1.00	23.4	-0.5	106.95		
	1.25	23.0	-0.9	106.99		
	1.50	23.6	-0.3	107.04		
	1.75	23.2	-0.8	107.07		
	2.00	22.9	-1.0	107.11		
	2.25	23.3	-0.6	107.14		
	2.50	23.2	-0.7	107.18		
	2.75	23.2	-0.7	107.21		
	3.00	22.9	-1.0	107.23		
	3.25	23.3	-0.6	107.26		
	3.50	23.0	-1	107.28		
	3.75	23.2	-0.7	107.32		
	4.00	23.3	-0.6	107.33		
	4.25	23.1	-0.9	107.37		
	4.50	23.4	-0.5	107.38		
	4.75	23.6	-0.4	107.41		
	5.00	23.6	-0.3	107.43		
	5.25	23.2	-0.8	107.44		
	5.50	23.0	-0.9	107.47		
	5.75	23.4	-0.5	107.49		
	6.00	23.5	-0.4	107.50		
	6.25	23.5	-0.4	107.52		
	6.50	23.4	-0.5	107.54		
	6.75	23.2	-0.7	107.55		
	7.00	23.4	-0.5	107.57		
	7.25	23.8	-0.2	107.59		
	7.50	23.4	-0.5	107.60		
	7.75	23.6	-0.3	107.61		
	8.00	23.5	-0.4	107.64		
	8.25	23.6	-0.4	107.65		
	8.50	23.8	-0.2	107.66		
	8.75	23.7	-0.2	107.67		
	9.00	23.7	-0.2	107.69		
	9.25	23.7	-0.2	107.69		
	9.50	24.0	0.1	107.71		
	9.75	24.1	0.1	107.72		
	10.00	24.1	0.2	107.73		
	10.25	24.8	0.9	107.74		
	10.50	24.8	0.9	107.75		
	10.75	24.0	0.1	107.76		
	11.00	23.7	-0.2	107.77		
	11.25	24.9	0.9	107.78		
	11.50	24.7	0.8	107.79		
	11.75	24.3	0.4	107.80		
	12.00	24.8	0.9	107.81		
	12.25	24.9	1	107.82		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
12.50	24.9	1	107.83		
12.75	24.7	0.8	107.83		
13.00	24.7	0.7	107.84		
13.25	25.0	1.1	107.85		
13.50	25.0	1.1	107.86		
13.75	24.5	0.6	107.87		
14.00	24.9	0.9	107.88		
14.25	25.8	1.9	107.88		
14.50	25.5	1.5	107.90		
14.75	25.3	1.4	107.90		
15.00	25.8	1.9	107.90		
15.25	24.9	1	107.91		
15.50	24.7	0.8	107.92		
15.75	25.6	1.7	107.92		
16.00	25.2	1.3	107.93		
16.25	25.2	1.2	107.94		
16.50	25.9	2.0	107.94		
16.75	24.9	0.9	107.95		
17.00	25.4	1.5	107.96		
17.25	25.9	2.0	107.96		
17.50	25.3	1.4	107.97		
17.75	25.7	1.8	107.98		
18.00	25.9	2.0	107.98		
18.25	26.6	2.7	107.99		
18.50	26.6	2.7	107.99		
18.75	27.3	3.4	108.01		
19.00	26.4	2.5	108.00		
19.25	26.3	2.4	108.01		
19.50	26.9	3.0	108.02		
19.75	27.2	3.2	108.03		
20.00	26.9	3.0	108.03		
20.25	27.7	3.8	108.03		
20.50	26.7	2.8	108.04		
20.75	26.2	2.3	108.04		
21.00	28.2	4.3	108.05		
21.25	26.4	2.5	108.05		
21.50	26.3	2.4	108.06		
21.75	27.7	3.8	108.07		
22.00	26.7	2.8	108.08		
22.25	27.8	3.9	108.09		
22.50	27.3	3.4	108.08		
22.75	27.5	3.6	108.09		
23.00	27.8	3.9	108.09		
23.25	26.3	2.4	108.10		
23.50	27.5	3.6	108.10		
23.75	28.2	4.2	108.11		
24.00	27.2	3.3	108.11		
24.25	27.3	3.4	108.12		
24.50	27.7	3.8	108.12		
24.75	27.8	3.9	108.13		
25.00	28.6	4.7	108.14		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97 TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
25.25	29.2	5.3	108.13		
25.50	27.8	3.9	108.14		
25.75	28.1	4.2	108.15		
26.00	27.9	4.0	108.15		
26.25	28.1	4.2	108.16		
26.50	29.8	5.9	108.17		
26.75	28.5	4.6	108.18		
27.00	27.8	3.9	108.18		
27.25	28.4	4.4	108.19		
27.50	29.0	5.1	108.18		
27.75	29.0	5.1	108.19		
28.00	28.8	4.9	108.19		
28.25	28.4	4.4	108.20		
28.50	28.6	4.7	108.21		
28.75	29.2	5.3	108.22		
29.00	28.8	4.9	108.22		
29.25	28.9	5.0	108.22		
29.50	29.9	6.0	108.22		
29.75	29.5	5.5	108.23		
30.00	29.7	5.8	108.23		
30.25	30.0	6.0	108.23		
30.50	28.6	4.7	108.24		
30.75	29.8	5.8	108.24		
31.00	30.2	6.3	108.26		
31.25	29.3	5.4	108.25		
31.50	29.1	5.1	108.27		
31.75	29.8	5.8	108.27		
32.00	29.9	6.0	108.27		
32.25	29.4	5.4	108.27		
32.50	29.4	5.5	108.29		
32.75	29.6	5.7	108.27		
33.00	29.9	5.9	108.29		
33.25	29.9	6.0	108.29		
33.50	30.7	6.8	108.30		
33.75	31.3	7.4	108.29		
34.00	29.8	5.9	108.30		
34.25	30.0	6.1	108.30		
34.50	30.0	6.0	108.31		
34.75	30.0	6.1	108.31		
35.00	30.5	6.5	108.33		
35.25	30.1	6.1	108.31		
35.50	31.3	7.4	108.33		
35.75	30.1	6.2	108.33		
36.00	30.5	6.6	108.34		
36.25	30.2	6.3	108.34		
36.50	30.6	6.6	108.34		
36.75	30.9	6.9	108.35		
37.00	30.0	6.1	108.35		
37.25	31.2	7.3	108.36		
37.50	30.8	6.9	108.36		
37.75	31.0	7.0	108.37		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
	38.00	30.8	6.9	108.37		
	38.25	30.9	7.0	108.37		
	38.50	31.6	7.7	108.37		
	38.75	31.0	7.0	108.37		
	39.00	31.2	7.3	108.38		
	39.25	32.7	8.8	108.38		
	39.50	31.9	8.0	108.39		
	39.75	31.5	7.6	108.40		
	40.00	31.6	7.7	108.40		
	40.25	31.3	7.4	108.40		
	40.50	32.4	8.5	108.41		
	40.75	31.3	7.4	108.41		
	41.00	31.9	8.0	108.40		
	41.25	31.7	7.8	108.41		
	41.50	31.4	7.5	108.42		
	41.75	33.5	9.6	108.42		
	42.00	32.0	8.1	108.43		
***** End Flow 1	42.25	31.9	8.0	108.44		
***** Start Shutin 1	0.00	31.9	0.0	108.44	0.0000	0.001
	0.25	41.7	9.8	108.43	170.0000	0.002
	0.50	58.4	26.5	108.43	85.5000	0.003
	0.75	74.5	42.5	108.44	57.3333	0.006
	1.00	90.0	58.0	108.43	43.2500	0.008
	1.25	105.5	73.6	108.44	34.8000	0.011
	1.50	120.7	88.8	108.45	29.1667	0.015
	1.75	135.7	103.8	108.45	25.1429	0.018
	2.00	150.4	118.5	108.45	22.1250	0.023
	2.25	165.0	133.1	108.46	19.7778	0.027
	2.50	179.4	147.5	108.46	17.9000	0.032
	2.75	193.6	161.7	108.46	16.3636	0.037
	3.00	207.6	175.7	108.47	15.0833	0.043
	3.25	221.4	189.5	108.47	14.0000	0.049
	3.50	235.0	203.1	108.47	13.0714	0.055
	3.75	248.4	216.5	108.48	12.2667	0.062
	4.00	261.7	229.8	108.50	11.5625	0.068
	4.25	274.7	242.7	108.48	10.9412	0.075
	4.50	287.5	255.5	108.49	10.3889	0.083
	4.75	300.1	268.2	108.50	9.8947	0.090
	5.00	312.4	280.5	108.50	9.4500	0.098
	5.25	324.6	292.7	108.50	9.0476	0.105
	5.50	336.6	304.6	108.51	8.6818	0.113
	5.75	348.3	316.4	108.53	8.3478	0.121
	6.00	359.9	327.9	108.53	8.0417	0.129
	6.25	371.1	339.2	108.52	7.7600	0.138
	6.50	382.3	350.3	108.53	7.5000	0.146
	6.75	393.2	361.3	108.54	7.2593	0.155
	7.00	403.9	372.0	108.55	7.0357	0.163
	7.25	414.3	382.4	108.54	6.8276	0.172
	7.50	424.5	392.6	108.56	6.6333	0.180
	7.75	434.5	402.6	108.55	6.4516	0.189
	8.00	444.3	412.4	108.56	6.2812	0.197

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
8.25	453.9	421.9	108.56	6.1212	0.206
8.50	463.3	431.3	108.56	5.9706	0.215
8.75	472.4	440.5	108.57	5.8286	0.223
9.00	481.4	449.5	108.58	5.6944	0.232
9.25	490.2	458.2	108.57	5.5676	0.240
9.50	498.8	466.8	108.58	5.4474	0.249
9.75	507.1	475.2	108.59	5.3333	0.257
10.00	515.3	483.4	108.59	5.2250	0.266
10.25	523.2	491.3	108.59	5.1220	0.274
10.50	531.0	499.1	108.59	5.0238	0.282
10.75	538.6	506.6	108.59	4.9302	0.290
11.00	545.9	514.0	108.60	4.8409	0.298
11.25	553.1	521.1	108.61	4.7556	0.306
11.50	560.1	528.2	108.61	4.6739	0.314
11.75	566.9	535.0	108.61	4.5957	0.321
12.00	573.6	541.7	108.62	4.5208	0.329
12.25	580.1	548.2	108.62	4.4490	0.337
12.50	586.4	554.5	108.62	4.3800	0.344
12.75	592.6	560.7	108.62	4.3137	0.351
13.00	598.7	566.8	108.63	4.2500	0.358
13.25	604.6	572.7	108.63	4.1887	0.366
13.50	610.4	578.4	108.64	4.1296	0.373
13.75	615.9	584.0	108.64	4.0727	0.379
14.00	621.4	589.5	108.65	4.0179	0.386
14.25	626.8	594.8	108.65	3.9649	0.393
14.50	632.0	600.1	108.64	3.9138	0.399
14.75	637.1	605.2	108.66	3.8644	0.406
15.00	642.0	610.1	108.65	3.8167	0.412
15.25	646.8	614.9	108.66	3.7705	0.418
15.50	651.6	619.7	108.66	3.7258	0.425
15.75	656.3	624.3	108.66	3.6825	0.431
16.00	660.8	628.9	108.66	3.6406	0.437
16.25	665.2	633.3	108.67	3.6000	0.442
16.50	669.5	637.6	108.67	3.5606	0.448
16.75	673.7	641.8	108.67	3.5224	0.454
17.00	677.8	645.9	108.68	3.4853	0.459
17.25	681.8	649.9	108.68	3.4493	0.465
17.50	685.7	653.8	108.69	3.4143	0.470
17.75	689.6	657.7	108.68	3.3803	0.476
18.00	693.3	661.4	108.69	3.3472	0.481
18.25	697.1	665.1	108.70	3.3151	0.486
18.50	700.6	668.7	108.69	3.2838	0.491
18.75	704.2	672.2	108.70	3.2533	0.496
19.00	707.6	675.7	108.70	3.2237	0.501
19.25	710.9	679.0	108.70	3.1948	0.505
19.50	714.3	682.3	108.69	3.1667	0.510
19.75	717.5	685.6	108.70	3.1392	0.515
20.00	720.7	688.7	108.71	3.1125	0.519
20.25	723.8	691.8	108.70	3.0864	0.524
20.50	726.9	694.9	108.71	3.0610	0.528
20.75	729.8	697.9	108.72	3.0361	0.533

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
21.00	732.7	700.8	108.71	3.0119	0.537
21.25	735.5	703.6	108.72	2.9882	0.541
21.50	738.4	706.4	108.72	2.9651	0.545
21.75	741.1	709.2	108.71	2.9425	0.549
22.00	743.8	711.9	108.72	2.9205	0.553
22.25	746.4	714.5	108.72	2.8989	0.557
22.50	749.0	717.1	108.72	2.8778	0.561
22.75	751.5	719.6	108.73	2.8571	0.565
23.00	754.1	722.1	108.73	2.8370	0.569
23.25	756.5	724.5	108.73	2.8172	0.572
23.50	758.9	727.0	108.72	2.7979	0.576
23.75	761.3	729.3	108.73	2.7789	0.580
24.00	763.6	731.7	108.73	2.7604	0.583
24.25	765.9	733.9	108.73	2.7423	0.587
24.50	768.1	736.2	108.74	2.7245	0.590
24.75	770.3	738.4	108.75	2.7071	0.593
25.00	772.4	740.5	108.74	2.6900	0.597
25.25	774.5	742.6	108.74	2.6733	0.600
25.50	776.6	744.7	108.75	2.6569	0.603
25.75	778.6	746.7	108.74	2.6408	0.606
26.00	780.6	748.7	108.75	2.6250	0.609
26.25	782.6	750.7	108.75	2.6095	0.613
26.50	784.5	752.6	108.76	2.5943	0.615
26.75	786.4	754.5	108.76	2.5794	0.618
27.00	788.2	756.3	108.75	2.5648	0.621
27.25	790.1	758.2	108.76	2.5505	0.624
27.50	791.8	759.9	108.76	2.5364	0.627
27.75	793.6	761.7	108.76	2.5225	0.630
28.00	795.3	763.4	108.77	2.5089	0.633
28.25	797.0	765.1	108.77	2.4956	0.635
28.50	798.7	766.8	108.77	2.4825	0.638
28.75	800.3	768.4	108.76	2.4696	0.640
29.00	801.9	770.0	108.77	2.4569	0.643
29.25	803.5	771.6	108.76	2.4444	0.646
29.50	805.0	773.1	108.76	2.4322	0.648
29.75	806.6	774.7	108.78	2.4202	0.651
30.00	808.1	776.1	108.78	2.4083	0.653
30.25	809.5	777.6	108.78	2.3967	0.655
30.50	811.0	779.1	108.78	2.3852	0.658
30.75	812.4	780.5	108.78	2.3740	0.660
31.00	813.8	781.9	108.78	2.3629	0.662
31.25	815.2	783.2	108.78	2.3520	0.665
31.50	816.5	784.6	108.78	2.3413	0.667
31.75	817.8	785.9	108.79	2.3307	0.669
32.00	819.1	787.2	108.78	2.3203	0.671
32.25	820.4	788.5	108.79	2.3101	0.673
32.50	821.6	789.7	108.79	2.3000	0.675
32.75	822.9	791.0	108.78	2.2901	0.677
33.00	824.1	792.2	108.78	2.2803	0.679
33.25	825.3	793.4	108.80	2.2707	0.681
33.50	826.5	794.5	108.79	2.2612	0.683

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

	Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
	33.75	827.6	795.7	108.80	2.2519	0.685
	34.00	828.7	796.8	108.79	2.2426	0.687
	34.25	829.8	797.9	108.80	2.2336	0.689
	34.50	830.9	799.0	108.80	2.2246	0.690
	34.75	832.0	800.0	108.80	2.2158	0.692
	35.00	833.0	801.1	108.80	2.2071	0.694
	35.25	834.1	802.1	108.80	2.1986	0.696
	35.50	835.0	803.1	108.79	2.1901	0.697
	35.75	836.0	804.1	108.81	2.1818	0.699
	36.00	837.0	805.1	108.81	2.1736	0.701
	36.25	838.0	806.0	108.80	2.1655	0.702
	36.50	838.9	807.0	108.81	2.1575	0.704
	36.75	839.8	807.9	108.81	2.1497	0.705
	37.00	840.7	808.8	108.82	2.1419	0.707
	37.25	841.6	809.7	108.82	2.1342	0.708
	37.50	842.5	810.6	108.81	2.1267	0.710
	37.75	843.4	811.4	108.82	2.1192	0.711
	38.00	844.2	812.3	108.82	2.1118	0.713
	38.25	845.1	813.1	108.82	2.1046	0.714
	38.50	845.8	813.9	108.82	2.0974	0.715
	38.75	846.7	814.7	108.82	2.0903	0.717
	39.00	847.4	815.5	108.82	2.0833	0.718
	39.25	848.2	816.3	108.83	2.0764	0.719
	39.50	849.0	817.1	108.83	2.0696	0.721
	39.75	849.7	817.8	108.83	2.0629	0.722
	40.00	850.5	818.5	108.83	2.0562	0.723
	40.25	851.2	819.3	108.83	2.0497	0.725
	40.50	851.9	820.0	108.83	2.0432	0.726
	40.75	852.6	820.7	108.83	2.0368	0.727
	41.00	853.3	821.4	108.83	2.0305	0.728
	41.25	854.0	822.0	108.84	2.0242	0.729
	41.50	854.6	822.7	108.84	2.0181	0.730
	41.75	855.3	823.3	108.84	2.0120	0.731
	42.00	855.9	824.0	108.84	2.0060	0.733
	42.25	856.5	824.6	108.83	2.0000	0.734
	42.50	857.1	825.2	108.84	1.9941	0.735
	42.75	857.7	825.8	108.84	1.9883	0.736
	43.00	858.3	826.4	108.85	1.9826	0.737
	43.25	858.9	827.0	108.84	1.9769	0.738
	43.50	859.5	827.6	108.84	1.9713	0.739
	43.75	860.1	828.1	108.84	1.9657	0.740
	44.00	860.6	828.7	108.86	1.9602	0.741
	44.25	861.2	829.3	108.85	1.9548	0.742
	44.50	861.7	829.8	108.86	1.9494	0.743
	44.75	862.3	830.3	108.86	1.9441	0.743
	45.00	862.8	830.8	108.85	1.9389	0.744
***** End Shut-in 1	45.25	862.9	831.0	108.86	1.9337	0.745
***** Start Flow 2	0.00	34.7	0.0	108.87		
	0.25	35.8	1.0	108.86		
	0.50	37.0	2.2	108.86		
	0.75	37.9	3.2	108.86		

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
1.00	39.0	4.3	108.88		
1.25	38.3	3.5	108.87		
1.50	37.7	2.9	108.88		
1.75	38.6	3.8	108.88		
2.00	37.6	2.9	108.88		
2.25	40.2	5.5	108.89		
2.50	38.1	3.3	108.90		
2.75	37.4	2.7	108.90		
3.00	37.3	2.6	108.91		
3.25	38.4	3.7	108.91		
3.50	34.9	0.2	108.91		
3.75	35.9	1.2	108.92		
4.00	34.2	-0.5	108.92		
4.25	35.0	0.3	108.92		
4.50	36.6	1.9	108.92		
4.75	36.7	2.0	108.94		
5.00	35.9	1.2	108.94		
5.25	36.4	1.7	108.94		
5.50	39.3	4.6	108.94		
5.75	35.9	1.2	108.95		
6.00	37.8	3.1	108.96		
6.25	38.7	4.0	108.96		
6.50	36.7	2.0	108.96		
6.75	34.8	0.1	108.97		
7.00	32.9	-1.8	108.98		
7.25	38.8	4.0	108.98		
7.50	38.7	4.0	108.98		
7.75	35.7	1	108.98		
8.00	38.7	4.0	108.99		
8.25	38.6	3.9	108.99		
8.50	34.9	0.2	108.99		
8.75	39.1	4.4	108.99		
9.00	41.2	6.5	108.99		
9.25	40.1	5.3	109.00		
9.50	36.0	1.3	109.01		
9.75	40.9	6.1	109.00		
10.00	40.4	5.7	109.01		
10.25	38.1	3.4	109.02		
10.50	36.2	1.5	109.01		
10.75	40.6	5.8	109.02		
11.00	39.3	4.6	109.02		
11.25	36.2	1.4	109.02		
11.50	39.7	5.0	109.03		
11.75	40.5	5.8	109.03		
12.00	38.7	4.0	109.03		
12.25	35.4	0.7	109.03		
12.50	40.4	5.7	109.04		
12.75	39.9	5.2	109.04		
13.00	36.8	2.1	109.04		
13.25	41.9	7.2	109.04		
13.50	39.6	4.9	109.05		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
13.75	37.1	2.4	109.05		
14.00	34.8	0.1	109.06		
14.25	40.3	5.6	109.04		
14.50	38.7	4.0	109.06		
14.75	34.6	-0.1	109.06		
15.00	40.3	5.6	109.06		
15.25	40.7	6.0	109.07		
15.50	35.9	1.2	109.06		
15.75	33.5	-1.2	109.07		
16.00	40.0	5.2	109.07		
16.25	38.1	3.3	109.08		
16.50	34.0	-0.7	109.08		
16.75	35.2	0.5	109.07		
17.00	40.5	5.8	109.08		
17.25	36.5	1.8	109.09		
17.50	35.3	0.6	109.09		
17.75	33.4	-1.3	109.09		
18.00	35.8	1.1	109.09		
18.25	33.2	-1.5	109.08		
18.50	39.7	4.9	109.09		
18.75	37.8	3.1	109.09		
19.00	38.2	3.5	109.09		
19.25	34.7	0.0	109.10		
19.50	33.7	-1.0	109.10		
19.75	35.1	0.4	109.10		
20.00	37.8	3.0	109.10		
20.25	36.6	1.9	109.11		
20.50	36.8	2.1	109.12		
20.75	38.9	4.2	109.10		
21.00	38.1	3.4	109.11		
21.25	35.5	0.8	109.11		
21.50	35.9	1.2	109.11		
21.75	34.5	-0.2	109.12		
22.00	36.0	1.2	109.13		
22.25	34.6	-0.1	109.12		
22.50	40.0	5.2	109.13		
22.75	36.2	1.4	109.13		
23.00	34.5	-0.2	109.12		
23.25	37.2	2.4	109.13		
23.50	38.5	3.8	109.13		
23.75	34.4	-0.3	109.13		
24.00	33.2	-1.5	109.14		
24.25	37.2	2.5	109.14		
24.50	34.4	-0.4	109.13		
24.75	35.4	0.7	109.14		
25.00	37.8	3.1	109.14		
25.25	39.5	4.7	109.14		
25.50	37.3	2.5	109.15		
25.75	34.8	0.1	109.16		
26.00	33.5	-1.2	109.16		
26.25	34.8	0.1	109.15		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
26.50	32.9	-1.8	109.15		
26.75	35.9	1.2	109.16		
27.00	37.2	2.5	109.16		
27.25	37.2	2.5	109.17		
27.50	36.6	1.9	109.16		
27.75	34.0	-0.8	109.16		
28.00	34.6	-0.1	109.17		
28.25	35.2	0.5	109.17		
28.50	36.8	2.1	109.17		
28.75	37.3	2.5	109.17		
29.00	39.1	4.4	109.18		
29.25	35.0	0.3	109.18		
29.50	38.5	3.8	109.17		
29.75	35.5	0.8	109.18		
30.00	38.1	3.4	109.18		
30.25	35.4	0.7	109.19		
30.50	35.8	1.1	109.19		
30.75	37.0	2.3	109.19		
31.00	34.4	-0.3	109.19		
31.25	38.4	3.7	109.20		
31.50	37.2	2.5	109.20		
31.75	36.6	1.9	109.19		
32.00	40.0	5.3	109.20		
32.25	38.4	3.7	109.21		
32.50	35.6	0.8	109.21		
32.75	34.7	0.0	109.21		
33.00	37.1	2.3	109.21		
33.25	35.7	1	109.21		
33.50	34.8	0.1	109.21		
33.75	36.5	1.8	109.22		
34.00	36.8	2.1	109.22		
34.25	35.4	0.6	109.22		
34.50	35.0	0.3	109.21		
34.75	36.7	2.0	109.22		
35.00	34.5	-0.3	109.23		
35.25	38.4	3.7	109.22		
35.50	37.1	2.4	109.23		
35.75	37.0	2.3	109.24		
36.00	35.0	0.3	109.24		
36.25	38.5	3.8	109.24		
36.50	35.1	0.4	109.24		
36.75	37.1	2.4	109.25		
37.00	37.5	2.8	109.25		
37.25	33.7	-1.0	109.25		
37.50	34.5	-0.3	109.25		
37.75	37.8	3.1	109.25		
38.00	37.8	3.1	109.26		
38.25	36.9	2.2	109.25		
38.50	35.7	1.0	109.26		
38.75	37.3	2.6	109.26		
39.00	34.1	-0.6	109.26		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97 TIME: 09:52:28

	Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
	39.25	38.7	3.9	109.27		
	39.50	35.4	0.7	109.26		
	39.75	36.7	1.9	109.27		
	40.00	36.1	1.4	109.27		
	40.25	36.2	1.5	109.27		
	40.50	35.9	1.2	109.27		
	40.75	34.8	0.0	109.28		
	41.00	38.6	3.9	109.28		
	41.25	36.2	1.4	109.28		
	41.50	35.1	0.4	109.28		
	41.75	37.7	2.9	109.28		
	42.00	35.5	0.7	109.29		
	42.25	37.8	3.1	109.29		
	42.50	37.4	2.7	109.29		
	42.75	33.6	-1.1	109.29		
	43.00	34.6	-0.1	109.29		
	43.25	38.0	3.2	109.29		
	43.50	36.2	1.4	109.30		
	43.75	36.5	1.7	109.30		
	44.00	36.7	2.0	109.30		
***** End Flow 2	44.25	37.5	2.8	109.30		
***** Start Shutin 2	0.00	37.5	0.0	109.30	0.0000	0.001
	0.25	35.8	-1.7	109.31	347.0000	0.001
	0.50	45.6	8.1	109.31	174.0000	0.002
	0.75	54.6	17.1	109.31	116.3333	0.003
	1.00	63.5	26.0	109.32	87.5000	0.004
	1.25	72.3	34.8	109.32	70.2000	0.005
	1.50	80.9	43.4	109.32	58.6667	0.007
	1.75	89.6	52.1	109.32	50.4286	0.008
	2.00	98.1	60.5	109.33	44.2500	0.01
	2.25	106.6	69.1	109.33	39.4444	0.011
	2.50	115.1	77.5	109.33	35.6000	0.013
	2.75	123.5	86.0	109.34	32.4545	0.015
	3.00	131.9	94.3	109.34	29.8333	0.017
	3.25	140.2	102.7	109.34	27.6154	0.020
	3.50	148.5	111.0	109.35	25.7143	0.022
	3.75	156.7	119.2	109.35	24.0667	0.025
	4.00	165.0	127.5	109.35	22.6250	0.027
	4.25	173.1	135.6	109.35	21.3529	0.030
	4.50	181.2	143.7	109.36	20.2222	0.033
	4.75	189.4	151.9	109.37	19.2105	0.036
	5.00	197.4	159.8	109.37	18.3000	0.039
	5.25	205.4	167.9	109.37	17.4762	0.042
	5.50	213.4	175.9	109.38	16.7273	0.046
	5.75	221.3	183.7	109.38	16.0435	0.049
	6.00	229.0	191.5	109.39	15.4167	0.052
	6.25	236.8	199.3	109.38	14.8400	0.056
	6.50	244.6	207.0	109.39	14.3077	0.060
	6.75	252.3	214.8	109.39	13.8148	0.064
	7.00	260.0	222.5	109.40	13.3571	0.068
	7.25	267.5	230.0	109.40	12.9310	0.072

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
7.50	275.2	237.6	109.40	12.5333	0.076
7.75	282.6	245.1	109.40	12.1613	0.080
8.00	290.2	252.7	109.41	11.8125	0.084
8.25	297.6	260.1	109.41	11.4848	0.089
8.50	305.0	267.5	109.42	11.1765	0.093
8.75	312.3	274.8	109.42	10.8857	0.098
9.00	319.7	282.2	109.43	10.6111	0.102
9.25	326.9	289.4	109.43	10.3514	0.107
9.50	334.1	296.6	109.42	10.1053	0.112
9.75	341.2	303.7	109.44	9.8718	0.116
10.00	348.3	310.8	109.43	9.6500	0.121
10.25	355.3	317.8	109.43	9.4390	0.126
10.50	362.3	324.8	109.43	9.2381	0.131
10.75	369.2	331.7	109.44	9.0465	0.136
11.00	376.1	338.5	109.46	8.8636	0.141
11.25	382.8	345.3	109.45	8.6889	0.147
11.50	389.6	352.0	109.46	8.5217	0.152
11.75	396.2	358.6	109.45	8.3617	0.157
12.00	402.7	365.2	109.46	8.2083	0.162
12.25	409.3	371.8	109.46	8.0612	0.168
12.50	415.7	378.2	109.46	7.9200	0.173
12.75	422.2	384.6	109.46	7.7843	0.178
13.00	428.5	391.0	109.47	7.6538	0.184
13.25	434.7	397.2	109.47	7.5283	0.189
13.50	440.9	403.4	109.47	7.4074	0.194
13.75	447.0	409.5	109.47	7.2909	0.200
14.00	453.1	415.6	109.48	7.1786	0.205
14.25	459.1	421.6	109.48	7.0702	0.211
14.50	465.0	427.5	109.48	6.9655	0.216
14.75	470.8	433.3	109.49	6.8644	0.222
15.00	476.6	439.1	109.49	6.7667	0.227
15.25	482.3	444.8	109.49	6.6721	0.233
15.50	488.0	450.5	109.50	6.5806	0.238
15.75	493.5	455.9	109.50	6.4921	0.243
16.00	499.0	461.5	109.50	6.4062	0.249
16.25	504.4	466.9	109.50	6.3231	0.254
16.50	509.8	472.2	109.51	6.2424	0.260
16.75	515.0	477.5	109.50	6.1642	0.265
17.00	520.2	482.7	109.51	6.0882	0.271
17.25	525.3	487.7	109.51	6.0145	0.276
17.50	530.3	492.8	109.51	5.9429	0.281
17.75	535.3	497.7	109.52	5.8732	0.286
18.00	540.2	502.6	109.52	5.8056	0.292
18.25	545.0	507.5	109.53	5.7397	0.297
18.50	549.7	512.2	109.53	5.6757	0.302
18.75	554.4	516.9	109.53	5.6133	0.307
19.00	559.0	521.5	109.53	5.5526	0.313
19.25	563.5	526.0	109.53	5.4935	0.318
19.50	568.0	530.4	109.53	5.4359	0.323
19.75	572.3	534.8	109.53	5.3797	0.328
20.00	576.7	539.2	109.54	5.3250	0.333

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
20.25	581.0	543.4	109.54	5.2716	0.338
20.50	585.1	547.6	109.54	5.2195	0.342
20.75	589.3	551.8	109.55	5.1687	0.347
21.00	593.3	555.8	109.55	5.1190	0.352
21.25	597.3	559.8	109.55	5.0706	0.357
21.50	601.2	563.7	109.54	5.0233	0.361
21.75	605.1	567.6	109.55	4.9770	0.366
22.00	609.0	571.5	109.55	4.9318	0.371
22.25	612.7	575.2	109.56	4.8876	0.375
22.50	616.4	578.9	109.56	4.8444	0.380
22.75	620.0	582.5	109.56	4.8022	0.384
23.00	623.6	586.1	109.56	4.7609	0.389
23.25	627.1	589.6	109.56	4.7204	0.393
23.50	630.5	593.0	109.56	4.6809	0.398
23.75	633.9	596.4	109.58	4.6421	0.402
24.00	637.3	599.8	109.56	4.6042	0.406
24.25	640.6	603.1	109.57	4.5670	0.410
24.50	643.8	606.3	109.57	4.5306	0.414
24.75	647.0	609.5	109.58	4.4949	0.419
25.00	650.1	612.6	109.58	4.4600	0.423
25.25	653.2	615.7	109.58	4.4257	0.427
25.50	656.2	618.7	109.58	4.3922	0.431
25.75	659.2	621.7	109.58	4.3592	0.435
26.00	662.1	624.6	109.59	4.3269	0.438
26.25	665.0	627.5	109.59	4.2952	0.442
26.50	667.9	630.4	109.58	4.2642	0.446
26.75	670.7	633.1	109.59	4.2336	0.450
27.00	673.4	635.9	109.59	4.2037	0.453
27.25	676.1	638.6	109.59	4.1743	0.457
27.50	678.8	641.3	109.60	4.1455	0.461
27.75	681.4	643.9	109.60	4.1171	0.464
28.00	684.0	646.5	109.61	4.0893	0.468
28.25	686.6	649.1	109.60	4.0619	0.471
28.50	689.1	651.6	109.60	4.0351	0.475
28.75	691.5	654.0	109.60	4.0087	0.478
29.00	694.0	656.5	109.61	3.9828	0.482
29.25	696.4	658.9	109.60	3.9573	0.485
29.50	698.7	661.2	109.61	3.9322	0.488
29.75	701.1	663.5	109.61	3.9076	0.491
30.00	703.3	665.8	109.61	3.8833	0.495
30.25	705.6	668.1	109.61	3.8595	0.498
30.50	707.8	670.3	109.62	3.8361	0.501
30.75	710.0	672.5	109.62	3.8130	0.504
31.00	712.1	674.6	109.61	3.7903	0.507
31.25	714.3	676.8	109.62	3.7680	0.510
31.50	716.3	678.8	109.63	3.7460	0.513
31.75	718.4	680.8	109.63	3.7244	0.516
32.00	720.4	682.9	109.63	3.7031	0.519
32.25	722.4	684.9	109.62	3.6822	0.522
32.50	724.3	686.8	109.63	3.6615	0.525
32.75	726.2	688.7	109.63	3.6412	0.527

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
33.00	728.1	690.6	109.63	3.6212	0.530
33.25	730.0	692.5	109.64	3.6015	0.533
33.50	731.9	694.3	109.64	3.5821	0.536
33.75	733.7	696.1	109.64	3.5630	0.538
34.00	735.5	698.0	109.65	3.5441	0.541
34.25	737.2	699.7	109.64	3.5255	0.544
34.50	739.0	701.5	109.64	3.5072	0.546
34.75	740.7	703.2	109.64	3.4892	0.549
35.00	742.4	704.9	109.64	3.4714	0.551
35.25	744.0	706.5	109.64	3.4539	0.554
35.50	745.7	708.2	109.65	3.4366	0.556
35.75	747.3	709.8	109.64	3.4196	0.558
36.00	748.9	711.4	109.65	3.4028	0.561
36.25	750.5	713.0	109.64	3.3862	0.563
36.50	752.0	714.5	109.65	3.3699	0.565
36.75	753.5	716.0	109.65	3.3537	0.568
37.00	755.0	717.5	109.65	3.3378	0.570
37.25	756.5	719.0	109.64	3.3221	0.572
37.50	758.0	720.4	109.65	3.3067	0.574
37.75	759.4	721.9	109.65	3.2914	0.577
38.00	760.8	723.3	109.66	3.2763	0.579
38.25	762.2	724.7	109.66	3.2614	0.581
38.50	763.6	726.1	109.66	3.2468	0.583
38.75	765.0	727.5	109.66	3.2323	0.585
39.00	766.3	728.8	109.66	3.2179	0.587
39.25	767.6	730.1	109.67	3.2038	0.589
39.50	769.0	731.5	109.67	3.1899	0.591
39.75	770.3	732.8	109.67	3.1761	0.593
40.00	771.5	734.0	109.67	3.1625	0.595
40.25	772.8	735.3	109.67	3.1491	0.597
40.50	774.0	736.5	109.67	3.1358	0.599
40.75	775.2	737.7	109.67	3.1227	0.601
41.00	776.4	738.9	109.67	3.1098	0.603
41.25	777.6	740.1	109.67	3.0970	0.605
41.50	778.7	741.2	109.68	3.0843	0.606
41.75	779.9	742.4	109.68	3.0719	0.608
42.00	781.0	743.5	109.68	3.0595	0.610
42.25	782.1	744.6	109.69	3.0473	0.612
42.50	783.2	745.7	109.68	3.0353	0.613
42.75	784.3	746.8	109.68	3.0234	0.615
43.00	785.4	747.9	109.68	3.0116	0.617
43.25	786.4	748.9	109.70	3.0000	0.618
43.50	787.5	750.0	109.68	2.9885	0.620
43.75	788.5	751.0	109.69	2.9771	0.622
44.00	789.5	752.0	109.69	2.9659	0.623
44.25	790.5	753.0	109.69	2.9548	0.625
44.50	791.5	754.0	109.69	2.9438	0.626
44.75	792.5	755.0	109.69	2.9330	0.628
45.00	793.4	755.9	109.70	2.9222	0.630
45.25	794.4	756.9	109.70	2.9116	0.631
45.50	795.3	757.8	109.69	2.9011	0.633

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
45.75	796.3	758.8	109.70	2.8907	0.634
46.00	797.2	759.7	109.70	2.8804	0.635
46.25	798.0	760.5	109.69	2.8703	0.637
46.50	799.0	761.4	109.71	2.8602	0.638
46.75	799.8	762.3	109.70	2.8503	0.640
47.00	800.7	763.1	109.70	2.8404	0.641
47.25	801.5	764.0	109.70	2.8307	0.642
47.50	802.3	764.8	109.70	2.8211	0.644
47.75	803.2	765.6	109.70	2.8115	0.645
48.00	804.0	766.5	109.71	2.8021	0.646
48.25	804.8	767.3	109.71	2.7927	0.648
48.50	805.6	768.1	109.71	2.7835	0.649
48.75	806.4	768.8	109.71	2.7744	0.650
49.00	807.1	769.6	109.71	2.7653	0.651
49.25	807.9	770.4	109.72	2.7563	0.653
49.50	808.7	771.1	109.71	2.7475	0.654
49.75	809.4	771.9	109.72	2.7387	0.655
50.00	810.1	772.6	109.72	2.7300	0.656
50.25	810.9	773.4	109.72	2.7214	0.658
50.50	811.6	774.1	109.71	2.7129	0.659
50.75	812.3	774.8	109.72	2.7044	0.660
51.00	813.0	775.5	109.72	2.6961	0.661
51.25	813.7	776.2	109.71	2.6878	0.662
51.50	814.3	776.8	109.72	2.6796	0.663
51.75	815.0	777.5	109.72	2.6715	0.664
52.00	815.7	778.1	109.73	2.6635	0.665
52.25	816.3	778.8	109.72	2.6555	0.666
52.50	817.0	779.4	109.74	2.6476	0.667
52.75	817.6	780.1	109.72	2.6398	0.668
53.00	818.2	780.7	109.73	2.6321	0.670
53.25	818.9	781.3	109.73	2.6244	0.671
53.50	819.5	781.9	109.73	2.6168	0.672
53.75	820.1	782.5	109.73	2.6093	0.672
54.00	820.7	783.2	109.73	2.6019	0.674
54.25	821.2	783.7	109.73	2.5945	0.674
54.50	821.8	784.3	109.74	2.5872	0.675
54.75	822.4	784.9	109.74	2.5799	0.676
55.00	822.9	785.4	109.74	2.5727	0.677
55.25	823.5	786.0	109.73	2.5656	0.678
55.50	824.1	786.5	109.74	2.5586	0.679
55.75	824.6	787.1	109.75	2.5516	0.680
56.00	825.1	787.6	109.74	2.5446	0.681
56.25	825.7	788.2	109.74	2.5378	0.682
56.50	826.2	788.7	109.74	2.5310	0.683
56.75	826.7	789.2	109.75	2.5242	0.683
57.00	827.2	789.7	109.74	2.5175	0.684
57.25	827.7	790.2	109.75	2.5109	0.685
57.50	828.3	790.8	109.75	2.5043	0.686
57.75	828.8	791.2	109.75	2.4978	0.687
58.00	829.3	791.7	109.75	2.4914	0.688
58.25	829.7	792.2	109.75	2.4850	0.688

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9149 DST#1 Singley #6 American Warrior Inc.

DATE: 07/07/97

TIME: 09:52:28

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
	58.50	830.2	792.7	109.75	2.4786	0.689
	58.75	830.7	793.2	109.76	2.4723	0.690
	59.00	831.1	793.6	109.76	2.4661	0.691
	59.25	831.6	794.1	109.76	2.4599	0.692
***** End Shut-in 2	59.50	832.0	794.5	109.76	2.4538	0.692
***** Final Hydro.	346.25	2206.3	0.0	109.81		

TEST HISTORY
 9149 DST#1 Singley #6 American Warrior Inc.

Flag Points

t(Min.) P(PSig)

A:	0.00	2264.82
B:	0.00	23.92
C:	42.25	31.93
D:	45.25	862.92
E:	0.00	34.71
F:	44.25	37.52
G:	59.50	832.04
H:	0.00	2206.32



