

Field Greenwood

State Kansas County Morton
 Company Colo. Oil & Gas (50%) Holly Oil Co. (50%)?
 Farm Stoops Well No. 1-19
 Sec. 19 Twp. 32S Range 42W
 Blk. 32S Survey 42W
 fr N fr E fr S fr W
 of C SW 1/4
 Contractor Holm Drlg.

Remarks

Comm. 4-8-55 Comp. 5-11-55
 Elev. 3560 DF T. D. 3262 P. B.
 Pay 2698-3215

I. P. 29,400 mcf R. P. 435 #

Casing Record: 13 3/8 7
 20 10 3/4 51/2 3260/350
 16 8 5/8 636/400

4-13-55	Ø 2770	Tops
<u>DST #1</u>	<u>3190-3216</u>	<u>950 min</u>
<u>gfs in 2 min</u>	<u>misto spray in 28 min</u>	
<u>1 min g</u>	<u>1,930 mg</u>	<u>Schl by Co.</u>
<u>50 "</u>	<u>2,600 "</u>	<u>Wob 2687</u>
<u>rec 85' H₂O (6800 ppm)</u>		<u>Amount 2923</u>
<u>FP 255-295 BH 465</u>		<u>Jan 3062</u>
<u>HH 1700</u>		<u>30 Dec 3187</u>
<u>DST #2</u>	<u>3228-62</u>	<u>607 hrs.</u>
<u>v whl log in 2 min</u>		<u>rec 80' gcm</u>
<u>#65 gcs in FP 40-85 BH 385</u>		<u>30</u>
<u>HH 1650</u>		<u>30</u>
<u>RTD 3262</u>		<u>log</u>
<u>5 1/2 "</u>	<u>3260</u>	<u>350</u>
<u>WOCT</u>		
<u>2700m</u>	<u>PUCT CO to 3227</u>	
	<u>Ø 180 / 3195-3215</u>	
	<u>127 / 3190-93</u>	

g - 4075 mcf (dry)

A/5000 g - 14,993 mcf (dry)

BP @ 318

p 12/3169-72

12/3144-47

A/1000 g - 9,960 mcf w/ long mist

press comm.

LP @ 3227

MAY 4 1955

~~plug @ 3126~~ g - 14,993 mcf / mist deer
plug @ 3126 g p 108/3082-3109, 16/3014

g - 12,242 mcf (dry) 36/3061-70 78

AP
dove plug to botm g - 58,400 mcf (dry)

plug @ 3050

g 24/3018-24, 12/3005-09, 24/2994-3000,
R/2975-78, 8/2960-62

g - 500 mcf @ 3 graph

A/4000 to gauge

plug @ 2940

p 8/2923-25, 32/2890-98, A/2000

g 2,016 mcf (wet)

dove plug to botm g 27,200 mcf (dry)

plug @ 2876

p 16/2862-66, 16/2855-59, A/2000

g 8,677 mcf (sl. wet)

dove plug g 27,200 (dry)

plug @ 2836

24/2798-2804, 8/2782-84, 20/2754-59,
12/2809-12, 8/2767-69 A/3000

Swab @ g 127 mcf @ 10-60 graph

g 246 " @ 5 graph

dove plug to botm

set plug @ 2740

p 16/2722-26 12/2717-22

Field
State County

Company
Farm Well No.
Sec. 19 Twp. Blk. 32 Range Survey 42^w 19
fr N fr E fr S fr W

of
Contractor

Remarks
Comm. Comp.
Elev. T. D. P. B.
Pay

Stamps

I. P. R. P.
Casing Record: 13 3/8 7
20 10 3/4 5 1/2
16 8 5/8

~~12/2707-10, 16/2098-2702~~
~~A/2500 swab @ g - 21,571 mgf~~
~~(wet) poss carbon~~
~~draw plug @ g 24,000 mgf (dry)~~
WOT

MAY 1 1955

12 g 29,400 mgf
20 RP 435th

[Handwritten signature]

