S. C. 5

Morton
COUNTY

14 SEC. 32 TWP. 43W RGE. C SW SUBDIVISION

Colorado O&G
COMPANY


1 WELL Mansz FARM

FT. FROM NL SL WL EL ¼ SEC.

Greenwood Pool

Holm Drlg.

Date 10-27-54 MI RT



Field

State County

Company

Farm Well No.

Sec. Twp Blk Range Survey

fr N fr E fr S fr W

of

Contractor

Remarks

Comm. 10-25-54 Comp. 2-23-55

Elev. 3591 T. D. 3382 P. B. 3340

Pay 2705-3255

I P 27,800 mcf R. P. 425#

Casing Record:	13⅜	7
20	10¾	5½ 3370/225
16	8⅝ 665/300	

		Tops	
	WOCT		Schl.
16 Dec	✓		Wal 2699
DEC 20 1954	✓		Upper 2928
DEC 29 1954	✓ RTD 3382		Top. 3079
JAN 5 1955	MICT - 3340		Lecomp. 3221
12 Jan	RUCT to RA Log		
	P 72/3237-3255		
	gauged 2,159 mcf		
	A/3500		
	gauged 6,859 mcf & vapor		
	Set plug ?		
	P 20/3195-3200		
	16/3184-88		
	A/2000		
	gauged 4,897 mcf & heavy mist		
	" 5,082 " " " "		
	" 4,402 " fairly dry		
	Running flow to tks		

HOPPIN PTG CO., AMARILLO

19 Jan Set plug 3143

P 84/ 3105-26
60/ 3085-3100

A/7000 gauged 15,800 Mcf with mist

Drilled plug @ 3143 & set plug at 3070

P 20/ 3045-50
16/ 3033-37
36/ 3017-26

A/4000 gauged 8,600 Mcf & 40 gwph testing

6,078 & 20 gwph

Drilled plug @ 3070 to btm

& 26,010 Mcf dry

Set plug @ 3018

P 24/ 2995-3001

A/1500 gauged 15,600 Mcf (wet)

Drill plug 3018 to btm

& 21,871 Mcf (wet)

Set plug @ 2960

P/ 20/ 2941-46

A/1000 bailed 7-10 gwph no gas

Run tbg w/ pkr at 2930

24 perfs (2941-46/ 2 SPF)

Pulled tbg & drilling on plug at 2960

Feb.

Drill plug 2960

& - 19,045 Mcf (wet) from all zones

Field

State County

Company

Farm Well No.

Sec. Twp Blk Range Survey

fr N fr E fr S fr W

of

Contractor

Remarks Many #1

Comm. Comp.

Elev. T. D. P. B.

Pay

T. R. R. P.

Casing Record:	13⅜	7
20	10¾	5½
16	8⅝	

BP @ 2928 Tops

P 28/2907-14
12/2895-98
A/1500
g - 769 mcf & 8 gwph
d plug to btm.
g - 20,743 mcf (wet)
g - 19,611 " fault chg

BP @ 2850
P 20/2815-20
16/2807-11
12/2792-95
A/200 swbg 55 gwph & ng

9 Feb set @ 2780 sq perfs 2815-20 } 200
2807-11 } sxs
2792-95 }

co to?
BP @ 2790

HOPPIN PTG CO., AMARILLO

P 16/ 2739-43
32/ 2725-33
16/ 2705-09
gd sq
A/3000 bailed & swab 16 gwph w/ 168 Mcf Pd
rem thg & gas gauged
g. 379-465 dry
Co to 3340
g 19,611 mcf (dry)
WOT
FEB 23 1955

72/20 27,800 (dry)
RP 425#