

State Geological Survey
WICHITA, BRANCH


KANSAS DRILLERS LOG

S. 31 T. 32 R. 6 ^W_W

Loc. NW SW NE

County Harper

640 Acres
N



Elev.: Gr. _____

DF _____ KB _____

API No. 15 — 077 — 20,233
County Number

Operator
McCoy Petroleum Company

Address 502 Union Center
Wichita, Kansas

Well No. #1 Lease Name Prouse "A"

Footage Location
feet from (N) (S) line feet from (E) (W) line

Principal Contractor Geologist

Spud Date Total Depth P.B.T.D.

Date Completed Oil Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs./ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|-----------------|---------------|-------------|-------|----------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LINER RECORD

PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
| | | | | | |
| | | | | | |

| Size | Setting depth | Packer set at |
|------|---------------|---------------|
| | | |

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
| | |
| | |
| | |

INITIAL PRODUCTION

| | |
|--|---|
| Date of first production | Producing method (flowing, pumping, gas lift, etc.) |
| RATE OF PRODUCTION PER 24 HOURS | Oil bbls. Gas MCF Water bbls. Gas-oil ratio CFPB |
| Disposition of gas (vented, used on lease or sold) | Producing interval (s) |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas

For

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

| | | |
|--|------------|--|
| Well No. | Lease Name | |
| S _____ T _____ R _____ E _____ W _____ | | |

WELL LOG


Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---------------------------------------|-----|--------|------|-------|
| | | | | |

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received



Signature

Title

Date

DAILY REPORT

McCoy Petroleum Company
#1 Prouse "A"
NW SW NE
Sec. 31-32S-6W
Harper County, Kansas

Contractor: Sweetman Drilling, Inc.

Geologist: Roger McCoy

Elevations: 1388 GL 1395 DF 1398 KB



12-26-73 Moving in Rotary Tools. Spud @ 6:00 P.M. Set 8-5/8", 28#
used surface casing @ 226' w/175 sacks common cement, 2% gel,
3% calcium chloride. Plug down @ 12:00 midnight.

12/27/73 W.O.C. @ 226'.

12/28/73 Drilling @ 1568'.

12/29/73 Drilling at 2451'.

12/30/73 Drilling at 3060'.

12/31/73 Drilling at 3742'.

1/ 1/74 Drilling at 4061'.

1/ 2/74 Drilling at 4390'.

1/ 3/74 DST #1 4453-4475.
Open 30", S.I. 45", Open 60",
S.I. 60",

Strong blow,
Recovered 960' gas in pipe,
Recovered 90' gas cut mud,
IBHP 780#/45", IF 18-30# FF 30-42# FBHP 1140#/60".
Temperature 136°.

Circulated @ 4495'.

Sample Tops

| | |
|---------------------|-------------|
| Heebner | 3251(-1853) |
| Stalnaker Sand | 3574(-2176) |
| Base Stalnaker Sand | 3696(-2298) |
| Kansas City | 3853(-2455) |
| Stark Shale | 3999(-2601) |
| Base Kansas City | 4086(-2688) |
| Cherokee | 4273(-2875) |
| Conglomerate Chert | 4437(-3039) |
| Mississippi Lime | 4449(-3051) |
| Osage | 4483(-3086) |
| Total Depth | 4495(-3097) |

31-32-6W

Computer Inventoried

#1 Prouse "A"
NW SW NE Sec. 31-32S-6W
Harper County, Kansas

Page 2

DST #2 4475-4495.
Open 30", S.I. 45", Open 30", S.I. 45",
Weak blow throughout test,
Recovered 245' muddy water,
IBHP 1760#/45" FBHP 1755#/45" FF 61-111# FF 144-178#.

1/ 4/74 D & A Plugged @ 2:00 A.M.

