

# **Geological Report**

American Warrior Inc.  
Forester B #2-26  
800' FSL & 1680' FWL  
Sec. 26 T33S R11W  
Barber County, Kansas

James Dilts  
Geologist

RECEIVED  
JUN 04 2010  
KCC WICHITA

**American Warrior, Inc.**

**General Data**

Well Data: American Warrior Inc.  
Forester B #2-~~20~~  
C-W/2-SE-SW  
800' FSL & 1680' FWL  
Sec. 26 T.33S R.11 W.  
Barber County, Kansas  
API # 15-~~07~~-23, 163-0000  
007

Drilling Contractor: Duke Drilling Co., Rig #5

Spud Date: 6/28/2007

Rotary TD Date: 7/7/2007

Rotary TD: 5051'

Elevation: 1432' Ground Level  
1443' Kelly Bushing

Casing: Surface 217' 8 5/8" 24# surface casing set at  
228' w/ 165 sx common  
Production 4906' 5.5" 17# @4916' w/165 sx  
common

Samples: 10' wet and dry, 3500' to RTD

Drilling Time: 3500' to RTD

Electric Logs: DIL/CDL//BHCS/CNL

Drillstem Tests: None

Problems: None

RECEIVED  
JUN 04 2010  
KCC WICHITA

## Formation Tops

### Forester B 2-26

Heebner	3636'-2194
Toronto	3650'-2208
Brown Lime	3857'-2415
BKC	4388'-2946
Mississippi	4533'-3091
Kinderhook	4797'-3355
Viola	4894'-3452
Simpson	4994'-3552

## Drill Stem Tests

None

Summary: Due to structural position log information, the decision was made to case the Forester B #2-26 for further evaluation.

RECEIVED  
JUN 04 2010  
KCC WICHITA

Respectfully Submitted,

James F Dilts

RECEIVED  
NOV 04 2010  
PHITA