

Section 30 Township 33 Range 11W

Well No. #1 G.S. Pendley

Company Continental Oil

NORTH

9

						0	

SOUTH

WEST

EAST

SEC.	TWP.	R.
30	33	11W

WELL NO.

1 G. S. Pendley

FARM

COMPANY

Continental Oil

CONTRACTOR

Lohman & Johnson

Gerlane Pool


330 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

NE NE SE



1954

ELEVATION

1419'

REPORT

2/24

RUR

3/3

9" @ 616' w/250 sks

Drlg 3100'

3/10

Elgin sd. 3499'

DST 3499'-3535' $\frac{1}{2}$ hr, 5' M 700#

Drlg 4320'

3/17

Heeb 3614', Lans 3816', Miss 4511'

Schl

TD 4610'

5" @ 4584'

3/24

CO 4610'

500 M - A frac.

3/31

F 39 BO 14 hrs. $\frac{1}{2}$ " Ck.

4/7

F 8 BO 9 hrs. 48/64" Ck. G. 76 deg.

11/10

Spud 2-23-54

Gas Well

TD 4610'

9" @ 616'

Elgin sd. 3499'

DST 3499'-3535' opn $\frac{1}{2}$ hr, rec 5' Mud

700# Heeb 3614' Lans 3816' Miss 4511'

1954

Information brought forward.

11/10 TD 4610'
5" @ 4584'
CO to 4610'
500 M-A frac. F/ 39 bo 14 hr.
F/ 8 bo 9 hr
PB 4576'
104/ 4548-74 sd-frac.
F/ 29 bf 50% Wtr. 9 hr. PB 4542'
112/ 4510-38 frac. S & F / 37 bf
10% oil
Comp F/ 1,000,000 cfpd.

COMPLETED

County Barber State KansasSec. 30 (Blk.) 33 (Sur.) 11W Map No.Operator Continental OilWell No. 1 Farm G. S. PendleyElev. Location NE NE SE330 Ft. From N Line SE330 Ft. From E Line Quarter1st. Report FEB 24 1954

Completion

Remarks

Lohman & Johnson - Contr.

Spudding Date

Drlg. Data Gerlane PoolRUR

J. G. MCGHEE

County **Barber** State **Kansas**
 Sec. **30** (Blk.) **33** (Sur.) **11W** Map No.
 Operator **Continental Oil**
 Well No. **1** Farm **G. S. Pendley**
 Elev. **1419** Location **NE NE SE**



330 Ft. From **N** Line **SE**

330 Ft. From **E** Line **Quarter**

1st. Report

Completion **NOV 10 1954**

Remarks **Gerlane Pool**

Lohman & Johnson - Contr.

Spudding Date **2-23-54**

Drlg. Data **Gas well TD 4610**

9" @ 616 Elgin sd. 3499 DST 3499-3535

open $\frac{1}{2}$ hr. Rec. 5' mud 700#

Heeb. 3614 Lans. 3816 Miss. 4511

TD 4610 5" @ 4584 CO to 4610 500 M-A

frac F/ 39 bo 14 hr. F/ 8 bo 9 hr.

PB 4576 104/ 4548-74 sd-frac

F/ 29 bf 50% wtr. 9 hr. PB 4542

112/ 4510-38 frac S & F/ 37 bf 10% oil

Comp. F/ 1,000,000 c f g p d

FABEN GILSTRAP