


15-007-23095

30-33s-14w



DRILL STEM TEST REPORT

Prepared For: **Berexco Inc**

PO Box 20380
Wichita KS 67208

ATTN: Vern Schrag

30 33 14 Barber KS

DNM Grain #2

Start Date: 2006.12.06 @ 14:39:52

End Date: 2006.12.07 @ 02:08:22

Job Ticket #: 25883 DST #: 1

15-007-23095

E2 NE SE

1938 FSL 411 FEL


KCC
MAR 26 2007
CONFIDENTIAL

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

30-33s-14w
E2 NE SE



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco Inc

PO Box 20380
Wichita KS 67208

ATTN: Vern Schrag

DNM Grain #2

30 33 14 Barber KS

Job Ticket: 25883

DST#: 1

Test Start: 2006.12.06 @ 14:39:52

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 47.00 sec/qt

Water Loss: 7.97 in³

Resistivity: ohm.m

Salinity: 3500.00 ppm

Filter Cake: 0.20 inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	Drilling Mud 100%Mud	0.148

Total Length: 30.00 ft Total Volume: 0.148 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Berexco Inc
PO Box 20380
Wichita KS 67208


ATTN: Vern Schrag

DNM Grain #2
30 33 14 Barber KS
Job Ticket: 25885 DST#: 3
Test Start: 2006.12.08 @ 16:40:58

Tool Information

Drill Pipe:	Length: 4197.00 ft	Diameter: 3.80 inches	Volume: 58.87 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 528.00 ft	Diameter: 2.25 inches	Volume: 2.60 bbl	Weight to Pull Loose: 90000.00 lb
		Total Volume:	61.47 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	8.00 ft			String Weight: Initial 80000.00 lb
Depth to Top Packer:	4745.00 ft			Final 80000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	38.00 ft			
Tool Length:	66.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Shut In Tool	5.00			4722.00		
Hydraulic tool	5.00			4727.00		
Jars	5.00			4732.00		
Safety Joint	3.00			4735.00		
Packer	5.00			4740.00	28.00	Bottom Of Top Packer
Packer	5.00			4745.00		
Recorder	0.00	6668	Inside	4745.00		
Perforations	35.00			4780.00		
Recorder	0.00	13266	Outside	4780.00		
Bullnose	3.00			4783.00	38.00	Bottom Packers & Anchor
Total Tool Length:		66.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco Inc

DNM Grain #2

PO Box 20380
Wichita KS 67208

30 33 14 Barber KS

Job Ticket: 25885

DST#: 3

ATTN: Vern Schrag

Test Start: 2006.12.08 @ 16:40:58

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 44.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.79 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
190.00	Drilling Mud 100%M	0.934

Total Length: 190.00 ft

Total Volume: 0.934 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

DST Test Number: 3

30 33 14 Barber KS

Berexco Inc

Inside

Serial #: 6668

Pressure vs. Time

