

KANSAS DRILLERS LOG WICHITA BRANCH

S. 18 T. 33 R. 15 <sup>K</sup>W

API No. 15 — 007 — 20,688  
County Number

Loc. W2 NW NW

Operator


Roy D. McAninch

County Barber

640 Acres  
N

Address

1140 NW 63rd Street Oklahoma City, Okla 73116



Well No. # 1

Lease Name  
Brass

Footage Location

660 feet from (N) ~~XXXX~~ 330 feet from (E) (W) line

Principal Contractor

H-30, Inc.

Geologist

Hoagland - McAninch

Spud Date

11-19-78

Total Depth

4806

P.B.T.D.

Date Completed

11-28-78

Oil Purchaser

Dry bole

Locate well correctly

Elev.: Gr. 1671

DF 1680 KB 1681

CASING RECORD

Report of all strings set—surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface pipe	12-1/4	8-5/8	20 lb.	365	Reg. 3% Calcium chloride; 2% gel.	250	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production \_\_\_\_\_ Producing method (flowing, pumping, gas lift, etc.) \_\_\_\_\_

RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB
---------------------------------	--------------	------------	----------------	-----------------------

Disposition of gas (vented, used on lease or sold) \_\_\_\_\_ Producing interval(s) \_\_\_\_\_

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

operator

Roy D. McAninch

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No.

1

Lease Name

BRASS

Dry hole

S 18 T33S R15W E W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Shale	0	1800	Heebner	3933
Anhydrite		2105	Brown Lime	4094
LS & SH		2945	Lansing	4103
SH		2995	Mississippi	4723
LS		3025		
LS W/SH STKS		3145		
LS		3760		
SH		3900		
LS		3970		
SH		4085		
LS W/SH STKS		4806		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

*Roy D. McAninch*

Signature

*Operator*

Title

*12-8-78*

Date

KANSAS DRILLERS LOG

COMPANY Kansas Oil & Gas Partners  
c/o Mr. Roy D. McAninch  
FARM Brass NO. 1

SEC. 18 T. 33S. R. 15W  
LOC. C-NW NW

COUNTY Barber

ROTARY TOTAL DEPTH 4,806'  
COMM. November 18, 1978 COMP. November 29, 1978  
CONTRACTOR H-30, Inc. (Rig #3)  
ISSUED December 12, 1978

CASING

10 3/4"  
8 5/8" Set at 385' cemented w/250 sxs cement  
5 1/2"  
4 1/2"

ELEVATION

FIGURES INDICATE BOTTOM OF FORMATIONS

Sand	80'
Red Bed and Shale	1,000'
Shale	1,715'
Shale and Lime	2,550'
Lime and Shale	2,735'
Shale and Lime	3,020'
Lime and Shale	4,712'
Shale and Lime	4,781'
Lime and Shale	4,806'
Rotary Total Depth	4,806'

I hereby certify the above and foregoing to be  
a true and correct log of the above described  
well as shown by the drilling reports.

H-30, Inc.

*Dean Britting*  
Dean Britting

State of Kansas }  
County of Sedwick }

SS: