

81

Ind

35-33-20W

SIDE ONE

AFFIDAVIT OF COMPLETION FORM

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ten days after the completion of the well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, SWD, OWWO, Injection. Type and complete ALL sections.

Applications must be filed for dual completion, commingling, SWD and injection, T.A.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.).

KCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)

OPERATOR TXO PRODUCTION CORP.

API NO. 15-033-20,534

ADDRESS 200 W. Douglas, Ste. 300

COUNTY Comanche

Wichita, KS 67202

FIELD Collier Flats

**CONTACT PERSON Harold R. Trapp

PROD. FORMATION Swope

PHONE 265-9441

LEASE Willems

PURCHASER Koch

WELL NO. "A" #4

ADDRESS Box 2256

WELL LOCATION _____

Wichita, KS 67201

DRILLING H-30, Rig #3

660 Ft. from North Line and

CONTRACTOR ADDRESS 251 N. Water

660 Ft. from West Line of

Wichita, KS 67202

the 35 SEC. 33S TWP. 20W RGE.

PLUGGING N/A

CONTRACTOR ADDRESS _____

TOTAL DEPTH 4881 PBD 4839

SPUD DATE 2-8-82 DATE COMPLETED 3-25-82

ELEV: GR 1788 DF N/A KB 1801

DRILLED WITH (~~XXXX~~) (ROTARY) (~~XXXX~~) TOOLS

Amount of surface pipe set and cemented N/A DV Tool Used? N/A

RECEIVED
MAR 29 1982
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
Wichita, Kansas

State Geological Survey
WICHITA BRANCH

WELL PLAT

KCC
KGS
(Office Use)

A F F I D A V I T

STATE OF KANSAS, COUNTY OF Sedawick SS, I, _____

Harold R. Trapp OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS District Geologist (FOR) (~~OF~~) TXO Production Corp.

OPERATOR OF THE Willems LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. "A" #4 ON

SAID LEASE HAS BEEN COMPLETED AS OF THE 25th DAY OF March, 19 82, AND THAT

SIDE TWO

WELL LOG

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

Show all important parts of perforation contents thereof; cored intervals, and all drill-stem tests, including depth interval, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
LOG TOPS				35-33-20
Herington	2329	-528		
Wreford	2667	-867		
Onaga	3180	-1379		
Stotler	3360	-1559		
Tarkio	3428	-1627		
Topeka	3724	-1923		
Heebner	4142	-2341		
Douglas Grp	4220	-2419		
Lans.	4348	-2547		
Iola	4588	-2787		
Swope	4762	-2961		
Hertha	4800	-2999		
B/Kansas City	4848	-3047		
RTD	4881			
LTD	4878			
PBD	4839			
Ran O.H. Logs				
No DSTs.				

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used			Depth interval treated	
Treated w/500 gals 15% NE acid w/double surfactant			4763-68	
Treated w/1000 gals 15% retarded gelled acid followed by 2000 gals gelled 15% HCl			"	
Permatrieve pkr @ 4730'				
Squeezed Iola perms from 4591-95' w/50 sxs			4591-95	
Pulled permatrieve pkr				
Date of first production		Producing method (flowing, pumping, gas lift, etc.)		Gravity
3-25-82		pumping		N/A
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas:oil ratio
	22 BOPD	gas potential	20 BWPD	N/A
Disposition of gas (vented, used on lease or sold)			Perforations	
Sold			4763-68	

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (XXXX)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Sacks	Type and percent additives
Conductor	12 1/4	16 1/2"			6 1/2 yds readi-mix		
Surface		8-5/8"	24#	647'		350	
Production		5-1/2"	15.5#	4880'		300	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
N/A	N/A	N/A	2 JSPF (11 h.)	Swope	4763-68'
TUBING RECORD			4 JSPF	Iola	4591-95
Size	Setting depth	Plucker set at			
2-3/8"	4765	4743			

