

29


33

29W

SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_

WELL NO. #6 Heinson

COMPANY Shamrock



~~23~~

CO. ~~Meade~~ ELEV. \_\_\_\_\_

SEC. ~~29~~ TWP. 83 RGE. 29W

COMPANY Shamrock NO. 6

|              |  |
|--------------|--|
| FIRST REPORT |  |
| OCT 16 57    |  |
|              |  |

FARM Heinson

LOC. SW SW SE

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

GEOL. \_\_\_\_\_

CONTR. D & M Tools

POOL Singley

SPUD 10-8-57

13" @ 950 w/900 Drlg.

2669.

CO.

LSE.

NO.

SEC.

TWP.

RGE.

23

S-513-A

CO. ~~Meade~~ ELEV. 2590  
SEC. 29 TWP. 33 RGE. 29W  
COMPANY Shamrock NO. 6

COMPLETE

DEC 11 '57

FARM Heinson  
LOC. SW SW SE

GEOL.  
CONTR. D & M Tools  
POOL Singley  
SPUD 10-8-57  
13" @ 950 w/900 Drlg.  
2669. 06123 57  
#4505 00730 57

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

Mar 5219 @ 5431  
Crd 5740 - 56 16' nec NS  
Mar 54 5727 crd 5756  
- 70 1/2 14 1/2 nec bleeding out  
Mord 5762 end 5770 1/2  
- 89 nec 18 1/2' end 5789 -  
5806 nec 17' 12 ST 5719 -  
5806 90" G/135" TSTM 600'  
HG CM FP 250-300 BHP 1280/130"

NOV 13 57 crd 5806 - 45 nec 39'  
SD 00 89 DST 5808 - 45  
90" G/110" ga 62 MCP 1/2"  
TSTM 125" nec 90' V H 06G  
CM 2260' oil 50' 06G CM  
FP 1010 - 600 BHP 1735/130'  
Crd 5845 - 95 nec 50'

Miss 5883 TD 5983 running  
log NOV 20 57 7" 5980/150 CO  
5970 40/5954 - 64 1/2 @ NS  
Prep PB NOV 27 57 Log tops  
L 4547 Mdr m 5211 @ 5389  
Atoka 5502 Mdr 5722  
Mord 5762 - 90 5806 - 22  
Chest 5883 BTP 5854 16/  
5809 - 13 12/ 5817 - 20 \$780  
ph NW NT 55 gas aver \$  
3 1/2 BOPK NW 5 hrs POP  
NOV 4 57 DEC 14 57 1 PP 83.4230  
NW 2 hrs gr 37.50  
GOR 599 to 1  
Mdr 5809 - 20  
PB 5854  
TD 5983