


Section 7 Township 33 Range 30 W

Well No. #1 Collingwood "A"

Company Shamrock Oil



Meade

SEC.	TWP.	R.
7	33	30W

WELL NO.

#1 Collingwood "A"

FARM

COMPANY

Shamrock Oil

CONTRACTOR

Wildcat

1390


Ft. from N. Line

Ft. from S. Line

1390

Ft. from E. Line

Ft. from W. Line



C ~~NE~~ 1/4

SDX-1/4 Mi.

Columbian Fuel & United Prod. FO

	ELEVATION	REPORT
1955	2754 DP	

8/17

Loc.

8-25

Spud 8-19-55, 13" @ 800/650, drlg 1234

9-2

9 5/8" @ 2635/800,

Drlg. 2960'

9-8

Drlg. 4480'

9-15

Drlg. 5412

9-22

Atoka 5410; Mw. Sd. 5602

Core 5600-40 rec. 40' core 5640-60, rec 20';

DST 5625-60 op 1 hr., gas 19" ga 41,000 cfg 19" 35,000 cfg 60", rec. 85' sgcm

BHP 1340# 30";

DST 5658-5703 RTD op 1 hr., gas 26", ga. 31,000 cfg 28", rec. 75' sgcm,

BHP 1480# 30",

Schlum.;

TD 5704;

D & A

OVER

1955

9/28

Comm 8-19-55

13" @ 800 w/650 9 5/8" @ 2635 w/800

Herr	2630	2601
Kri	2700	2679
Wfd	2770	2734
UFR	2830	2805
LFR	2896	2886
Fl & Flinr		2999
L	4503	4490
Marm	5125	5118
Ce	5280	5282
Atoka	5410	5398
W sd	5607	5612
M Chest		5660

TD 5704

Core 5600-40 Rec 40'

Core 5640'-60 Rec 20'

DST 5625-60 open 1 hr gas 19" guage
41,000 cfg 19" 35,000 cfg 60" Rec 85'
sgcm FFP 50# 1340# 30" Cora 5660-5703

Rec 43' DST 5658-5703 open 1 hr gas
26" ga3 31,000 cfg 28" 27,000 cgg
60" rec 75' sgcm 45-60# 1480# 30"

D & A

ABANDONED

County Meade Elev. _____
 Sec. 7 Twp. 33 Rge. 30W
 Company Shamrock Oil
 Farm Name Collingwood "A" No. 1

TOPS	DEPTH	LOG	DATUM
Anh.			
TP.			
H.			
Tr.			
Dg.			
Bl.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Me.			
V.			
S.			
S.			
A.			
R.			
PE.			
G.			
T.D.			

Loc. in Sec. C NE/4
1390' NL
1390' EL
 Geol. _____
 Contr. _____
 Pool Wildcat



Date Comm. Columbian Fuel & United
Location Prod. FO

Handwritten red scribble

Co.
Lse.
No.
Sec.
T.
R.

County Meade Elev. 2754 DF
 Sec. 7 Twp. 33 Rge. 30W
 Company Shamrock Oil & Gas (Amarillo, Tex)
 Farm Name Collingwood "A" No. 1

TOPS	DEPTH	LOG	DATUM
Anh. <u>Herr</u>	<u>2630</u>	<u>2601</u>	
Ip. <u>Kri</u>	<u>2700</u>	<u>2679</u>	
H. <u>wfd</u>	<u>2770</u>	<u>2734</u>	
Fr. <u>UFR</u>	<u>2830</u>	<u>2805</u>	<u>51</u>
Dg. <u>UFR</u>	<u>2896</u>	<u>2886</u>	<u>132</u>
Bl. <u>Fl + Flnr</u>	<u>2999</u>	<u>254</u>	
L. <u></u>	<u>4503</u>	<u>4490</u>	<u>1749</u>
K.C. <u></u>			
B.K.C. <u>Marm</u>	<u>5125</u>	<u>5118</u>	<u>2371</u>
Ce. <u></u>	<u>5280</u>	<u>5282</u>	<u>2526</u>
t. <u>Atoka</u>	<u>5410</u>	<u>5398</u>	<u>2656</u>
M. <u>w sd</u>	<u>5602</u>	<u>5612</u>	<u>2848</u>
M. <u>Chest</u>		<u>5660</u>	<u>2930</u>
K. <u></u>			
Mz. <u></u>			
Mo. <u></u>			
V. <u></u>			
S. <u></u>			
S. <u></u>			
A. <u></u>			
R. <u></u>			
Pc. <u></u>			
G. <u></u>			
T.D. <u></u>	<u>5704</u>		

Loc. in Sec. C NE/4

Geol.
 Contr.

Pool Wildcat



Date Comm. Columbian Fuel & United Prod-FO
8/19/55 13" 800 w/650 9 5/8" 2635 w/800
Core 5600-40 Rec. 40'
Core 5640-60 Rec. 20'
DST 5625-60 open 1 hr: gas 19" guage 41,000
cfg 19" 35,000 cfg 60" Rec. 85' sgcm
FFP 50# 1340# 30" Core 5660-5703 Rec.
43' DST 5658-5703 open 1 hr gas 26" ga
31,000 cfg 28" 27,000 cfg 60" Rec. 75'
sgcm 45-60# 1480# 30"