

Lee Banks, W. R. Atkinson and Beacon Resources Corp.
 #1-12 Lee
 C W/2 SE NE Sec. 12-33S-34W
 Seward Co., Ks.

DRILLING TIME

Drilling time by 1 ft. intervals from 2500 ft. to total depth.

2500-2510	2	-	2	-	2	-	4	-	4	-	4	-	3	-	5	-	4
-2520	3	-	5	-	4	-	4	-	4	-	4	-	2	-	2	-	1
-2530	3	-	2	-	4	-	4	-	4	-	4	-	4	-	3	-	1
-2540	3	-	2	-	2	-	2	-	3	-	2	-	2	-	2	-	2
-2550	3	-	3	-	2	-	2	-	2	-	2	-	3	-	3	-	3
-2560	3	-	2	-	2	-	3	-	3	-	3	-	1	-	2	-	3
-2570	1	-	2	-	2	-	3	-	3	-	2	-	2	-	3	-	2
-2580	3	-	3	-	2	-	3	-	3	-	3	-	4	-	4	-	4
-2590	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	1
-2600	2	-	4	-	3	-	3	-	3	-	3	-	2	-	3	-	4
2600-2610	3	-	3	-	2	-	3	-	4	-	3	-	3	-	3	-	2
-2620	3	-	3	-	4	-	3	-	3	-	3	-	2	-	3	-	2
-2630	4	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	4	-	5	-	3	-	3 $\frac{1}{2}$	-	3	-	2 $\frac{1}{2}$
-2640	2 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	2	-	2	-	2 $\frac{1}{2}$
-2650	3 $\frac{1}{2}$	-	3	-	3	-	2	-	3	-	3	-	2	-	3 $\frac{1}{2}$	-	3
-2660	1 $\frac{1}{2}$	-	3	-	3	-	2	-	2 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3	-	4	-	3 $\frac{1}{2}$
-2670	2	-	3	-	2 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$
-2680	2 $\frac{1}{2}$	-	3	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3	-	3 $\frac{1}{2}$	-	3	-	2
-2690	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1	-	2	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$
-2700	1	-	2	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	3	-	2 $\frac{1}{2}$
2700-2710	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	1 $\frac{1}{2}$	-	2	-	2	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$
-2720	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2	-	1 $\frac{1}{2}$	-	2	-	2	-	2 $\frac{1}{2}$
-2730	1 $\frac{1}{2}$	-	2	-	2	-	2	-	2	-	1 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	2 $\frac{1}{2}$
-2740	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	2	-	1 $\frac{1}{2}$	-	1	-	1 $\frac{1}{2}$	-	1	-	1 $\frac{1}{2}$
-2750	1 $\frac{1}{2}$	-	1	-	1	-	1 $\frac{1}{2}$	-	2	-	1 $\frac{1}{2}$	-	2	-	1	-	2
-2760	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2	-	2	-	2	-	2	-	2	-	1	-	2
-2770	1 $\frac{1}{2}$	-	1	-	1 $\frac{1}{2}$	-	1	-	1	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1	-	2
-2780	1	-	1	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	3
-2790	3	-	2	-	3	-	4	-	3	-	2	-	2	-	2	-	3
-2800	2	-	1	-	2	-	3	-	3	-	1 $\frac{1}{2}$	-	2	-	1 $\frac{1}{2}$	-	2
2800-2810	2	-	3	-	2	-	2	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	2	-	1 $\frac{1}{2}$
-2820	2 $\frac{1}{2}$	-	2	-	1 $\frac{1}{2}$	-	2	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	2	-	1 $\frac{1}{2}$
-2830	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	3	-	2	-	2	-	2 $\frac{1}{2}$
-2840	2 $\frac{1}{2}$	-	3	-	2 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	3	-	3	-	3	-	2 $\frac{1}{2}$
-2850	3 $\frac{1}{2}$	-	3	-	3	-	3	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	4
-2860	4 $\frac{1}{2}$	-	4	-	4	-	4 $\frac{1}{2}$	-	5	-	4 $\frac{1}{2}$	-	5	-	4	-	4
-2870	4 $\frac{1}{2}$	-	6 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	4	-	3	-	4	-	4	-	4	-	5
-2880	4 $\frac{1}{2}$	-	6	-	5	-	4 $\frac{1}{2}$	-	4 $\frac{1}{2}$	-	4	-	4	-	3	-	4
-2890	4	-	3	-	4	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	3	-	3
-2900	3	-	2	-	2	-	2	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2

2900-2910	3½	3	3	3	2	2	2	2	1½	2
-2920	2	2	2	2½	2½	2	2	4	4	4
-2930	3	3½	3	3	2½	2	2½	2½	2	2
-2940	3½	4½	4	4	4	3½	2	2½	2	1
-2950	1½	1½	1½	1	½	1½	1	1½	2½	3½
-2960	3	3½	3	3½	2½	3	3	3½	3½	3½
-2970	3½	3½	3½	3	4	4	3½	3½	2½	3½
-2980	4	4	4	3½	2½	3	4	4	5	4
-2990	4	3½	2½	3½	3½	2½	3½	3	2	2½
-3000	3½	2½	3½	2	2	3	1½	1½	1	2

3000-3010	3	3	3	4½	4½	3	1½	1	2½	3
-3020	5	4	4	3½	4	3	3	3	2	1½
-3030	1½	2	1	2	1	1	1	1	3	3
-3040	2	2	5	6	4	3	4	4	4	4
-3050	3	3	3½	3	3½	3	2	2	3	3
-3060	3½	4	4½	4	2½	3	2½	3	3	3
-3070	3	2	3	2½	3½	3½	1½	1	1½	1
-3080	1	1	½	1	1	2	2	3	4	3
-3090	2½	2½	3	4	4	3	4	4	2	3
-3100	2	2	2	2	3	2	1½	1	½	1

3100-3110	2	1	1	2	1½	2½	1	1	1½	1
-3120	1½	1	2	1	1	1½	1½	2	2	3
-3130	3	3	3½	3½	3	3½	1½	2½	4	3½
-3140	5	3	4	3	3½	3	3½	2½	3	4
-3150	3½	3½	3	4	2½	2½	2½	2½	3	3
-3160	2	3	3½	2½	3½	3½	3	1½	3	2
-3170	2½	2½	3	2½	2½	2	3	3½	2	3
-3180	2½	2½	3	2½	2½	3	3	3	3	2½
-3190	2½	1½	1½	2	2	2	1	1½	1	2
-3200	2½	3	2½	2½	2	2	2	1½	1½	2½

Jetted Pit

3200-3210	2	2	2	3	3	3	2	2	3	3
-3220	2½	3	2½	2	2	2½	3½	4	3	3
-3230	3	3	3	3	2½	2½	1	1	1	1
-3240	1	1	1	1	1	1½	1	1	1	1
-3250	1	1½	2	2	2½	1½	2	1	1	1
-3260	1	1½	2½	2	2	3	3	3	2	1½
-3270	1½	1	½	½	½	1	1	1	1	2
-3280	1	2	2	3	3	2	2½	2½	2	2½
-3290	2½	2½	2½	3½	3	3	4½	2½	x	3½
-3300	2½	2½	3	2½	3	2½	3	2½	3	3

"Kelly 1 ft. short"

3300-3310	3	3	2½	3	3	3	3½	3	3½	3
-3320	3	4	4½	3½	5	4	3½	3½	3	2½
-3330	2	1½	2½	2½	2	2½	2	2	1	2
-3340	1	2	2	1	2	2½	3	2½	3	1
-3350	½	½	½	2	2½	1½	2	3	3	2
-3360	3	3	2½	3	2	1½	1½	1½	2½	2½
-3370	1½	1½	2½	3	3½	3	3½	3½	4	3
-3380	3	3	4	3	3	2	1	1	1	2
-3390	2	2	2	3	3	3	3	3	3	3
-3400	2	3	3½	2½	3	3	3½	3½	3	3½

Lee Banks, W. R. Atkinson and Beacon Resources Corp.

#1-12 Lee

C W/2 SE NE Sec. 12-33S-34W

Seward Co., Ks.

Drilling Time

3400-3410	3½-	4 -	4 -	3 -	3 -	3 -	2 -	2½-	2½-	1½
-3420	1 -	2½-	2 -	2 -	2 -	3 -	2½-	1½-	3 -	3
-3430	1½-	1½-	3 -	2 -	3 -	2½-	2 -	2½-	2½-	2½
-3440	2 -	3 -	2½-	2½-	3½-	3½-	2 -	1 -	2 -	1
-3450	2 -	2 -	3 -	1½-	3½-	3 -	3 -	3 -	3 -	3
-3460	3 -	2 -	2 -	1½-	1½-	2 -	3 -	4 -	3½-	4½
-3470	4 -	4 -	4 -	4 -	4 -	4 -	4½-	3½-	½ -	½
-3480	½ -	½ -	½ -	½ -	½ -	2½-	1½-	1½-	2 -	1½
-3490	1½-	2 -	3½-	4½-	3½-	4 -	3½-	3 -	4 -	2
-3500	1½-	1½-	2 -	2 -	2 -	3 -	2 -	2 -	1½-	1½
3500-3510	1½-	3 -	2½-	1 -	1½-	2½-	2 -	1 -	2 -	1
-3520	1½-	1½-	1½-	1½-	1 -	1½-	1½-	2 -	3 -	3
-3530	3 -	3 -	1 -	2 -	1 -	1 -	2 -	3½-	3½-	3
-3540	2 -	2 -	2½-	3 -	1½-	3 -	2 -	1 -	1 -	1
-3550	1 -	2 -	3 -	3 -	2 -	1 -	1 -	2 -	3 -	4
-3560	3 -	4 -	2 -	2 -	1 -	1½-	1½-	1½-	1½-	1
-3570	2 -	1½-	2 -	1½-	1½-	1½-	1½-	1½-	1½-	2
-3580	1½-	1½-	1½-	1½-	1½-	1½-	2 -	2 -	2 -	2
-3590	2 -	1½-	1½-	2 -	1 -	1 -	2 -	2 -	2 -	2½
-3600	2½-	2½-	2 -	1 -	1 -	2 -	2 -	3 -	4 -	2
3600-3610	1 -	1 -	1 -	2 -	2 -	1 -	1 -	1 -	1 -	1
-3620	1 -	1 -	1 -	1 -	1 -	1 -	1 -	2 -	3 -	3
-3630	2 -	1 -	1 -	1 -	1 -	1 -	1 -	1 -	2 -	2
-3640	1 -	2 -	1 -	1 -	2 -	1 -	2 -	2 -	2 -	2
-3650	3 -	2 -	½ -	½ -	1 -	1 -	1 -	1 -	1 -	1
-3660	1 -	2 -	2 -	1 -	1 -	1 -	1 -	1 -	1 -	1
-3670	1 -	1 -	1 -	1 -	1 -	1 -	1 -	1 -	1 -	1
-3680	1 -	1 -	2 -	1 -	1 -	1 -	1 -	1 -	1 -	1
-3690	1 -	1 -	1 -	½ -	½ -	½ -	½ -	½ -	½ -	½
-3700	1 -	1 -	1 -	1½-	1 -	1 -	1½-	2½-	3½-	4
3700-3710	3½-	3½-	3 -	4 -	3 -	3 -	3 -	1½-	1½-	½
-3720	1 -	1 -	1½-	1 -	1 -	½ -	1 -	1 -	1½-	1½
-3730	1½-	2 -	2½-	2½-	2 -	2 -	2 -	2 -	2 -	1½
-3740	1½-	1½-	1½-	½ -	½ -	½ -	½ -	¼ -	½ -	½
-3750	½ -	½ -	1 -	1 -	1 -	1½-	2 -	1½-	1 -	1
-3760	1 -	1 -	1½-	1 -	1 -	3 -	4 -	3½-	3½-	3
-3770	3 -	3½-	4½-	3 -	4 -	4 -	3½-	3½-	3½-	3½
-3780	3 -	4 -	3 -	3 -	3 -	3 -	3½-	4½-	3½-	4
-3790	3 -	4 -	3 -	3 -	4 -	3 -	3 -	3½-	3 -	3½
-3800	3 -	3 -	3½-	3½-	3 -	3½-	3½-	3½-	3½-	3

Lee Banks, W. R. Atkinson and Beacon Resources Corp.
 #1-12 Lee
 C W/2 SE NE Sec. 12-33S-34W
 Seward Co., Ks.
 Drilling Time

3800-3810	2	-	1½	-	1½	-	2	-	2	-	2	-	2	-	3½	-	3½	-	4½
-3820	3½	-	3	-	2½	-	1	-	1	-	1	-	1½	-	3	-	4	-	3
-3830	4	-	3½	-	4½	-	4	-	4	-	4	-	4	-	4½	-	4½	-	5
-3840	4	-	3½	-	3½	-	3	-	4	-	3	-	2	-	3	-	4	-	3½
-3850	3½	-	3½	-	3½	-	4	-	3½	-	3½	-	4	-	3	-	3½	-	3½
-3860	3	-	4	-	2	-	3½	-	3	-	3½	-	4	-	3	-	4	-	4
-3870	4	-	4	-	4	-	4½	-	4½	-	4	-	4	-	3	-	3½	-	3½
-3880	4	-	4	-	4	-	4	-	4	-	4	-	4½	-	5	-	4½	-	4
-3890	4½	-	4	-	4½	-	4½	-	4½	-	5	-	4½	-	4½	-	5	-	4
-3900	5	-	5	-	5	-	4	-	4	-	4	-	4½	-	4	-	4	-	4
3900-3910	4	-	4½	-	5	-	4½	-	4	-	4½	-	7½	-	6½	-	8½	-	6
-3920	6½	-	6½	-	6	-	6½	-	5½	-	5	-	4½	-	4½	-	4½	-	5½
-3930	5½	-	5	-	4	-	4	-	5	-	4	-	5	-	3½	-	3	-	3½
-3940	4½	-	3½	-	4½	-	4½	-	2½	-	1½	-	1½	-	1	-	1½	-	1
-3950	1	-	1½	-	1½	-	1	-	1	-	1½	-	1½	-	1	-	1	-	2
-3960	1	-	1	-	1	-	1½	-	1½	-	2	-	2	-	2	-	3	-	4
-3970	3	-	5	-	4½	-	4½	-	4	-	4½	-	4½	-	5	-	4	-	5
-3980	4½	-	4½	-	5	-	4	-	5	-	4½	-	4½	-	5	-	4½	-	4½
-3990	4½	-	4½	-	5	-	5	-	4	-	5	-	5	-	4	-	5	-	4½
-4000	3	-	4	-	5	-	6	-	6	-	6	-	6	-	6	-	6	-	7
4000-4010	5	-	5	-	5	-	5	-	5	-	5	-	5	-	5	-	5	-	5
-4020	4½	-	4½	-	5	-	5	-	5	-	5	-	5	-	5	-	5	-	5
-4030	4	-	3	-	5	-	4	-	5	-	4	-	5	-	5	-	5	-	5
-4040	5	-	5	-	6	-	4½	-	5	-	4½	-	5½	-	5	-	6	-	7
-4050	6	-	6½	-	8	-	6½	-	7½	-	6	-	7½	-	7½	-	5½	-	6½
-4060	5	-	5½	-	6	-	5½	-	6	-	6	-	6	-	6	-	6	-	6
-4070	7	-	6	-	6	-	6½	-	6	-	5	-	5½	-	5	-	6	-	4
-4080	4½	-	5	-	5½	-	5	-	5	-	5	-	6	-	5	-	5	-	4½
-4090	3½	-	4	-	3½	-	4	-	3½	-	3	-	2½	-	2½	-	3	-	5½
-4100	5	-	4½	-	5	-	4	-	5	-	4	-	5	-	3½	-	3½	-	3
4100-4110	2½	-	2	-	2½	-	2	-	2½	-	3	-	3½	-	4	-	2½	-	3
-4120	2½	-	4½	-	4½	-	3	-	3	-	4½	-	4	-	4½	-	5½	-	5½
-4130	5½	-	5	-	5	-	5	-	5	-	5	-	5	-	4½	-	4½	-	4½
-4140	4½	-	5	-	4½	-	3½	-	4	-	4	-	3	-	3	-	3	-	2
-4150	2	-	2	-	2	-	1	-	2	-	1½	-	2	-	1½	-	1½	-	2
-4160	1	-	2	-	3	-	3	-	5	-	5	-	6	-	6	-	10½	-	6½
-4170	7	-	6	-	7	-	7	-	8	-	7	-	6	-	7	-	6	-	5
-4180	5	-	2½	-	2½	-	4	-	4	-	6	-	2	-	2	-	2	-	2
-4190	2	-	2	-	2	-	3	-	5	-	5	-	5	-	5½	-	5½	-	7
-4200	6	-	6	-	5	-	6	-	5	-	4½	-	4	-	3	-	2	-	2½

Jetted Both Piss

DST #1 4136-50

Lee Banks, W. R. Atkinson and Beacon Resources Corp.
 #1-12 Lee
 C W/2 SE NE Sec. 12-33S-34W
 Seward Co., Ks.
 Drilling Time

4200-4210	2½-	1½-	2 -	2 -	2½-	6 -	6½-	7 -	5 -	5½-
-4220	3½-	3½-	4½-	3½-	3½-	3½-	4 -	5 -	3½-	3
-4230	2½-	2½-	3 -	2 -	3 -	3 -	2½-	2½-	3 -	3
-4240	3 -	2½-	2½-	3 -	3 -	3 -	2½-	3 -	3 -	3½-
-4250	3½-	3 -	4 -	4 -	4½-	4 -	5 -	4 -	4½-	3½-
-4260	3½-	3½-	4½-	4½-	6½-	7 -	4½-	5½-	6 -	6½-
-4270	4½-	4 -	4½-	5½-	6 -	6 -	5½-	6½-	4 -	4
-4280	3½-	3½-	3½-	3 -	4½-	3½-	3 -	3½-	4 -	3½-
-4290	4 -	4 -	3½-	3 -	3½-	3½-	4 -	3 -	3 -	4
-4300	3½-	3½-	4 -	3 -	3½-	4 -	4 -	3½-	3½-	4
4300-4310	3½-	4 -	3½-	4 -	5 -	3 -	4½-	4½-	3 -	4
-4320	4 -	5 -	5 -	4 -	5 -	5 -	5 -	5 -	6 -	5½-
-4330	4½-	5½-	5 -	4½-	4 -	5 -	5 -	4½-	5 -	4½-
-4340	4½-	4½-	4 -	4 -	5 -	5 -	5 -	4 -	5 -	4
-4350	4 -	5 -	5 -	5 -	5 -	6 -	6 -	6½-	7 -	8½-
-4360	9 -	7 -	6 -	7 -	7 -	6 -	6 -	7 -	7 -	7
-4370	6 -	4 -	3 -	2½-	2½-	3 -	3 -	2 -	3 -	4
-4380	7 -	5 -	7 -	6 -	6 -	6 -	6 -	6½-	6 -	6½-
-4390	7 -	6 -	5½-	5 -	4½-	3 -	3 -	6 -	6½-	6½-
-4400	6 -	6 -	6 -	5½-	5 -	4 -	3½-	2 -	3 -	4
4400-4410	3½-	2½-	3 -	2 -	2 -	2 -	3½-	6½-	6 -	6½-
-4420	6½-	6½-	5 -	6 -	5½-	5½-	5½-	6 -	4½-	4½-
-4430	5 -	5 -	5 -	6 -	6 -	6 -	6½-	5½-	4½-	1
-4440	2½-	4 -	5½-	5½-	4 -	2½-	2½-	2½-	3½-	5
-4450	6 -	4½-	2½-	2 -	1½-	2½-	3 -	4 -	5½-	5
-4460	4½-	4 -	5 -	3 -	3 -	3½-	3½-	5 -	3 -	4
-4470	2 -	2½-	2½-	3 -	4 -	3 -	2 -	3½-	4½-	5
-4480	6 -	6 -	5½-	5½-	6 -	6 -	6 -	5 -	6½-	5½-
-4490	6 -	5½-	6½-	6 -	6 -	6 -	6 -	4 -	3 -	3½-
-4500	4 -	5½-	6 -	5 -	5 -	7½-	7 -	7 -	6½-	3
4500-4510	1½-	2 -	4½-	3 -	2½-	5½-	5 -	6 -	4 -	2½-
-4520	2 -	1½-	2 -	2 -	2 -	3½-	3 -	4½-	3 -	2
-4530	2 -	2 -	2½-	1½-	2½-	3½-	4 -	3 -	3 -	3
-4540	2 -	2 -	3 -	3 -	7 -	7 -	6 -	4 -	6 -	6
-4550	3 -	2½-	2½-	2 -	2 -	3 -	2 -	2½-	2½-	3
-4560	2 -	2½-	2 -	2½-	2½-	2½-	2 -	2 -	4 -	3
-4570	2½-	4 -	3½-	3 -	2½-	2 -	2 -	3 -	3½-	3½-
-4580	4 -	5½-	6½-	6½-	6 -	6½-	7 -	6 -	5 -	3
-4590	3½-	3½-	5 -	4 -	4 -	6½-	7½-	8 -	7½-	8½-
-4600	6½-	6½-	6 -	7½-	7 -	6½-	5 -	4½-	2 -	1½-

DST #2 4219-31
 DST #3 4235-50

DST #4 4396-4405

Jetted Shale Pit

Lee Banks, W. R. Atkinson and Peacon Resources Corp.

#1-12 Lee
 C W/2 SE NE Sec. 12-33S-34W
 Seward Co., Ks.
 Drilling Time

4600-4610	1½-	1½-	3 -	3 -	3 -	3 -	4½-	5 -	5½-	5½-
-4620	4½-	4 -	3½-	2 -	3 -	3 -	3 -	4½-	6 -	7
-4630	7 -	7 -	5 -	4½-	6 -	6½-	5½-	4½-	5 -	5
-4640	6 -	5½-	5 -	5 -	5½-	4½-	5½-	4½-	1½-	3½-
-4650	3½-	2½-	5½-	5 -	4½-	6 -	5½-	6½-	6 -	7
-4660	7 -	7½-	6½-	4½-	3½-	6 -	3 -	3½-	4 -	4
-4670	3½-	3½-	3 -	3 -	4 -	2 -	2 -	2½-	2½-	4
-4680	6 -	5 -	6 -	5 -	4 -	4 -	3 -	2½-	2½-	2½-
-4690	2½-	5½-	6 -	6 -	6½-	6 -	6½-	6½-	4½-	5½-
-4700	6 -	6 -	5½-	6 -	5½-	5½-	5½-	6 -	6½-	5½-
4700-4710	5½-	6½-	6½-	5½-	6 -	6 -	3 -	3 -	2½-	2½-
-4720	2½-	2½-	4½-	3½-	4 -	4 -	5½-	7 -	5 -	4
-4730	4 -	4 -	4 -	4 -	4 -	3 -	3 -	3 -	3 -	3½-
-4740	4½-	5 -	7 -	6 -	5 -	3½-	3½-	3½-	3½-	3
-4750	3 -	3 -	3½-	2½-	4 -	3 -	4½-	5½-	4½-	3
-4760	3 -	2½-	3 -	2½-	3 -	2 -	1 -	1 -	1 -	1
-4770	2 -	2 -	3 -	3 -	2 -	4½-	5½-	6 -	6 -	6
-4780	5 -	6 -	6 -	5 -	5 -	6 -	6 -	5 -	5 -	6
-4790	3 -	5 -	5 -	5 -	5½-	5½-	2½-	3½-	3 -	4
-4800	4 -	3 -	4 -	3 -	4½-	5½-	5 -	6 -	6 -	7
4800-4810	6 -	7 -	6 -	6 -	6 -	6 -	6 -	6 -	6½-	6
-4820	6 -	6 -	7 -	7 -	6 -	7 -	7 -	6 -	7 -	6½-
-4830	7½-	6½-	6½-	7½-	7 -	6½-	5 -	4 -	3 -	3½-
-4840	3½-	3 -	3 -	3 -	8 -	4½-	2½-	3 -	4 -	4½-
-4850	6½-	4 -	5½-	5½-	5 -	6 -	6 -	4½-	2½-	3
-4860	2 -	1 -	½-	½-	½-	½-	½-	2 ½-	5 -	6
-4870	6½-	9 -	6 -	6 -	4½-	6½-	6 -	5½-	6½-	6
-4880	6½-	6 -	7 -	5 -	6½-	6½-	6 -	5 -	6 -	5
-4890	5½-	5 -	5½-	5 -	5 -	6 -	7 -	7 -	7 -	6½-
-4900	6½-	7 -	6½-	7½-	7 -	7 -	6½-	5 -	7 -	7½-
4900-4910	9½-	10-	4 -	2½-	1½-	6 -	6½-	7½-	7 -	6
-4920	8 -	6½-	4½-	4½-	6½-	7 -	7 -	6 -	7½-	6½-
-4930	6½-	7½-	6½-	7½-	8½-	8½-	9 -	9 -	8½-	8½-
-4940	6 -	6 -	7 -	8 -	6 -	6 -	6 -	6 -	7½-	8
-4950	8 -	7½-	8 -	8 -	8 -	8 -	8 -	8 -	8 -	8
-4960	8 -	8 -	8 -	8 -	8 -	7 -	8 -	8 -	7 -	8
-4970	7 -	8 -	7½-	6½-	6 -	7 -	5½-	6½-	6 -	5½-
-4980	5 -	5½-	6 -	5½-	6 -	6 -	5 -	6 -	5 -	6
-4990	5 -	5 -	6 -	6 -	5 -	6 -	5½-	5½-	6 -	6½-
-5000	6 -	6½-	6 -	6½-	6 -	5 -	4½-	5½-	5 -	6

DST #5 4835-60

Lee Banks, W. R. Atkinson and Beacon Resources Corp.
 #1-12 Lee
 C W/2 SE NE Sec. 12-33S-34W
 Seward Co., Kans.
 Drilling Time

Page 7

5000-5010	7	-	6	-	6	-	4 $\frac{1}{2}$	-	4 $\frac{1}{2}$	-	4	-	5	-	6	-	4	-	5 $\frac{1}{2}$
-5020	4 $\frac{1}{2}$	-	4 $\frac{1}{2}$	-	5 $\frac{1}{2}$	-	5	-	6	-	6	-	5	-	6 $\frac{1}{2}$	-	5	-	6
-5030	6 $\frac{1}{2}$	-	7 $\frac{1}{2}$	-	7 $\frac{1}{2}$	-	7	-	1 $\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	1
-5040	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$	-	$\frac{1}{2}$
-5050	1	-	1 $\frac{1}{2}$	-	1 $\frac{1}{2}$	-	1	-	1 $\frac{1}{2}$	-	3 $\frac{1}{2}$	-	6 $\frac{1}{2}$	-	5 $\frac{1}{2}$	-	6	-	5
-5060	3	-	4	-	4	-	2	-	2 $\frac{1}{2}$	-	2 $\frac{1}{2}$	-	2	-	3	-	3	-	5
-5070	4	-	3	-	4 $\frac{1}{2}$	-	4 $\frac{1}{2}$	-	7	-	8 $\frac{1}{2}$	-	7 $\frac{1}{2}$	-	8 $\frac{1}{2}$	-	8 $\frac{1}{2}$	-	8
-5080	Total Depth 6070'																		