



WESTERN TESTING CO., INC.

FORMATION TESTING

TICKET No 14093

P. O. BOX 793 PHONE 793-7903

GREAT BEND, KANSAS

Elevation 2891 KB Formation Eff. Pay Ft.

District PRATT Date 1-29-30 Customer Order No.

COMPANY NAME Lee Banks + W. Rathdsad + Beacon ADDRESS 725 Union Center

LEASE AND WELL NO. LCC 1-12 COUNTY SEMAR STATE KS Sec. 12 Twp. 33S Range 34W

Mail Inv. To SAME No. Copies Requested 1

Mail Charts To Co. Name Lee Banks, Beacon Res, W.R. Atkinson Address 725 Union Center, 1000 Century Plaza, Box 1142 Liberal

Formation Test No. 1 O.K. Misrun Interval Tested From 4136 to 4150 Total Depth 4150

Size Main Hole 7 1/4 Rat Hole Conv. B.T. Damaged Yes No Conv. B.T. Damaged Yes No

Packer Depth 4131 Ft. Size 6 3/4 Packer Depth 4136 Ft. Size 6 3/4

Straddle Yes No Conv. B.T. Damaged Yes No

Packer Depth Ft. Size

Tool Size 5 1/2 OD Tool Jt. Size 4 1/2 FH Anchor Length 14 Ft. Size 5 1/2 OD

RECORDERS Depth 4141 Ft. Clock No. 6866 Inside Depth 4144 Ft. Clock No. 8577 Inside

Top Make Kuster Cap. 4500 No. 3085 Outside Bottom Make Kuster Cap. 4400 No. 2603 Outside

Below Straddle: Depth Clock No. Outside

Top Make Cap. No. Outside Bottom Make Cap. No. Outside

Time Set Packer 9:56 PM

Tool Open I.F.P. From 9:57 M. to 10:27 M. Hr. 30 Min. From (B) 23 P.S.I. To (C) 30 P.S.I.

Tool Closed I.C.I.P. From 10:27 M. to 10:57 M. Hr. 30 Min. (D) 1175 P.S.I.

Tool Open F.F.P. From 10:57 M. to 12:57 M. 2 Hr. Min. From (E) 35 P.S.I. To (F) 83 P.S.I.

Tool Closed F.C.I.P. From 12:57 M. to 1:42 M. Hr. 45 Min. (G) 1129 P.S.I.

Initial Hydrostatic Pressure (A) 2086 P.S.I. Final Hydrostatic Pressure (H) 2063 P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. Time Description of Flow

INFORMATION (See Attached Sheet)

BLOW Strong Bottom Choke Size 3/4 In.

Did Well Flow Yes No Recovery Total Ft. 120' Gas Cut mud

Reversed Out Yes No Mud Type Slough Viscosity 44 Weight 9 Water Loss cc. Maximum Temp. 105 °F

Type Circ. Sub Plug Did Tool Plug? No Jars: Size 4 1/2 OD Make WTC Ser. No. 411

EXTRA EQUIPMENT: Dual Packers Yes Safety Joint Yes Did Packer Hold? Yes Where?

Length Drill Pipe 297 ft. I.D. Drill Pipe 3 8 in. Length Weight Pipe 1915 ft. I.D. Weight Pipe 2.7 in. Length Drill Collars 297 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 43 ft.

Remarks

COMPANY TERMS

Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By W.R. Atkinson Western Representative Leon Elmore

Signature of Customer or his Authorized Representative Operator's Time Hrs.

INVOICE SECTION

Table with 2 columns: Item, Amount. Rows include Open Hole Test (\$225.00), Straddle Test, Jars (\$95.00), Selective Zone, Safety Joint (N.C.), Misrun, Evaluation, Total (\$320.00).



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET No: 14094

P. O. BOX 793 PHONE 793-7903
GREAT BEND, KANSAS

Elevation 2891.18 Formation Toronto Eff. Pay 12 Ft.

District PRATT Date 1-30-70 Customer Order No. _____

COMPANY NAME Lee Bonds W.R. Atkinson Beccard Res. ADDRESS 725 Wood Center

LEASE AND WELL NO. Lee 1-12 COUNTY Seward STATE Ks Sec. 12 Twp. 33 Range 34

Mail Inv. To _____ Address SAME No. Copies Requested 1

Mail Charts To Lee Bonds Beccard Res W.R. Atkinson No. Copies Requested 5
725 Wood Center 1000 Century Plaza Box 1412

Formation Test No. 2 O.K. Misrun Interval Tested From 4219 to 4231 Total Depth 4231

Size Main Hole 7 7/8 Rat Hole Conv. B.T. Damaged Yes No Conv. B.T. Damaged Yes No

Packer Depth 4209 Ft. Size 6 3/4 Packer Depth 4229 Ft. Size 6 3/4

Straddle Yes No Conv. B.T. Damaged Yes No

Packer Depth _____ Ft. Size _____

Tool Size 5/2 OD Tool Jt. Size 4 1/2 FH Anchor Length 12 Ft. Size 5/2 OD

RECORDERS Depth 4223 Ft. Clock No. 6866 Depth 4226 Ft. Clock No. 8377

Top Make Kuster Cap. 4500 No. 3085 Inside Outside Bottom Make Kuster Cap. 4400 No. 2603 Inside Outside

Below Straddle: Depth _____ Clock No. _____ Inside Outside Depth _____ Ft. Clock No. _____ Inside Outside

Top Make _____ Cap. _____ No. _____ Outside Inside Bottom Make _____ Cap. _____ No. _____ Inside Outside

Time Set Packer 4:25 P_M

Tool Open I.F.P. From 4:27 M. to 4:57 M. - Hr. 30 Min. From (B) 143 P.S.I. To (C) 322 P.S.I.

Tool Closed I.C.I.P. From 4:57 M. to 5:27 M. - Hr. 30 Min. (D) 119X P.S.I.

Tool Open F.F.P. From 5:27 M. to 6:57 M. - Hr. 90 Min. From (E) 370 P.S.I. To (F) 376 P.S.I.

Tool Closed F.C.I.P. From 6:57 M. to 7:42 M. - Hr. 45 Min. (G) 117.5 P.S.I.

Initial Hydrostatic Pressure (A) 2143 P.S.I. Final Hydrostatic Pressure (H) 209X P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. _____ Time _____ Description of Flow _____

INFORMATION _____ M. _____

(See Attached Sheet)

_____ M. _____

BLOW Steady Bottom Choke Size 3/4 In.

Did Well Flow - Yes No Recovery Total Ft. Amount of Condensate cut mud

Reversed Out - Yes No Mud Type Starch Viscosity 43 Weight 9.1 Water Loss 14.6 cc. Maximum Temp. 106 °F

Type Circ. Sub. Plug Did Tool Plug? No Jars: Size 4 1/2 OD Make WTC Ser. No. 411

EXTRA EQUIPMENT: Dual Packers Yes Safety Joint Yes Did Packer Hold? Yes Where? _____

Length Drill Pipe 4185 ft. I.D. Drill Pipe 3.8 in. Length Weight Pipe 1012 ft. I.D. Weight Pipe 27 in. Length Drill Collars 297 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 46 ft.

Remarks _____

COMPANY TERMS
Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.
All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

INVOICE SECTION	
Open Hole Test	\$ <u>225.00</u>
Straddle Test	\$ _____
Jars	\$ <u>95.00</u>
Selective Zone	\$ _____
Safety Joint	\$ <u>N.C.</u>
Misrun	\$ _____
Evaluation	\$ _____
Total	\$ <u>320.00</u>

Test Approved By W.R. Atkinson Western Representative Leon Blumore
Signature of Customer or his Authorized Representative Operator's Time _____ Hrs.



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET No 14095

P. O. BOX 793 PHONE 793-7903
GREAT BEND, KANSAS

Elevation 2891 KB Formation TORONTO Eff. Pay _____ Ft.

District PRATT Date 1-31-70 Customer Order No. _____

COMPANY NAME Lee Banks - W. R. Atkinson - Beacon Road ADDRESS 725 Union Center

LEASE AND WELL NO. Lee 1-12 COUNTY Seward STATE Ks Sec. 12 Twp. 33 Range 34

Mail Inv. To _____ Co. Name Same Address _____ No. Copies Requested 1

Mail Charts To _____ See AST 01 Address _____ No. Copies Requested 5

Formation Test No. 3 O.K. Misrun Interval Tested From 4235 to 4250 Total Depth 4250

Size Main Hole 7 7/8 Rat Hole Conv. B.T. Damaged Yes No Conv. B.T. Damaged Yes No

Packer Depth 4235 Ft. Size 6 3/4 Packer Depth _____ Ft. Size _____

Straddle Yes No Conv. B.T. Damaged Yes No

Packer Depth _____ Ft. Size _____

Tool Size 5/8 00 Tool Jt. Size 4 1/2 FH Anchor Length 15 Ft. Size 5/8 00

RECORDERS Depth 4243 Ft. Clock No. 6866 Depth 4246 Ft. Clock No. 8377

Top Make Kuster Cap. 4500 No. 3085 Inside Outside Bottom Make Kuster Cap. 4400 No. 2603 Inside Outside

Below Straddle: Depth _____ Clock No. _____ Outside Inside Depth _____ Ft. Clock No. _____ Outside Inside

Top Make _____ Cap. _____ No. _____ Outside Bottom Make _____ Cap. _____ No. _____ Outside

Time Set Packer 6:18 AM

Tool Open I.F.P. From 6:20 M. to 6:50 M. - Hr. 30 Min. From (B) 179 P.S.I. To (C) 406 P.S.I.

Tool Closed I.C.I.P. From 6:50 M. to 7:20 M. - Hr. 30 Min. (D) 1106 P.S.I.

Tool Open F.F.P. From 7:20 M. to 8:20 M. - Hr. 60 Min. From (E) 496 P.S.I. To (F) 839 P.S.I.

Tool Closed F.C.I.P. From 8:20 M. to 9:05 M. - Hr. 45 Min. (G) 1132 P.S.I.

Initial Hydrostatic Pressure (A) 2120 P.S.I. Final Hydrostatic Pressure (H) 2098 P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. _____ Time _____ Description of Flow _____

INFORMATION _____ M. _____

(See Attached Sheet)

_____ M. _____

_____ M. _____

BLOW Steady Bottom Choke Size 3/4 In.

Did Well Flow - Yes No Recovery Total Ft. 2610' Clear gassy oil - 360' mud cut oil
90' WATER, oil & Gas cut.

Reversed Out Yes No Mud Type Starch Viscosity 43 Weight 91 Water Loss 14.6 cc. Maximum Temp 107 °F

Type Circ. Sub. Plug Did Tool Plug? NO Jars: Size _____ Make _____ Ser. No. _____

EXTRA EQUIPMENT: Dual Packers NO Safety Joint YES Did Packer Hold? YES Where? _____

Length Drill Pipe 2909 ft. I.D. Drill Pipe 3 1/8 in. Length Weight Pipe 1012 ft. I.D. Weight Pipe 27 in. Length Drill Collars 297 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 32 ft.

Remarks _____

COMPANY TERMS

Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

INVOICE SECTION

Open Hole Test	\$ <u>225.00</u>
Straddle Test	\$ _____
Jars	\$ _____
Selective Zone	\$ _____
Safety Joint	\$ _____
Misrun	\$ _____
Evaluation	\$ _____
Total	\$ <u>225.00</u>

Test Approved By W. R. Atkinson
Signature of Customer or his
Authorized Representative

Western Representative Leon Elmore

Operator's Time _____ Hrs.



WESTERN TESTING CO., INC.

FORMATION TESTING

TICKET No 14096

P. O. BOX 793 PHONE 793-7903 GREAT BEND, KANSAS

Elevation 2891 KB Formation K.C. Eff. Pay 9 Ft.

District PRATT Date 2-1-70 Customer Order No.

COMPANY NAME Lee Banks - W. R. Atkins - Bureau Res ADDRESS 725 Union Center

LEASE AND WELL NO. L-22 1-12 COUNTY SEWARD STATE KS Sec. 12 Twp. 23 Range 34

Mail Inv. To Co. Name Same Address No. Copies Requested 1

Mail Charts To See DST #1 Address No. Copies Requested 5

Formation Test No. 4 O.K. Misrun - Interval Tested From 4396 to 4405 Total Depth 4405

Size Main Hole 7 7/8 Rat Hole - Conv. B.T. Damaged - Yes No Conv. B.T. Damaged - Yes No

Packer Depth 4391 Ft. Size 6 3/4 Packer Depth 4396 Ft. Size 6 3/4

Straddle - Yes - No Conv. B.T. Damaged - Yes - No

Packer Depth - Ft. Size -

Tool Size 5/2 OD Tool Jt. Size 4 1/2 FN Anchor Length 9 Ft. Size 5/2 OD

RECORDERS Depth 4399 Ft. Clock No. 6866 Inside Depth 4402 Ft. Clock No. 8377 Inside

Top Make Kuster Cap. 4500 No. 3085 Outside Bottom Make Kuster Cap. 4400 No. 2603 Outside

Below Straddle: Depth - Clock No. - Outside Inside Depth - Ft. Clock No. - Outside Inside

Top Make - Cap. - No. - Outside Bottom Make - Cap. - No. - Outside

Time Set Packer 10:51 AM

Tool Open I.F.P. From 10:53 M. to 11:23 M. - Hr. 30 Min. From (B) 47 P.S.I. To (C) 89 P.S.I.

Tool Closed I.C.I.P. From 11:23 M. to 11:53 M. - Hr. 30 Min. (D) 1071 P.S.I.

Tool Open F.F.P. From 11:53 M. to 12:53 M. - Hr. 60 Min. From (E) 143 P.S.I. To (F) 227 P.S.I.

Tool Closed F.C.I.P. From 12:53 M. to 1:38 M. - Hr. 45 Min. (G) 1065 P.S.I.

Initial Hydrostatic Pressure (A) 2120 P.S.I. Final Hydrostatic Pressure (H) 2098 P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. Time Description of Flow

INFORMATION M. M. M.

BLOW Stand 9 Bottom Choke Size 3/4 In.

Did Well Flow - Yes No Recovery Total Ft. 93' Heavily gas cut muddy o.i. 462' gassy o.i. 85' salt water

Reversed Out - Yes No Mud Type starch Viscosity 40 Weight 9.1 Water Loss 108 cc. Maximum Temp. 109 F

Type Circ. Sub. Plug Did Tool Plug? No Jars: Size - Make - Ser. No. -

EXTRA EQUIPMENT: Dual Packers yes Safety Joint yes Did Packer Hold? yes Where? -

Length Drill Pipe 3067 ft. I.D. Drill Pipe 3.8 in. Length Weight Pipe 1012 ft. I.D. Weight Pipe 27 in. Length Drill Collars 297 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 29 ft.

Remarks GTS in 35 mid - TSTM 41 gravity o.i. - corrected

COMPANY TERMS Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made. All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount. Test Approved By W. R. Atkins Signature of Customer or his Authorized Representative Western Representative Leon Elmore Operator's Time Hrs.

INVOICE SECTION Table with columns: Test Name, Amount. Includes Open Hole Test (\$225.00), Straddle Test, Jars, Selective Zone, Safety Joint, Misrun, Evaluation, Total (\$225.00).



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET No 14097

P. O. BOX 793 PHONE 793-7903
GREAT BEND, KANSAS

Elevation 2891 KB Formation Hodges Eff. Pay 8 Ft.

District PIATT Date 2-3-69 Customer Order No. _____

COMPANY NAME Lee Banks - W.R. Atkinson - Beaudin ADDRESS 725 Wind Center

LEASE AND WELL NO. Lee 1-12 COUNTY Seward STATE Ks Sec. 12 Twp. 33 Range 34

Mail Inv. To Same No. Copies Requested 1

Mail Charts To Lee Banks Beaudin W.R. Atkinson Address W.R. Atkinson No. Copies Requested 5

Formation Test No. 5 O.K. Misrun Interval Tested From 4835 to 4860 Total Depth 4860

Size Main Hole 7 7/8 Rat Hole Conv. B.T. Damaged Yes No Conv. B.T. Damaged Yes No

Packer Depth 4825 Ft. Size 6 3/4 Packer Depth 4835 Ft. Size 6 3/4

Straddle Yes No Conv. B.T. Damaged Yes No

Packer Depth _____ Ft. Size _____

Tool Size 5 1/2 OD Tool Jt. Size 4 1/2 FH Anchor Length 25 Ft. Size 5 1/2 OD

RECORDERS Depth 4852 Ft. Clock No. 6866 Depth 4855 Ft. Clock No. 8377

Top Make Kuster Cap. 4500 No. 3085 Inside Outside Bottom Make Kuster Cap. 4400 No. 2603 Inside Outside

Below Straddle: Depth _____ Clock No. _____ Outside Inside

Top Make _____ Cap. _____ No. _____ Outside Inside Bottom Make _____ Cap. _____ No. _____ Outside Inside

Time Set Packer 11:50 AM

Tool Open I.F.P. From 11:52 M. to 12:23 M. - Hr. 31 Min. From (B) 35 P.S.I. To (C) 107 P.S.I.

Tool Closed I.C.I.P. From 12:23 M. to 12:53 M. - Hr. 30 Min. (D) 1279 P.S.I.

Tool Open F.F.P. From 12:53 M. to 2:23 M. - Hr. 90 Min. From (E) 145 P.S.I. To (F) 292 P.S.I.

Tool Closed F.C.I.P. From 2:23 M. to 3:08 M. - Hr. 45 Min. (G) 1279 P.S.I.

Initial Hydrostatic Pressure (A) 2585 P.S.I. Final Hydrostatic Pressure (H) 2348 P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. _____ Time _____ Description of Flow _____

INFORMATION _____ M. _____

_____ M. _____

_____ M. _____

BLOW Goodly Bottom Choke Size 3/4 In.

Did Well Flow - Yes No Recovery Total Ft. 30' GAS cut 0.1 y mid - 90' Heavily GAS cut muddy

0.1 - 450 SALT WATER - 2100' G.I.P.

Reversed Out - Yes No Mud Type Starch Viscosity 47 Weight 9.1 Water Loss 11.4 cc. Maximum Temp. 115 °F

Type Circ. Sub. Plug Did Tool Plug? NO Jars: Size _____ Make _____ Ser. No. _____

EXTRA EQUIPMENT: Dual Packers YES Safety Joint YES Did Packer Hold? YES Where? _____

Length Drill Pipe 3768 ft. I.D. Drill Pipe 3.8 in. Length Weight Pipe 1012 ft. I.D. Weight Pipe 2.7 in. Length Drill Collars 30 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 51 ft.

Remarks _____

COMPANY TERMS
Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.
All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

INVOICE SECTION	
Open Hole Test	\$ <u>225.00</u>
Straddle Test	\$ _____
Jars	\$ _____
Selective Zone	\$ _____
Safety Joint	\$ _____
Misrun	\$ _____
Evaluation	\$ _____
Total	\$ <u>225.00</u>

Test Approved By W.R. Atkinson Western Representative Dean Elmore

Signature of Customer or his Authorized Representative Operator's Time _____ Hrs.



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET No 14098

P. O. BOX 793 PHONE 793-7903
GREAT BEND, KANSAS

Elevation 2891 KB Formation MAXWATER Eff. Pay 14 Ft.

District PRATT Date 2-5-70 Customer Order No. _____

COMPANY NAME Lee BANKS - W.R. ATKINSON - BEACON RES. ADDRESS 725 UNION CENTER

LEASE AND WELL NO. Lee 1-12 COUNTY SEWARD STATE KS Sec. 12 Twp. 33 Range 34

Mail Inv. To _____ Co. Name SAME No. Copies Requested 1

Mail Charts To Lee BANKS Beacon Res W.R. ATKINSON Address _____ No. Copies Requested 5

Formation Test No. 6 O.K. Misrun Interval Tested From 5016 to 5030 Total Depth 5070

Size Main Hole 7 7/8 Rat Hole Conv. B.T. Damaged Yes No Conv. B.T. Damaged Yes No

Packer Depth 5011 Ft. Size 6 3/4 Packer Depth 5016 Ft. Size 6 3/4

Straddle Yes No Conv. B.T. Damaged Yes No

Packer Depth 5030 Ft. Size 6 3/4

Tool Size 5 1/2 OD Tool Jt. Size 4 1/2 FH Anchor Length 14 Ft. Size 5 1/2 OD

RECORDERS Depth 5021 Ft. Clock No. 6866 Depth 5024 Ft. Clock No. 8377

Top Make KUSTER Cap. 4500 No. 3085 Inside Outside Bottom Make KUSTER Cap. 4400 No. 2603 Inside Outside

Below Straddle: Depth 5070 Clock No. 132 Depth _____ Ft. Clock No. _____

Top Make WTC Cap. 4000 No. 35 Inside Outside Bottom Make _____ Cap. _____ No. _____

Time Set Packer 7:46 A.M.

Tool Open I.F.P. From 7:48 M. to 8:18 M. - Hr. 30 Min. From (B) 23 P.S.I. To (C) 30 P.S.I.

Tool Closed I.C.I.P. From 8:18 M. to 8:48 M. - Hr. 30 Min. (D) 1574 P.S.I.

Tool Open F.F.P. From 8:48 M. to 9:33 M. - Hr. 45 Min. From (E) 47 P.S.I. To (F) 65 P.S.I.

Tool Closed F.C.I.P. From 9:33 M. to 10:18 M. - Hr. 45 Min. (G) 1574 P.S.I.

Initial Hydrostatic Pressure (A) 2543 P.S.I. Final Hydrostatic Pressure (H) 2520 P.S.I.

SURFACE Size Choke 3/4 In. Max. Press. P.S.I. _____ Time _____ Description of Flow _____

INFORMATION _____ M. _____

_____ M. _____

_____ M. _____

BLOW WEAK Bottom Choke Size 3/4 In.

Did Well Flow - Yes No Recovery Total Ft. 30' 51' oil cut mud 120' muddy water
spots of oil in top of tool

Reversed Out - Yes No Mud Type STAVCH Viscosity 42 Weight 9 Water Loss 12 cc. Maximum Temp. 118 °F

Type Circ. Sub. Plug Did Tool Plug? no Jars: Size _____ Make _____ Ser. No. _____

EXTRA EQUIPMENT: Dual Packers yes Safety Joint yes Did Packer Hold? yes Where? _____

Length Drill Pipe _____ ft. I.D. Drill Pipe 3.8 in. Length Weight Pipe 1012 ft. I.D. Weight Pipe 2.7 in. Length Drill Collars 267 ft.

I. D. Drill Collars 2 1/4 in. Length D.S.T. Tool 45 ft.

Remarks _____

COMPANY TERMS

Western Testing Co., Inc., shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 6% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

INVOICE SECTION

Open Hole Test	\$ <u>255.00</u>
Straddle Test	\$ <u>85.00</u>
Jars	\$ _____
Selective Zone	\$ _____
Safety Joint	\$ <u>N.C.</u>
Misrun	\$ _____
Evaluation	\$ _____
Total	\$ <u>340.00</u>

Test Approved By W.R. Atkinson
Signature of Customer or his Authorized Representative

Western Representative Leon Elmore

Operator's Time _____ Hrs.

