

**KANSAS DRILLERS LOG**


S. 9 T. 33S R. 38W <sup>E</sup>/<sub>W</sub>

API No. 15 \_\_\_\_\_ Please assign number  
 County \_\_\_\_\_ Number \_\_\_\_\_

Loc. 350' FS&WL

County Stevens

640 Acres  
N



Locate well correctly  
Elev.: Gr. 3170'

DF \_\_\_\_\_ KB \_\_\_\_\_

Operator  
Anadarko Production Company

Address  
Box 351, Liberal, Kansas 67901

Well No. 1 Lease Name Sims "A" (SWD)

Footage Location  
350 feet from ~~XX~~ (S) line 350 feet from ~~XX~~ (W) line

Principal Contractor Gabbert-Jones, Inc. Geologist \_\_\_\_\_

Spud Date 3-25-74 Total Depth 1425' P.B.T.D. \_\_\_\_\_

Date Completed 5-13-74 Oil Purchaser \_\_\_\_\_

**CASING RECORD**

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Production	7-7/8"	4-1/2"	9.5#	1425'	LiteWate	250	4% gel + 12-1/2# Gilsonite/sack
					Pozmix	150	18% salt + .5% CFR-2

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2		1190-1344' OA

**TUBING RECORD**

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated
Acidized w/3000 gallons 7-1/2% HCL + 150 BS.	1190-1344' OA

**INITIAL PRODUCTION**

Date of first production \_\_\_\_\_ Producing method (flowing, pumping, gas lift, etc.) \_\_\_\_\_

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbis.	MCF	bbis.	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Anadarko Production Company		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. 1	Lease Name Sims "A"	SWDW
S <u>9</u> T <u>33S</u> R <u>38W</u> E W		

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Clay, sand & red bed	0	600	Log (Cased Hole):	
Red bed & shells	600	1136		
Sand & shells	1136	1425	Nuclear Log	900-1427'
Total Depth	1425			

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	 T. W. Williams Signature
	Division Office Supervisor Title
	May 16, 1974 Date

DRILLER'S LOG

WELL NAME Sims "A" #1 (SWD)

COMPANY OPERATING Anadarko Production Company  
 ADDRESS OF COMPANY Box 351, Liberal, Kansas

WELL LOCATION 1/4 1/4 1/4  
350 Ft. North of South Line,  
350 Ft. East of West Line, Sec. 9 , Twp. 33S , Rge. 38W , Stevens County, Kansas

DRILLING STARTED 3-25 , 19 74 , DRILLING COMPLETED 3-26 , 19 74  
 WELL COMPLETED 5-13 , 19 74 , WELL CONNECTED \_\_\_\_\_ , 19 \_\_\_\_\_

ELEVATION 3170 Ft. Ground Level CHARACTER of WELL (Oil, Gas, Dry Hole) SWDW

OIL OR GAS SANDS OR ZONES - PERFORATIONS - ACIDIZING AND FRACTURING INFORMATION					
Name	From	To	No. of Shots	Gallons Used	Kind Used
Glorietta	1334	1344	20	Acidized 1190-1344' OA	v/3000 gallons
"	1298	1308	20	7-1/2% HCL + 150 BS.	
"	1282	1292	20		
"	1278	1282	8		
"	1246	1256	20		
"	1226	1232	12		
"	1220	1226	12		
"	1200	1202	4		
"	1190	1200	20		

CASING RECORD

Size	Amount Set	Sacks of Cement	Amount Pulled
4-1/2"	1425'	400	None

FORMATION RECORD

Formation	Top	Bottom	Formation	Top	Bottom
Clay, sand & red bed	0	600			
F bed & shells	600	1136			
Sand & shells	1136	1425			
Total Depth	1425				

**RECEIVED**  
 STATE CORPORATION COMMISSION

MAY 22 1974

CONSERVATION DIVISION  
 Wichita, Kansas

RESULTS OF INITIAL PRODUCTION TEST: SWDW