KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

September 1999 Form Must Be Typed

Operator: License #5447	API No. 15 - 129-10341-0002				
Name: OXY USA Inc.	County: Morton				
Address: P.O. Box 2528	C - NE - NW - NW Sec 18 Twp. 33 S. R 42W				
City/State/Zip: Liberal, KS 67905	4950 feet from S N (circle one) Line of Section				
Purchaser: CIG					
Operator Contact Person: Vicki Carder	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 629-4200	(circle one) NE SE (NW) SW				
Contractor: Name: Key Energy SERVICES	Lease Name: Weatherford A Well #: 1				
License:	Field Name: Greenwood				
Wellsite Geologist: NA NA	Producing Formation: Topeka				
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:				
New Well Re-Entry X Workover	Total Depth: 3295 Plug Back Total Depth: 2889				
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 600 feet				
X Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☒ No				
Dry Other (Core, WSW, Expl, Cathodic, etc)	If yes, show depth set				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from				
Operator: OXY USA, Inc.	feet depth tow/sx cmt.				
Well Name: Weatherford A #1	Drilling Fluid Management Plan REWORK 974 6/05/03				
Original Comp. Date: 09/01/53 Original Total Depth: 3295 Deepening X Re-perf. Conv. To Enhr./SWD Plug Back Plug Back Total Depth Commingled Docket No. Dual Completion Docket No. Other (SWD or Enhr.?) Docket No. 12/08/01 12/21/01 Date of START Date Reached TD Completion Date of WORKOVER INSTRUCTIONS: An original an two copies of this form shall be filed with the Kansas 6702, within 120 days of the spud date, recompletion, workover or conformation of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs CEMENTINGTICKETS MUST BE ATTACHED. Submit CP-4 form with all p	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL				
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements				
	KCC Office Use Only				
Signature:	Lamor of Confidentiality America				
Title: Date 3/12/02	Letter of Confidentiality Attached If Denied, Yes Date:				
Subscribed and sworn o before me this 12th day of March	/ Defined, 165 El Bailo.				
	Wireline Log Received				
20 C 2 Notary Public: (Inita Peterson)	Geologist Report Received				
Date Commission Expires: 114.1 2005	US Distribution				

Side Two

Operator Name:		UXY USA Inc.			Lease Name	vveatner	IOIG A	vveii #.	_L	
Sec. <u>18</u>	Twp. <u>33</u>	S. R. <u>42W</u>	_ 🔲 East	▼ West	County:		Morton			
Instructions: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copyof all Electric Wireline Logs surveyed. Attach final geological well site report.										
Drill Stem Tests Taken ☐ Yes ☒ No					⊠ Log	Formation (Top), Depth and Datum			Sample	
(Attach Additional Sheets)				Name			Тор	Datum		
Samples Sent to Geological Survey X Yes No										
Cores Taken		☐ Yes	⊠ No							
Electric Log Run (Submit Copy))	⊠ Yes	∐ No							
List All E. Logs Run: Gamma Ray/CCL										
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc.										
Purpose of Strin	g Size Hole		sing	Weight Lbs./ft.	Setting Depth	Type of Cement	# Sacks Used		d Percent itives	
Conductor						С				
Surface						С				
Production						С				
ADDITIONAL CEMENTING / SQUEEZE RECORD										
Purpose:	Depth Top Botto		pe of #Sacks Used		d	Type and Percent Additives				
Perforate Protect Casing			nene -			• ••				
Plug Back TD										
Plug off Zone									 	
Shots Per Foot		TION RECORD				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4		-2680, 2684-2			4550 Gals	4550 Gals 17% HCL Acid				
	2732-2738	2776-2784. 2	82 4-2 829, 28	334-2840	Frac: 1574	7 Gals 70% N2	Foam, 14000	‡		
Ц	3252'-3258'	+3246-324	14 +3212	3230 + 21	2 16/30 Otta	wa Sand				
	3200'+3046									
	2964-2970					2920'				
TUBING RECORD	Size	Set At	Packe		Liner Run					
	2 3/8	2871				Yes	⊠ No			
	med Production, SV 2/17/01	ND or Enhr.	Producing M		lowing 🛛 Pur	nping 🔲 G	as Lift 🔲 O	ther <i>(Explain)</i>		
Estimated Production Oil BBLS Per 24 Hours		Gas Mcf 696			er Bbls 60	Gas-Oil Ratio Gravity		Gravity		
_Disposition of Gas METHOD OF COMPLETION Production Interval Used on Lease □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Commingled □ Open Hole ☑ Perf. □ Dually Comp. □ Open Hole □ Open Hole ☑										
(If vented, Submit ACO-18)										
Other (Specify)										