

KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCHAPI No. 15 — 077 — 20,168
County Number

Operator

Stelbar Oil Corp., Inc.

Address

200 West Douglas, Suite 950, Wichita, Kansas 67202

Well No.

#2

Lease Name

Meineke

Footage Location

2760

feet from (N) (S) line

1800

feet from (E) (W) line

Principal Contractor

Graves Drilling Co. Inc.

Geologist

E. B. Donnelly

Spud Date

Oct. 29, 1972

Total Depth

4408

P.B.T.D.

Date Completed

Nov. 7, 1972


Oil Purchaser

D & A

S. 26 T. 33 R. 6 W

Loc. C NL NW SE

County Harper

640 Acres
N

Locate well correctly

Elev.: Gr. 1265

DF 1268 KB 1270

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface Pipe	12 $\frac{1}{4}$ "	8-5/8"	32	263	Com	210	2% Gel, 3% CC

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
D & A					
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio	
	bbls.	MCF	bbls.	CFPB	
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator
Stelbar Oil Corporation, Inc.

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:
Dry Hole

Well No. 2
Lease Name Meineke

S 26 T 33 R 6 ~~W~~

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
ROTARY DRILLERS' LOG				
Red rod	0	30		
Shale, sand & shells	30	263		
Red bed & shale	263	976		
Shale & lime	976	1062		
Shale & shells w/ lime	1062	1430		
Shale & lime	1430	1538		
Lime & shale	1538	1990		
Shale & lime	1990	2865		
lime & shale	2865	3280		
Shale	3280	3462		
Lime & shale	3462	3498		
Sand & shale	3498	3600		
Shale	3600	3748		
Lime & shale	3748	3870		
Lime	3870	4340		
Lime & chert	4340	4387		
Chert	4387	4397		
Lime	4397	4408		
Rotary Total Depth		4408		
FORMATION TOPS	LOG	SAMPLES		
Kansas City	3742 (-2472)	3741		
Base K. C.	3993 (-2723)	3989		
Marmaton	4956 (-2786)	4048		
Cherokee	4191 (-2921)	4188		
Erds. Miss	4380 (-3110)	4375		
Cln. Miss	4383 (-3113)	4379		
TD	4408 (-3138)	4408		
Measurements are all from KB				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Signature

President


Title

February 25, 1974

Date

KANSAS GEOLOGICAL SOCIETY
508 East Murdock
Wichita, Kansas

API #15-077-20, 168



26-33-6W
CN/2 NW SE

DEC 15 1972

ROTARY DRILLERS' LOG

OPERATOR: Stelbar Oil Corporation, Inc. DRILLING COMMENCED: October 29, 1972
200 West Douglas, Suite 950
Wichita, Kansas 67202 1270 KB DYA

CONTRACTOR: Graves Drilling Co., Inc. DRILLING COMPLETED: November 7, 1972
505 Union Center
Wichita, Kansas 67202

CASING RECORD: 12 Jts. 263' 8-5/8"
cemented with 210 sacks
LOCATION: Meineke No. 2
N/2 NW SE
Section 26-33S-6W
Harper County, Kansas

	0 - 30	Red rock
	30 - 263	Shale, sand & shells
LOG TOPS	263 - 976	Red bed & shale
KC	3742	
B KC	3993	
Marm	4056	976 - 1062 Shale & lime
Cher	4191	
Ero Miss	4380	1062 - 1430 Shale & shells with lime
Cln Miss	4383	
Ltd Rtd	4408	1430 - 1538 Shale & lime
	1538 - 1990	Lime & shale
	1990 - 2865	Shale & lime
	2865 - 3280	Lime & shale
	3280 - 3462	Shale
	3462 - 3498	Lime & shale
	3498 - 3600	Sand & shale
	3600 - 3748	Shale
	3748 - 3870	Lime & shale
	3870 - 4340	Lime
	4340 - 4387	Lime & chert
	4387 - 4397	Chert
	4397 - 4408	Lime
	4408	Rotary Total Depth

certify the foregoing statements to be true and correct to the best of my

GRAVES DRILLING CO., INC.

