15-007-20595

State Geological Survey

KANSAS DRILLERS LOG WICHITA BRANCH

API No. 15 — 007 (County) — 20,595 (Number)

S. 6 T. 34 R. 11 E/W

Loc. C NW SE

County Barber

Operator: Kansas Oil Copp.

Address: 400 North Woodlawn, Suite 2 Wichita, Kansas 67208

Well No.: #1 Lease Name: Bevans


Footage Location: 990 feet from (N) (S) line 990 feet from (E) (W) line

Principal Contractor: Abercrombie Geologist: Lee Poulsen

Spud Date: 1-18-78 Total Depth: 4690 P.B.T.D.:

Date Completed: 1-27-78 Oil Purchaser:

640 Acres N



Locate well correctly

Elev.: Gr. 1454

DF 1459 KB 1462

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
surface	12¼	8⅝	28	298	common	175	2% gel

LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement

TUBING RECORD

Size	Setting depth	Packer set at

PERFORATION RECORD

Shots per ft.	Size & type	Depth interval

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production: Producing method (flowing, pumping, gas lift, etc.):

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold): Producing interval(s):

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

C-10-1972

perator KANSAS Oil Corp

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No. 1 | Lease Name Bevans | Dry Hole

S 6 T 34S R 11 E (W)

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Miss. Osage	4600			
TD	4690			

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Floyd C. Wilson
Signature

President
Title

2-1-78
Date

CONTRACTOR'S WELL LOG

6-34-11W

OPERATOR:	Kansas Oil Corporation
CONTRACTOR:	Abercrombie Drilling, Inc.
WELL NAME:	Bevans #1
LOCATION:	100' E of C NW SE Section 6-34S-11W Barber County, Kansas
SPUD DATE:	January 18, 1978
COMPLETION DATE:	January 28, 1978

0	295	Clay & shale
295	945	Red bed & shale
945	1350	Shale
1350	1368	Anhydrite
1368	1617	Shale & lime
1617	2007	Lime & shale
2007	2075	Shale & lime
2075	2535	Lime & shale
2535	2788	Shale & lime
2788	3218	Lime & shale
3218	3420	Shale & lime
3420	3810	Lime & shale
3810	3995	Shale & lime
3995	4165	Lime & shale
4165	4572	Lime
4572	4624	Shale & lime
4624	4690	Lime
	4690	Rotary Total Depth

Spud hole at 5:30 p.m., January 18, 1978. Drilled 300' of 12¼" hole. Ran 7 joints of 8-5/8" - 28# surface casing. Set at 294' K.B. Cemented with 175 sacks common cement, 3% CaCl, 2% gel. Cement did circulate. Plug was down at 11:30 p.m., January 18, 1978.

T.D. 4690'. Set 1st plug at 300' with 30 sacks, 2nd plug at 40' - solid bridge - with 12 sacks, 3 sacks in rat hole. Plug was down at 11:30 a.m., January 28, 1978.

SAMPLE TOPS:

Anhydrite	1349 (+113)
B/Anhydrite	1368 (+ 94)

STATE OF KANSAS)
) ss
COUNTY OF SEDGWICK)

Jack L. Partridge, Assistant Secretary-Treasurer of Abercrombie Drilling, Inc., does hereby state that the above and foregoing is a true and correct copy of the log of the Bevans #1, 100' E of C NW SE Section 6-34S-11W, Barber County, Kansas.