

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Woolsey Operating Co**

125 N Market Ste 1000
Wichita KS 67202

ATTN: Bill Klaver

11 34 12W Barber KS

Farney Trust #1

Start Date: 2007.08.15 @ 21:51:26

End Date: 2007.08.16 @ 09:00:56

Job Ticket #: 28363 DST #: 1

**CONFIDENTIAL
DEC 06 2007
KCC**

**MISSOURI
DEPARTMENT OF REVENUE
DEC 06 2007
REGISTRATION DIVISION**

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

AUG 24 2007

Woolsey Operating Co


Farney Trust #1

11 34 12W Barber KS

DST # 1

Miss.

2007.08.15



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

ATTN: Bill Klaver

Job Ticket: 28363

DST#: 1

Test Start: 2007.08.15 @ 21:51:26

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 01:31:11

Time Test Ended: 09:00:56

Test Type: **Conventional Bottom Hole**

Tester: **Travy Cushenbery**

Unit No: **30**

Interval: **4635.00 ft (KB) To 4717.00 ft (KB) (TVD)**

Total Depth: **4717.00 ft (KB) (TVD)**

Hole Diameter: **7.80 inches** Hole Condition: **Good**

Reference Elevations: **1498.00 ft (KB)**

1490.00 ft (CF)

KB to GR/CF: **8.00 ft**

Serial #: 6668 **Inside**

Press@RunDepth: **45.07 psig @ 4635.00 ft (KB)**

Start Date: **2007.08.15**

End Date:

2007.08.16

Capacity: **7000.00 psig**

Last Calib.: **2007.08.16**

Start Time: **21:51:31**


End Time:

09:00:56

Time On Btm: **2007.08.16 @ 01:29:56**

Time Off Btm: **2007.08.16 @ 06:03:41**

TEST COMMENT: IF Strong blow BOB in 12 mins.
ISI Bled off No blow back
FF Strong blow BOB immediately
FSI Bled off No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2362.08	123.38	Initial Hydro-static
2	51.53	122.27	Open To Flow (1)
31	47.01	123.30	Shut-In(1)
90	977.36	124.92	End Shut-In(1)
91	54.77	124.65	Open To Flow (2)
153	45.07	125.39	Shut-In(2)
272	1244.80	126.23	End Shut-In(2)
274	2236.65	126.67	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	GM 1%G 99%M	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28363

DST#: 1

ATTN: Bill Klaver

Test Start: 2007.08.15 @ 21:51:26

Tool Information

Drill Pipe:	Length: 4540.00 ft	Diameter: 3.80 inches	Volume: 63.68 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 89.00 ft	Diameter: 2.25 inches	Volume: 0.44 bbl	Weight to Pull Loose: 50000.00 lb
			<u>Total Volume: 64.12 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 48000.00 lb
Depth to Top Packer:	4635.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	82.00 ft			
Tool Length:	110.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4612.00	
Hydraulic tool	5.00			4617.00	
Jars	5.00			4622.00	
Safety Joint	3.00			4625.00	
Packer	5.00			4630.00	28.00 Bottom Of Top Packer
Packer	5.00			4635.00	
Recorder	0.00	6668	Inside	4635.00	
Perforations	6.00			4641.00	
Change Over Sub	1.00			4642.00	
Drill Pipe	61.00			4703.00	
Change Over Sub	1.00			4704.00	
Perforations	10.00			4714.00	
Recorder	0.00	13266	Outside	4714.00	
Bullnose	3.00			4717.00	82.00 Bottom Packers & Anchor

Total Tool Length: 110.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Operating Co
125 N Market Ste 1000
Wichita KS 67202
ATTN: Bill Klaver

Farney Trust #1
11 34 12W Barber KS
Job Ticket: 28363 **DST#: 1**
Test Start: 2007.08.15 @ 21:51:26

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 54.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.19 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 6000.00 ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	GM 1%G 99%M	0.049

Total Length: 10.00 ft Total Volume: 0.049 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Serial #: 6668


Inside

Woolsey Operating Co


11 34 12W Barber KS

DST Test Number: 1

Pressure vs. Time







**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Woolsey Operating Co**

125 N Market Ste 1000
Wichita KS 67202

ATTN: Bill Klaver

11 34 12W Barber KS

Farney Trust #1

Start Date: 2007.08.17 @ 00:37:32

End Date: 2007.08.17 @ 11:08:02

Job Ticket #: 28364 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

ATTN: Bill Klaver

Job Ticket: 28364

DST#: 2

Test Start: 2007.08.17 @ 00:37:32

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:40:17

Time Test Ended: 11:08:02

Test Type: Conventional Bottom Hole

Tester: Travy Cushenbery

Unit No: 30

Interval: **4717.00 ft (KB) To 4790.00 ft (KB) (TVD)**

Reference Elevations: 1498.00 ft (KB)

Total Depth: 4790.00 ft (KB) (TVD)

1490.00 ft (CF)

Hole Diameter: 7.80 inches Hole Condition: Good

KB to GR/CF: 8.00 ft

Serial #: 6668

Inside

Press@RunDepth: 50.83 psig @ 4717.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2007.08.17

End Date:

2007.08.17

Last Calib.: 2007.08.17

Start Time: 00:37:37

End Time:


11:08:02

Time On Btm: 2007.08.17 @ 03:39:32

Time Off Btm: 2007.08.17 @ 08:15:17

TEST COMMENT: IF Weak blow Building to 1/8 " in 30 mins.
ISI Bld off No blow back
FF Weak blow Building to 1/2 " in 60 mins.
FSI Bld off No blow back

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2342.98	118.95	Initial Hydro-static
1	71.87	119.04	Open To Flow (1)
31	50.92	119.38	Shut-In(1)
93	113.91	120.90	End Shut-In(1)
93	51.06	120.84	Open To Flow(2)
151	50.83	121.99	Shut-In(2)
274	195.42	123.73	End Shut-In(2)
276	2253.58	123.99	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	Mud w/scum of Oil 100%M	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28364

DST#: 2

ATTN: Bill Klaver

Test Start: 2007.08.17 @ 00:37:32

Tool Information

Drill Pipe:	Length: 4605.00 ft	Diameter: 3.80 inches	Volume: 64.60 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 89.00 ft	Diameter: 2.25 inches	Volume: 0.44 bbl	Weight to Pull Loose: 58000.00 lb
			<u>Total Volume: 65.04 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	5.00 ft			String Weight: Initial 50000.00 lb
Depth to Top Packer:	4717.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	73.00 ft			
Tool Length:	101.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4694.00	
Hydraulic tool	5.00			4699.00	
Jars	5.00			4704.00	
Safety Joint	3.00			4707.00	
Packer	5.00			4712.00	28.00 Bottom Of Top Packer
Packer	5.00			4717.00	
Recorder	0.00	6668	Inside	4717.00	
Perforations	3.00			4720.00	
Change Over Sub	1.00			4721.00	
Drill Pipe	31.00			4752.00	
Change Over Sub	1.00			4753.00	
Perforations	34.00			4787.00	
Recorder	0.00	13266	Outside	4787.00	
Bullnose	3.00			4790.00	73.00 Bottom Packers & Anchor

Total Tool Length: 101.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28364

DST#: 2

ATTN: Bill Klaver

Test Start: 2007.08.17 @ 00:37:32

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 58.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 13.19 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 9000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
10.00	Mud w/scum of Oil 100%M	0.049

Total Length: 10.00 ft

Total Volume: 0.049 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:


Laboratory Location:

Recovery Comments:

Pressure vs. Time







DRILL STEM TEST REPORT

Prepared For: **Woolsey Operating Co**

125 N Market Ste 1000
Wichita KS 67202

ATTN: Bill Klaver

11 34 12W Barber KS

Farney Trust #1

Start Date: 2007.08.18 @ 12:53:03

End Date: 2007.08.18 @ 23:04:03

Job Ticket #: 28365 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Woolsey Operating Co

125 N Market Ste 1000
Wichita KS 67202

ATTN: Bill Klaver

Farney Trust #1

11 34 12W Barber KS

Job Ticket: 28365

DST#: 3

Test Start: 2007.08.18 @ 12:53:03

GENERAL INFORMATION:

Formation: **Miss. (Osage)**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:50:03

Time Test Ended: 23:04:03

Test Type: Conventional Bottom Hole

Tester: Travy Cushenbery

Unit No: 30

Interval: **4817.00 ft (KB) To 4852.00 ft (KB) (TVD)**

Total Depth: 4852.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 1498.00 ft (KB)

1490.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 6668

Inside

Press@RunDepth: 226.34 psig @ 4817.00 ft (KB)

Start Date: 2007.08.18

End Date: 2007.08.18

Capacity: 7000.00 psig

Last Calib.: 2007.08.18

Start Time: 12:53:08


End Time: 23:04:03

Time On Btm: 2007.08.18 @ 15:49:18

Time Off Btm: 2007.08.18 @ 20:21:48

TEST COMMENT: IF Fair blow Building to 9" in 30 mins.
ISI Bled off No blow back
FF Fair blow Building to 7" in 60 mins.
FSI Bled off No blow back

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2400.18	120.02	Initial Hydro-static
1	79.29	119.49	Open To Flow (1)
34	125.37	125.00	Shut-In(1)
91	1701.32	125.52	End Shut-In(1)
92	158.12	125.08	Open To Flow (2)
152	226.34	129.55	Shut-In(2)
271	1702.10	128.27	End Shut-In(2)
273	2300.67	127.36	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
124.00	MW 90%W 10%M	0.93
124.00	90%W 10%M	1.74
62.00	40%W 60%M	0.87
62.00	40%W 60%M	0.87

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28365

DST#: 3

ATTN: Bill Klaver

Test Start: 2007.08.18 @ 12:53:03

Tool Information

Drill Pipe:	Length: 4730.00 ft	Diameter: 3.80 inches	Volume: 66.35 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 89.00 ft	Diameter: 2.25 inches	Volume: 0.44 bbl	Weight to Pull Loose: 82000.00 lb
			<u>Total Volume: 66.79 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	4817.00 ft			Final 54000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	35.00 ft			
Tool Length:	63.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4794.00	
Hydraulic tool	5.00			4799.00	
Jars	5.00			4804.00	
Safety Joint	3.00			4807.00	
Packer	5.00			4812.00	28.00 Bottom Of Top Packer
Packer	5.00			4817.00	
Recorder	0.00	6668	Inside	4817.00	
Perforations	32.00			4849.00	
Recorder	0.00	13266	Outside	4849.00	
Bullnose	3.00			4852.00	35.00 Bottom Packers & Anchor
Total Tool Length:	63.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28365

DST#: 3

ATTN: Bill Klaver

Test Start: 2007.08.18 @ 12:53:03

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

4200 ppm

Viscosity: 44.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.98 in³

Gas Cushion Type:

Resistivity: 1.35 ohm.m

Gas Cushion Pressure:

psig

Salinity: 7000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
124.00	MW 90%W 10%M	0.929
124.00	90%W 10%M	1.739
62.00	40%W 60%M	0.870
62.00	40%W 60%M	0.870

Total Length: 372.00 ft Total Volume: 4.408 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6668


Inside

Woodsey Operating Co


11 34 12W Barber KS

DST Test Number: 3

Pressure vs. Time







DRILL STEM TEST REPORT

Prepared For: **Woolsey Operating Co**

125 N Market Ste 1000
Wichita KS 67202

ATTN: Bill Klaver

11 34 12W Barber KS

Farney Trust #1

Start Date: 2007.08.19 @ 21:42:37

End Date: 2007.08.20 @ 08:38:52

Job Ticket #: 28366 DST #: 4

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Woolsey Operating Co
125 N Market Ste 1000
Wichita KS 67202
ATTN: Bill Klaver


Farney Trust #1
11 34 12W Barber KS
Job Ticket: 28366 **DST#: 4**
Test Start: 2007.08.19 @ 21:42:37

GENERAL INFORMATION:

Formation: **Simpson**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 00:56:37
Time Test Ended: 08:38:52
Interval: **5150.00 ft (KB) To 5173.00 ft (KB) (TVD)**
Total Depth: 5173.00 ft (KB) (TVD)
Hole Diameter: 7.80 inches Hole Condition: Good
Reference Elevations: 1498.00 ft (KB)
1490.00 ft (CF)
KB to GR/CF: 8.00 ft
Test Type: Conventional Bottom Hole
Tester: Travy Cushenbery
Unit No: 30

Serial #: 6668 **Inside**
Press@RunDepth: 819.24 psig @ 5150.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2007.08.19 End Date: 2007.08.20 Last Calib.: 2007.08.20
Start Time: 21:42:42 End Time: 08:38:52 Time On Btm: 2007.08.20 @ 00:56:07
Time Off Btm: 2007.08.20 @ 04:05:52

TEST COMMENT: IF Strong blow BOB in 2 mins.
ISI Bled off Strong blow back BOB in 35 mins.
FF Strong blow BOB immediately
FSI Bled off Weak blow back Building to 4 " in 60 mins.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2756.88	129.14	Initial Hydro-static
1	168.35	129.70	Open To Flow (1)
31	497.78	140.55	Shut-In(1)
90	2054.83	137.43	End Shut-In(1)
91	550.49	137.00	Open To Flow(2)
120	819.24	140.49	Shut-In(2)
182	2053.99	138.61	End Shut-In(2)
190	2601.12	135.52	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
434.00	GOCWM 4%G 6%O 30%W 60%M	5.28
434.00	GMM 2%G 92%W 6%M	6.09
434.00	GMM 2%G 92%W 6%M	6.09
434.00	GMMw/Scum of Oil 2%G 18%W 80%M	6.09

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28366

DST#: 4

ATTN: Bill Klaver

Test Start: 2007.08.19 @ 21:42:37

Tool Information

Drill Pipe:	Length: 5044.00 ft	Diameter: 3.80 inches	Volume: 70.75 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 89.00 ft	Diameter: 2.25 inches	Volume: 0.44 bbl	Weight to Pull Loose: 70000.00 lb
			<u>Total Volume: 71.19 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	11.00 ft			String Weight: Initial 56000.00 lb
Depth to Top Packer:	5150.00 ft			Final 64000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	23.00 ft			
Tool Length:	51.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			5127.00	
Hydraulic tool	5.00			5132.00	
Jars	5.00			5137.00	
Safety Joint	3.00			5140.00	
Packer	5.00			5145.00	28.00 Bottom Of Top Packer
Packer	5.00			5150.00	
Recorder	0.00	6668	Inside	5150.00	
Perforations	21.00			5171.00	
Recorder	0.00	13266		5171.00	
Bullnose	2.00			5173.00	23.00 Bottom Packers & Anchor
Total Tool Length:	51.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Woolsey Operating Co

Farney Trust #1

125 N Market Ste 1000
Wichita KS 67202

11 34 12W Barber KS

Job Ticket: 28366

DST#: 4

ATTN: Bill Klaver

Test Start: 2007.08.19 @ 21:42:37

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

70000 ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 12.79 in³

Gas Cushion Type:

Resistivity: 0.11 ohm.m

Gas Cushion Pressure:

psig

Salinity: 12000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
434.00	GOcWM 4%G 6%O 30%W 60%M	5.277
434.00	GMW 2%G 92%W 6%M	6.088
434.00	GMW 2%G 92%W 6%M	6.088
434.00	GWMw/Scum of Oil 2%G 18%W 80%M	6.088

Total Length: 1736.00 ft

Total Volume: 23.541 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

