



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Redland Resources Inc  
6001 NW 23rd St  
Oklahoma City OK 73127  
ATTN: Chase Thomas


**Perry #5-8**  
**5 34s 18w Comanche**  
Job Ticket: 39498      DST#: 1  
Test Start: 2010.11.27 @ 23:51:47

## GENERAL INFORMATION:

Formation: Miss  
Deviated: No Whipstock: ft (KB)  
Time Tool Opened: 03:10:47  
Time Test Ended: 10:28:02  
Interval: 4867.00 ft (KB) To 4928.00 ft (KB) (TVD)  
Total Depth: 4928.00 ft (KB) (TVD)  
Hole Diameter: 7.88 inches Hole Condition: Fair  
Test Type: Conventional Bottom Hole  
Tester: Esak Hadley  
Unit No: 34  
Reference Elevations: 1654.00 ft (KB)  
1641.00 ft (CF)  
KB to GR/CF: 13.00 ft

Serial #: 6773      Inside  
Press@RunDepth: 35.19 psig @ 4868.00 ft (KB)  
Start Date: 2010.11.27      End Date: 2010.11.28  
Start Time: 23:51:52      End Time: 10:28:02  
Capacity: 8000.00 psig  
Last Calib.: 2010.11.28  
Time On Btm: 2010.11.28 @ 02:24:32  
Time Off Btm: 2010.11.28 @ 08:24:47

TEST COMMENT: F Strong blow . BOB in 60 sec.  
ISI No blow .  
FF Strong blow . BOB in 2sec.  
FSI No blow .



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2499.43	107.80	Initial Hydro-static
47	35.97	111.68	Open To Flow (1)
77	41.62	113.24	Shut-In(1)
155	1104.25	116.93	End Shut-In(1)
155	29.20	116.68	Open To Flow (2)
211	35.19	118.63	Shut-In(2)
341	1173.04	121.95	End Shut-In(2)
361	2448.37	122.47	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
30.00	drilg mud	0.15

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

RECEIVED

APR 25 2011

KCC WICHITA



**TRIOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

Redland Resources Inc  
6001 NW 23rd St  
Oklahoma City OK 73127  
ATTN: Chase Thomas

**Perry #5-8**  
**5 34s 18w Comanche**  
Job Ticket: 39498      DST#: 1  
Test Start: 2010.11.27 @ 23:51:47

**Mud and Cushion Information**

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 46.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.59 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: 0.20 inches			

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
30.00	drilg mud	0.148

Total Length: 30.00 ft      Total Volume: 0.148 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments:

RECEIVED  
APR 25 2011  
KCC WICHITA

RECEIVED

APR 25 2011

KCC WICHITA

