

KANSAS

27-34-16W
State Geological Survey

WELL COMPLETION REPORT AND DRILLER'S LOG

S. 27 WICHITA, BRANCH
T. 34 R. 16 W
Loc. C N2 N2 NW
County Comanche

API No. 15 — 033 — 20,326
County Number

Operator
Gould Oil, Inc.

Address 260 North Rock Road, #210 Wichita, Kansas 67206


Well No. #1 Lease Name Beeley

Footage Location
330 feet from (N) line 1320 feet from (E) line of NW/4

Principal Contractor Eagle Drilling, Inc. Geologist Philip M. Knighton

Spud Date November 26, 1979 Date Completed 12/12/79 Total Depth 5150' P.B.T.D. ---

Directional Deviation none Oil and/or Gas Purchaser ---



Locate well correctly
Elev.: Gr. 1829'
DF --- KB 1840'

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Conductor	24"	16"	55	65	Common	190	2% Ca.Cl.
Surface	12 1/4"	8 5/8"	28	607	Common	300	2% gel + 3% Ca.Cl.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production	Producing method (flowing, pumping, gas lift, etc.)				
RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Gould Oil, Inc. DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: Dry Hole

Well No. 1 Lease Name Beeley

S 27 T 34 R 16 W

WELL LOG
 Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
RA Guard & Density logs by Petrolog:				
<u>Log Tops:</u>				
Heebner	4254	(-2414)		
Lansing	4450	(-2610)		
BKC	4909	(-3069)		
Marmaton	4966	(-3126)		
Marmaton "A" Zone	5050	(-3210)		
Cherokee	5093	(-3253)		
Mississippian	5141	(-3301)		
<u>DST #1:</u> 4842'-50' (60"-60"-60"-60") Rec. 270' salt water IFP = 42#-102#, ISIP = 1868#, FFP = 110#-161#, FSIP = 1851#				
<u>DST #2:</u> 5015'-53' (60"-60"-90"-120") Fair blow increasing to good blow Rec. 45' mud, no gas IFP = 34#-34#, ISIP = 585# FFP = 34#-42#, FSIP = 1109#, BHT - 113°				
<u>DST #3:</u> 5125'-50' (60"-60"-60"-60") Good blow throughout, GTS in 55' of 2nd opening Rec. 125' mud IFP = 34#-76#, ISIP = 1783# FFP = 68#-85#, FSIP = 1766#				
<u>DST #4:</u> 4030'-4230" (60"-60"-60"-120") Weak blow throughout Rec. 260' mud and 310' salt water IFP = 26#-187#, ISIP = 1426# FFP = 195#-271#, FSIP = 1435#				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received _____

 Signature
 Vice President
 Title
 October 31, 1980
 Date

50-34-16W

