

15-033-20998

6-34s-17w

TRILOBITE TESTING L.L.C.

ORIGINAL

# TRILOBITE TESTING L.L.C.

P.O. Box 362 • Hays, Kansas 67601

## Test Ticket

No 11452

Well Name & No. Bryant #1-6 Test No. #1 Date 2/21/1999  
 Company Comanche Res Zone Tested Miss  
 Address 9520 N. May Ave Suite 320 Ok City OK Elevation 1861 KB 1848 GL  
 Co. Rep / Geo. Mike Whitley Cont. H-40 #3 73112 Est. Ft. of Pay      Por.      %  
 Location: Sec. 6 Twp. 34S Rge. 12W Co. Comanche State KS  
 No. of Copies 5 Distribution Sheet (Y, N)      Turnkey (Y, N)      Evaluation (Y, N)     

Interval Tested 5133' - 5336' Initial Str Wt./Lbs. 128000 Unseated Str Wt./Lbs. 128000  
 Anchor Length 203' Wt. Set Lbs. 20000 Wt. Pulled Loose/Lbs. 59000  
 Top Packer Depth 5128' Tool Weight 2100  
 Bottom Packer Depth 5133' Hole Size — 7 7/8" ✓ Rubber Size — 6 3/4" ✓  
 Total Depth 5336 Wt. Pipe Run N/A Drill Collar Run 602'  
 Mud Wt. 9.0 LCM 6H Vis. 51 WL 7.2 Drill Pipe Size 4 1/2 XH Ft. Run 4719'  
 Blow Description DF: Miss run (Packer failure)

Recovery — Total Feet	GIP	Ft. in DC	Ft. in DP
Rec. <u>420'</u> Feet Of <u>Drilling Mud</u>	%gas	%oil	%water %mud
Rec. <u>    </u> Feet Of <u>    </u>	%gas	%oil	%water %mud
Rec. <u>    </u> Feet Of <u>    </u>	%gas	%oil	%water %mud
Rec. <u>    </u> Feet Of <u>    </u>	%gas	%oil	%water %mud
Rec. <u>    </u> Feet Of <u>    </u>	%gas	%oil	%water %mud

BHT 109° °F Gravity      °API D@      °F Corrected Gravity      °API  
 N      @      °F Chlorides      ppm Recovery Chlorides 5700 ppm System

AK-1	Alpine
(A) Initial Hydrostatic Mud <u>2761</u>	PSI Recorder No. <u>10991</u> T-On Location <u>2100</u>
(B) First Initial Flow Pressure <u>    </u>	PSI (depth) <u>5141</u> T-Started <u>2200</u>
(C) First Final Flow Pressure <u>    </u>	PSI Recorder No. <u>13849</u> T-Open <u>0135</u>
(D) Initial Shut-in Pressure <u>    </u>	PSI (depth) <u>5333'</u> T-Pulled <u>0200</u>
(E) Second Initial Flow Pressure <u>    </u>	PSI Recorder No. <u>    </u> T-Out <u>0530</u>
(F) Second Final Flow Pressure <u>    </u>	PSI (depth) <u>    </u> T-Off Location <u>0600</u>
(G) Final Shut-in Pressure <u>    </u>	PSI Initial Opening <u>3</u> Test <u>✓</u>
(Q) Final Hydrostatic Mud <u>2761</u>	PSI Initial Shut-in <u>    </u> Jars <u>✓</u>

TRILOBITE TESTING L.L.C. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND OF THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST IS MADE.

Approved By Mike Whitley  
 Our Representative Darren Amerino

RECEIVED  
 STATE CORPORATION COMMISSION  
 JUL - 8 1999  
 CONSERVATION DIVISION  
 Wichita, Kansas  
 Safety Joint ✓  
 Straddle       
 Circ. Sub       
 Sampler       
 Extra Packer       
 Elec. Rec.       
 Mileage       
 Other       
 TOTAL PRICE \$