

tite hole?

WC

Field

State Kansas

County Comanche

Company Pure Oil Co.

Farm H. Beals

Well No. 1

Sec. 5

Twp. 34S
Blk. 34S

Range 17W
Survey

fr N

fr E

fr S

fr W

of C NE NW

Contractor GMRD

Remarks

Comm. 10-19-55

Comp.

Elev. 1860 DF 185264 T. D. 5940

P. B.

Pay

I. P. 3,250 MCF

R. P.

Casing Record:

13 3/8 246/225

7

20

10 3/4

5 1/2

16

8 5/8 2592/600

10-26-55 WOC.

Tops

Log
4125
4145
4240

NOV 2

1955

04262

NOV 9

1955

log
DST 4348-4420 open
1 hr 15" gts in 2" 3" g 2,740 mcf Log 4348
5" g 3,500 mcf. 10" g 4,735 mcf Norm 4403
15" 5,594 mcf. Rec 10' mud. Min 5054
FP 588-724 BH 1692/20 Vign 5594
HH 4582 Sing 5700
DST 4559-82 - open 1 1/2 hrs Alt 5832
gts 15" dec to 0
Rec 420' gcm FP 62-70
BH 1690/30 HH 2244
DST 4684-4711 open 2 1/4 hrs
Rec 50' gcm 930' SW FP 76-505
BH 1682/20 HH 2504
DST 4943-64 ~~5~~ open 1 hr. gts in 2"
Rec 25' hr gcm. FP 15-25#
BH 1720/20 HH 2410

NOV 1 6 1955

DST

5058-80 open 1 1/2 hrs

Air lined. no gas rec 10' mud

FP 12 BH 409/20

DST 5085-5125 open 1 1/2 hrs air

min g in 5" of 207 mgf. rec

95' g.c.m. FP 124-64 BH 1445/20

φ 5475

NOV 2 2 1955

DST # 2 5620-5720 DP at 5620

open 20" air in gas 1/2" 3" g 3,950

5" g 4,900 mgf. 6" g 5,210 mgf. 7" 7,120 mgf.

8" 7,850 10" 8,500 mgf. 15" 9,500 mgf.

18" 9,980 rec 35' distillat 340'

AW FP 110-1163 - BH 2030/20 HH 2763

DST 5725-45 - DP @ 5725 open 45"

Air min. fr. flo. no gas rec 4200'

SWT 90' m FP 583-2080 BH 2182/20

HH 2806

DST # 9 5775-90 open 1 hr. Air min

rec 10' mud 270' m csw 4209'

AW FP 1385-2228 - BH 2229/20

HH 2885

φ 5863

NOV 3 0 1955

~~RTD 5940~~ ran log

~~set~~ DST 5834-5940 op 30" rec

270' mud + 180' m csw 4011' SW FP

1445-2258 BH 2258/20

RTD 5940 ran log.

set 5 1/2 5799/500

CO to 5761 # 24/5724-30

sub 15 BWPH. set pk @ 5716 eq w 35

DEC 7 1955

set bl plug @ 5720 # 60/5700-15

run 2 3/4" T pl @ 5685 sub well to flow gas

2 3/4" T flr 10" + 51 # SIP 1596 # open 1" ck

flr. FTP 50th @ 15" FTP 40 # around amount dist.

30" shot hole sw in 7 hrs. 932 mgf. dist 24 hrs

553 mgf est 1 BSWPH. - pulled to pk - pb 80/5640-60

56/5610-24 return T. pup to rec (SP)

DEC 1 4 1955

ran 2 1/2" white pl @ 5637 + 66 sub 775.

pulled to pk re set pk 5607-36

swed g 455 mcf w some dist + mud

Field

State County

Company

Farm Well No.

Sec. Twp. Blk. Range Survey

..... fr N fr E fr S fr W

of

Contractor

Remarks

Comm. *Becker* Comp.

Elev. T. D. P. B.

Pay

I. P. R. P.

Casing Record: 13 3/8 7

20 10 3/4 5 1/2

16 8 5/8

S1 30" 720# g Top SS muf.
 W some dist & mud. pulled T &
 return unit ret @ 5584 by 5610-24
 5640-60 W 85 SAx of Clear

DEC 21 1955 CO 5712 40/5200-10 ran 2 1/2 TW
 pk @ 5680 subed no sho - A/200m D/25bbs
 sub 11 BSW ph. slisho gas. by to 5200-10w
 80 - pulled T & pk. by 24/5088-94 48/
 5112-24 ran TW pk @ 5061 & 5152
 subed dry g est 25 muf A/200m
 g 62 muf. pulled T & pk return TW
 pk @ 5068 - A/200m D/11bbs - fac/500
 52/5000 D/27bbs. subed load g 247 MUF
 g 218 muf. pulled T & pk set plug @ 4450
 by 92/4393-4416 ran 2 1/2 T to 4379
 subing

JAN 4 1955 8hr 80 3,350 muf dist 92 bbl pd
 FTP 235# SIP 1520

PBTD *φ* Comp 12 2

