


11/10



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Five Star Energy Inc**

213 E 14th
Harper KS 67048

ATTN: SteveMiller

28 34 20 Comanche KS

Woolfolk #1-28

Start Date: 2007.10.23 @ 22:16:57

End Date: 2007.10.24 @ 10:54:27

Job Ticket #: 29287 DST #: 1

CONFIDENTIAL
NOV 14 2007
KCC

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Five Star Energy Inc


Woolfolk #1-28

28 34 20 Comanche KS

DST # 1

Morrow

2007.10.23



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Five Star Energy Inc
 213 E 14th
 Harper KS 67048
 ATTN: Steve Miller

Woolfolk #1-28
28 34 20 Comanche KS
 Job Ticket: 29287 **DST#: 1**
 Test Start: 2007.10.23 @ 22:16:57

GENERAL INFORMATION:

Formation: **Morrow**
 Deviated: No Whipstock: ft (CF)
 Time Tool Opened: 03:47:42
 Time Test Ended: 10:54:27

Test Type: Conventional Bottom Hole
 Tester: Esak Hadley
 Unit No: 23

Interval: **5371.00 ft (CF) To 5443.00 ft (CF) (TVD)**
 Total Depth: 5443.00 ft (CF) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair


Reference Elevations: 1773.00 ft (KB)
 1760.00 ft (CF)
 KB to GR/CF: 13.00 ft

Serial #: 8319

Inside
 Press@RunDepth: 843.59 psig @ 5372.00 ft (CF)
 Start Date: 2007.10.23 End Date: 2007.10.24
 Start Time: 22:16:59 End Time: 10:54:27

Capacity: 7000.00 psig
 Last Calib.: 2007.10.24
 Time On Btm: 2007.10.24 @ 03:37:12
 Time Off Btm: 2007.10.24 @ 06:44:57

TEST COMMENT: IF Strong blow BOB in 30 secs.
 ISI No blow
 FF No blow
 FSI No blow



PRESSURE SUMMARY


Time (Mn.)	Pressure (psig)	Temp (deg F)	Annotation
0	2742.39	117.19	Initial Hydro-static
11	783.69	116.91	Open To Flow (1)
35	799.56	119.31	Shut-In(1)
79	1951.28	119.90	End Shut-In(1)
80	792.71	119.26	Open To Flow (2)
112	843.59	125.32	Shut-In(2)
174	1962.65	124.37	End Shut-In(2)
188	2677.93	122.40	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
273.00	40%W 60%M Rw .24 OHMS@ 65 deg	1.34
1209.00	5%W 95%M	16.96

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Five Star Energy Inc
213 E 14th
Harper KS 67048
ATTN: Steve Miller


Woolfolk #1-28
28 34 20 Comanche KS
Job Ticket: 29287 **DST#: 1**
Test Start: 2007.10.23 @ 22:16:57

Tool Information

Drill Pipe:	Length: 5084.00 ft	Diameter: 3.80 inches	Volume: 71.32 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 273.00 ft	Diameter: 2.25 inches	Volume: 1.34 bbl	Weight to Pull Loose: lb
			<u>Total Volume: 72.66 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	13.00 ft			String Weight: Initial 84000.00 lb
Depth to Top Packer:	5371.00 ft			Final lb
Depth to Bottom Packer:	ft			
Interval between Packers:	72.00 ft			
Tool Length:	99.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5345.00	
Shut In Tool	5.00			5350.00	
Hydraulic tool	5.00			5355.00	
Jars	5.00			5360.00	
Safety Joint	2.00			5362.00	
Packer	4.00			5366.00	27.00 Bottom Of Top Packer
Packer	5.00			5371.00	
Stubb	1.00			5372.00	
Recorder	0.00	8319	Inside	5372.00	
Perforations	33.00			5405.00	
Change Over Sub	1.00			5406.00	
Blank Spacing	31.00			5437.00	
Change Over Sub	1.00			5438.00	
Recorder	0.00	13789	Outside	5438.00	
Bullnose	5.00			5443.00	72.00 Bottom Packers & Anchor

Total Tool Length: 99.00



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Five Star Energy Inc

Woolfolk #1-28

213 E 14th
Harper KS 67048

28 34 20 Comanche KS

Job Ticket: 29287

DST#: 1

ATTN: Steve Miller

Test Start: 2007.10.23 @ 22:16:57

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 42.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.20 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 5000.00 ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
273.00	40%W 60%MRw .24 OHMS@ 65 deg	1.343
1209.00	5%W 95%M	16.959


Total Length: 1482.00 ft Total Volume: 18.302 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #: none

Laboratory Name: Laboratory Location:

Recovery Comments:

Pressure vs. Time



Handwritten text, possibly a date or signature, located in the upper left quadrant.

Handwritten text, possibly a date or signature, located in the lower left quadrant.