

TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

RECEIVED
SEP 08 2011

NO. 44052 116302

Well Name & No. Baker #4-35 BY: _____ Test No. 1 Date 9-2-11
 Company Five STAR Energy INC Elevation 1727 KB 17107 GL
 Address 215 E 14TH Harper KS 67058
 Co. Rep / Geo. Howard Short / Jeff Burk Rig Maverick #106
 Location: Sec. 35 Twp. 34s Rge. 20w Co. Comanche State KS

Interval Tested 5000 - 5065 Zone Tested Altamont / Pawnee
 Anchor Length 65' Drill Pipe Run 4976 Mud Wt. 9.1
 Top Packer Depth 4995 Drill Collars Run 0 Vis 57
 Bottom Packer Depth 5000 Wt. Pipe Run 0 WL 9.0
 Total Depth 5065 Chlorides 6,000 ppm System LCM 2#
 Blow Description IF: STRONG blow BOB 7min
ISI: NO blow back
FF: STRONG blow BOB 1min
FSI: NO blow back

Rec	Feet of	%gas	%oil	%water	%mud
	<u>1240' GIP</u>				
Rec <u>70'</u>	<u>MDD</u>				<u>100</u>
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 70' BHT 121 Gravity _____ API RW _____ @ _____ °F Chlorides 6,000 ppm

(A) Initial Hydrostatic <u>2472</u>	<input checked="" type="checkbox"/> Test <u>1325</u>	T-On Location <u>18:10</u>
(B) First Initial Flow <u>18</u>	<input checked="" type="checkbox"/> Jars <u>250</u>	T-Started <u>19:40</u>
(C) First Final Flow <u>94</u>	<input checked="" type="checkbox"/> Safety Joint <u>75</u>	T-Open <u>23:16</u>
(D) Initial Shut-In <u>1416</u>	<input type="checkbox"/> Circ Sub _____	T-Pulled <u>3:10</u>
(E) Second Initial Flow <u>32</u>	<input type="checkbox"/> Hourly Standby <u>34hr 75</u>	T-Out <u>6:00</u>
(F) Second Final Flow <u>90</u>	<input checked="" type="checkbox"/> Mileage <u>160 miles 224</u>	Comments _____
(G) Final Shut-In <u>1595</u>	<input type="checkbox"/> Sampler _____	
(H) Final Hydrostatic <u>2352</u>	<input type="checkbox"/> Straddle _____	<input type="checkbox"/> Ruined Shale Packer _____
Initial Open <u>30</u>	<input type="checkbox"/> Shale Packer _____	<input type="checkbox"/> Ruined Packer _____
Initial Shut-In <u>45</u>	<input type="checkbox"/> Extra Packer _____	<input type="checkbox"/> Extra Copies _____
Final Flow <u>60</u>	<input type="checkbox"/> Extra Recorder _____	Sub Total <u>0</u>
Final Shut-In <u>90</u>	<input type="checkbox"/> Day Standby _____	Total <u>1949</u>
	<input type="checkbox"/> Accessibility _____	MP/DST Disc't _____
	Sub Total <u>1949</u>	

Approved By [Signature] Our Representative [Signature]

TriLOBITE TESTING INC. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED
SEP 08 2011

Test Ticket

NO. 44053

Well Name & No. Baker #4-35 Test No. 2 Date 9-4-11
 Company Five STAR Energy INC Elevation 1727 KB 1717 GL
 Address 215 E 14th Harper KS 67058
 Co. Rep / Geo. Howard Short / Jeff Burk Rig Maverick #106
 Location: Sec. 35 Twp. 34s Rge. 20w Co. Comanche State KS

Interval Tested 5210 - 5235 Zone Tested Mississippi
 Anchor Length 25' Drill Pipe Run ~~5193~~ 5193 Mud Wt. 9.0
 Top Packer Depth 5205 Drill Collars Run 0 Vis 50
 Bottom Packer Depth 5210 Wt. Pipe Run 0 WL 9.0
 Total Depth 5235 Chlorides 5000 ppm System LCM 2#
 Blow Description IF: STRONG blow BOB 10sec GTS 5min
ISI: NO blow back
FF: STRONG blow BOB 2sec
FSI: NO blow back


Rec	Feet of	%gas	%oil	%water	%mud
	<u>5193' GIP</u>				
<u>45'</u>	<u>MUDD</u>				
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 45' BHT 125 Gravity - API RW - @ - °F Chlorides 5000 ppm

(A) Initial Hydrostatic <u>2549</u>	<input checked="" type="checkbox"/> Test <u>1325'</u>	T-On Location <u>00:00</u>
(B) First Initial Flow <u>44</u>	<input checked="" type="checkbox"/> Jars <u>250'</u>	T-Started <u>1:12</u>
(C) First Final Flow <u>20</u>	<input checked="" type="checkbox"/> Safety Joint <u>75'</u>	T-Open <u>5:08</u>
(D) Initial Shut-In <u>17</u>	<input type="checkbox"/> Circ Sub	T-Pulled <u>9:00</u>
(E) Second Initial Flow <u>19</u>	<input type="checkbox"/> Hourly Standby <u>4hr 25'</u>	T-Out <u>11:15</u>
(F) Second Final Flow <u>26</u>	<input checked="" type="checkbox"/> Mileage <u>160 miles 224'</u>	Comments
(G) Final Shut-In <u>104</u>	<input type="checkbox"/> Sampler	
(H) Final Hydrostatic <u>2500</u>	<input type="checkbox"/> Straddle	
	<input type="checkbox"/> Shale Packer	<input type="checkbox"/> Ruined Shale Packer
	<input type="checkbox"/> Extra Packer	<input checked="" type="checkbox"/> Ruined Packer <u>260'</u>
	<input type="checkbox"/> Extra Recorder	<input type="checkbox"/> Extra Copies
Initial Open <u>30</u>	<input type="checkbox"/> Day Standby	Sub Total <u>260'</u>
Initial Shut-In <u>45</u>	<input type="checkbox"/> Accessibility	Total <u>2159'</u>
Final Flow <u>60</u>	Sub Total <u>1899'</u>	MP/DST Disc't
Final Shut-In <u>90</u>		

Approved By [Signature] Our Representative Chris [Signature]

TriLOBite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED
SEP 08 2011

Test Ticket

NO. 44054

Well Name & No. Baker #4-35 Test No. 3 Date 9-5-11
 Company Five STAR Energy INC Elevation 1727 KB 1717 GL
 Address 215 E 14th Harper KS 67058
 Co. Rep / Geo. Howard Short / Jeff Burk Rig Maverick #106
 Location: Sec. 35 Twp. 34s Rge. 20w Co. Comanche State KS

Interval Tested 5243 - 5317 Zone Tested Mississippi
 Anchor Length 74 Drill Pipe Run 5227 Mud Wt. 9.2
 Top Packer Depth 5238 Drill Collars Run 0 Vis 52
 Bottom Packer Depth 5243 Wt. Pipe Run 0 WL 8.0
 Total Depth 5317 Chlorides 5000 ppm System LCM 3#
 Blow Description IF: STRONG blow BOB 4min
ISI: NO blow back
FF: STRONG blow BOB 2min
FSI: Weak blow back


Rec	Feet of	%gas	%oil	%water	%mud
480	1055' GIP				
480'	M, W, O, G	30	50	10	10
310'	Gassy M water	2		95	3
186'	OG MW	10	5	55	30
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 976' BHT 130 Gravity - API RW .1 @ 74 ° F Chlorides 75,000 ppm

(A) Initial Hydrostatic <u>2585</u>	<input checked="" type="checkbox"/> Test <u>1325'</u>	T-On Location <u>23:00</u>
(B) First Initial Flow <u>201</u>	<input checked="" type="checkbox"/> Jars <u>250'</u>	T-Started <u>00:28</u>
(C) First Final Flow <u>295</u>	<input checked="" type="checkbox"/> Safety Joint <u>75'</u>	T-Open <u>3:21</u>
(D) Initial Shut-In <u>998</u>	<input type="checkbox"/> Circ Sub	T-Pulled <u>7:00</u>
(E) Second Initial Flow <u>437</u>	<input type="checkbox"/> Hourly Standby <u>1/2 hr 50'</u>	T-Out <u>10:30</u>
(F) Second Final Flow <u>528</u>	<input checked="" type="checkbox"/> Mileage <u>160 RT 224'</u>	Comments _____
(G) Final Shut-In <u>1123</u>	<input type="checkbox"/> Sampler	_____
(H) Final Hydrostatic <u>2482</u>	<input type="checkbox"/> Straddle	<input type="checkbox"/> Ruined Shale Packer _____
Initial Open <u>30</u>	<input type="checkbox"/> Shale Packer	<input type="checkbox"/> Ruined Packer _____
Initial Shut-In <u>45</u>	<input type="checkbox"/> Extra Packer	<input type="checkbox"/> Extra Copies _____
Final Flow <u>60</u>	<input type="checkbox"/> Extra Recorder	Sub Total <u>0</u>
Final Shut-In <u>90</u>	<input type="checkbox"/> Day Standby	Total <u>1924'</u>
	<input type="checkbox"/> Accessibility	MP/DST Disc't _____
	Sub Total <u>1924'</u>	

Approved By [Signature] Our Representative Chris Stat

TriLOBite Testing Inc. shall not be liable for damaged or any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED
SEP 12 2011

Test Ticket

NO. 44056

Well Name & No. Baker # 4-35 Test No. 4 Date 9-8-11
 Company FIVE STAR ENERGY INC Elevation 1727 KB 1717 GL
 Address 215 E 14th Harper KS 67058
 Co. Rep / Geo. Howard Short / Jeff Burk Rig Maverick #106
 Location: Sec. 35 Twp. 34S Rge. 20W Co. Comanche State KS

Interval Tested 6255-6271 Zone Tested Viala - Dolomite
 Anchor Length 16' Drill Pipe Run 6251 Mud Wt. 9.2
 Top Packer Depth 6250 Drill Collars Run 0 Vis 53
 Bottom Packer Depth 6255 Wt. Pipe Run 0 WL 9.6
 Total Depth 6271 Chlorides 6500 ppm System LCM 7A

Blow Description IF: Weak blow Flush tool
ISI: NO blow back
FF: NO Blow
FSI: NO blow back

Rec	Feet of	%gas	%oil	%water	%mud
<u>25'</u>	<u>MUDD</u>				
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 25' BHT 133 Gravity - API RW - @ - ° F Chlorides 6500 ppm

- (A) Initial Hydrostatic 3183
- (B) First Initial Flow 18
- (C) First Final Flow 19
- (D) Initial Shut-In 28
- (E) Second Initial Flow 29
- (F) Second Final Flow 23
- (G) Final Shut-In 26
- (H) Final Hydrostatic 2979

- Test 1425'
- Jars 250'
- Safety Joint 75'
- Circ Sub
- Hourly Standby
- Mileage 160 RT 224'
- Sampler
- Straddle
- Shale Packer 250'
- Extra Packer
- Extra Recorder
- Day Standby
- Accessibility
- Sub Total 2224'

- T-On Location 21:00
- T-Started 21:53
- T-Open 1:34
- T-Pulled 3:40
- T-Out 6:30

- Comments
- Ruined Shale Packer
- Ruined Packer
- Extra Copies
- Sub Total 0
- Total 2224'
- MP/DST Disc't

Initial Open 30
 Initial Shut-In 30
 Final Flow 30
 Final Shut-In 30

Approved By [Signature] Our Representative Chris [Signature]

Trilobite Testing Inc. shall not be liable for damaged or any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.