


Map No. KANSAS Sec. 23 Twp. 34 R. 26
 Well No. 1 Eckelman Dough Farm
Gypsy Oil Company



Location _____

Drilling Remarks _____

Rig Up _____

Drilling Remarks _____

RECORD

Cased _____ in. _____ ft.
 Sand _____
 Gas _____
 Oil _____
 Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____
 1st 24 hrs. after shot _____
 Gas _____ cu. ft.
 Dry Hole _____
 Abandoned _____

Summer

Map No.

Kansas

Sec.

23

Twp.

34

R.

2 W

Well No.

1 Eskeman

Farm

Gypsy Oil


Company

Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

Ft. from W. Line



Date

REPORT

1926

11/22/26


6/9	Cellar
6/16	Same
6/28	Rigging up
6/30	Spud & S.D.
7/14	Spud
7/22	Drlg 460
8/11	" 1315
8/18	V.R. 1430'
8/25	running 10" at 1550
9/1	J.D. 1670 U.R. 10"
9/8	Drlg 1815
9/15	" 1875
9/22	" 2050
9/29	" 2250
10/6	2370 U.R. 10" S.D. High water
10/13	I.R. 2390-fishing
10/28	same
10/27	drlg 2630
11/3	" 2720
11/10	" 2880
11/17	2910-2.D. U.R. 8"
11/24	Drlg 3005

12/1 - Drlg 3255
12/8 - " 3465'
12/15 - Show oil 3540' running 6"
12/21 - Drlg 3785
12/29 - T.D. ~~3790~~ 3790 U.R. 6"
1927
1/5 - same
1/12 - Drilling 3955
1/19 - T.D. 3985 - U.R.
1/26 - same
2/2 - top line 4005 - Drlg 4025
2/9 - Drilling 4035
2/16 - Top chat 4080 - show gas
Drlg 4080
2/23 - Drlg 4175
3/2 - " 4205
3/9 - " 4207 bad hole
3/16 - _____
3/23 - _____
3/30 - T.D. 4207 - bad hole
4/6 - _____
4/13 - T.D. 4207 - Cement 6"
4/20 - T.D. 4207 - W.O.C.S.
4/27 - Drlg 4212 -
5/4 - " 4216 -
5/11 - " 4220 - on iron
5/18 - " 4292
5/25 - " 4350
6/1 - " 4365 - bad hole -
6/8 - " 4380
6/15 - _____
6/22 - T.D. 4380 - fishing tools
6/29 - Drlg 4399 -
7/6 - " 4400
7/13 - Base line 4425 - Drlg 4464
7/20 - Top Wilcox 4493 - Show oil & gas
" U.R. 5' -

Hummer

Map No. Kansas Sec. 23 Twp. 34 R. 2W
 Well No. 1-Esherman Farm
Gypsy Oil Company

NORTH



Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

REPORT

7/27 185 bbls in 16 hrs. - Gravity
 47. at 82° temp.
 water shut off.

7/29 Top Sand 4493 - T.D. 4498.
 240 bbls 21 hrs
 last 21 hrs. made 410 bbls
 started swabbing + swab 22 bbl
 1st hr.
 5-250 bbl tanks built
 5 more under construction

8/3 Top Wilcox 4493 - T.D. 4496 -
 from 9 P.M. 7/26 until 6 A.M. 8/1 ma
 997 1/2 bbls - S.D. waiting orders.

8/11 T.D. 4500 - 225 bbls 10 hrs -
 flows every 35 min.

8/12 445 bbls. 45. gravity -
 are going to shut in -

8/17 T.D. 4500' Shut in

8/24 Shut in -

8/31 —

9/7 —

9/14 Shut in 390# rock pressure -

10/12 - Shut down
10/19 - T.D. 4500-
10/26 -
11/2 - shut in
11/9 -
11/16 -
11/22 -
11/29 -
12/7 -
12/14 -
12/21 -
12/28 -

1928
1/4 - shut in

1/11 -
1/18 -
1/25 -
1/31 -
2/5 -
2/12 -
2/19 -
3/7 -
3/14 -
3/21 -
3/28 -
4/4 -
4/11 -
4/18 -
4/25 -

5/2 -
5/9 - Opened up today - flowed 186 bbls
in 5 hrs -

5/11 - 480 bbls 24 hrs. Then made 97 bbls
in 6 hrs. 560' water -

deepened 2' - T.D. 4502 -
5/12 - T.D. 4506 - 436 bbls oil -
20 bbls water -

5/15 - 471 bbls oil - 17 bbls water -

5/23 - Flowing 286 bbls oil - 27 bbls water -
cutting 2% -
will plug back -

Map No. _____ Sec. 13 Twp. 34 R. 2


1- Calamander

Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line



Date	REPORT
1938	
5/31	flowing 221 bbl oil - 25 bbl water - Will run 3" tubing + packer -
6/6	Run'g tubing + rods - flowing 187 bbls oil - 22 bbls water
6/13	Top Wilcox 4493 T.D. in sand 4506 pumping 175 bbls oil 60 bbls water

Map No. **KANSAS** Sec. 23 Twp. 34 R. 2WWell No. 1 DouglasGypsum Oil Company


Contractor

SECTION PLAT

-----Ft. from N. Line

990 Ft. from S. Line330 Ft. from E. Line

-----Ft. from W. Line

Correction

Location -----

Rig up -----

Drilling and Remarks:

Reported
NE. SE NW.
should be
NE. SE NW.

RECORD

Cased ----- in., ----- ft.

Sand -----

Gas -----

Oil -----

Total Depth -----

PRODUCTION

1st 24 hrs. Nat. -----

1st 24 hrs. after shot -----

Gas ----- Cu. Ft.

Dry Hole -----

Abandoned -----

Date

JUL 21 1926S. J. LEWIS

Scout

Map No. KANSAS Sec. 23 Twp. 34 R. 2W

Well No. 1 Eselman

Gypsum Oil Company

Contractor

SECTION PLAT

	0		

-----Ft. from N. Line

990 Ft. from S. Line

990 Ft. from E. Line

-----Ft. from W. Line

FIRST REPORTS

Location -----

Rig up -----

Drilling and Remarks:

Cellar

RECORD

Cased ----- in., ----- ft.

Sand -----

Gas -----

Oil -----

Total Depth -----

PRODUCTION

1st 24 hrs. Nat. -----

1st 24 hrs. after shot -----

Gas ----- Cu. Ft.

Dry Hole -----

Abandoned -----

Date

JUN 9 1926

S. J. LEWIS

Scout

Map No. NA 1388 Sec. 23 Twp. 24 R. 2 WWell No. 1 DouglasGagey Oil Co. Company

Contractor

SECTION PLAT

----- Ft. from N. Line

990 Ft. from S. Line330 Ft. from E. Line

----- Ft. from W. Line

COMPLETED

	0		

Location -----

Rig up -----

Drilling and Remarks:

Top Wilcox 4493Total Depth in sand4506Pumping 175 x 8 1/2
oil 60 x 8 1/2 water**RECORD**

Cased ----- in., ----- ft.

Sand -----

Gas -----

Oil -----

Total Depth -----

PRODUCTION

1st 24 hrs. Nat. -----

1st 24 hrs. after shot -----

Gas ----- Cu. Ft.

Dry Hole -----

Abandoned -----

Date

JUN 23 1928

192

Scout

Scout

MAP NO. _____ SEC. 23 TWP. 34/8 R. 2NWELL NO. Jewel DouglasCOMPANY Kypny

CONTRACTOR _____

SECTION PLAT

	o		

_____ FT. FROM N. LINE

_____ FT. FROM S. LINE

_____ FT. FROM E. LINE

_____ FT. FROM W. LINE

330' from E line & 330'
from N line SE 1/4, NW 1/4

LOCATION _____

RIG UP _____

DRILLING AND REMARKS:

Water top 4490

Bottom 4505

Oil shows
over well

RECORD

CASED _____ IN. _____ FT.

SAND _____

GAS _____

OIL _____

TOTAL DEPTH 4505

PRODUCTION

1ST 24 HRS. NAT. 493.00

1ST 24 HRS. AFTER SHOT _____

GAS _____ CU. FT.

DRY HOLE _____

ABANDONED _____

DATE

192

SCOUT