

JAN 2 1982

WICHITA BRANCH

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ten days after the completion of the well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, SWD, OWWO, Injection. Type and complete ALL sections.

Applications must be filed for dual completion, commingling, SWD and injection.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.).

KCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)

OPERATOR Solo Oil, Inc.

API NO. 15-191-21365

ADDRESS 319 East Rogers

COUNTY Sumner

Skiatook, Oklahoma

FIELD Wildcat

**CONTACT PERSON Steve Owen

PROD. FORMATION Dry

PHONE 918-396-3622

LEASE Ransom

PURCHASER _____

WELL NO. 32-1

ADDRESS _____

WELL LOCATION _____

DRILLING Range Drilling Company

990 Ft. from S Line and

CONTRACTOR _____

990 Ft. from E Line of

ADDRESS 220 West Douglas

the SE SEC. 32 TWP. 34S RGE. 3W

Wichita, Kansas 67202

WELL PLAT

PLUGGING Range Drilling Company

CONTRACTOR _____

ADDRESS 220 West Douglas


Wichita, Kansas 67202

TOTAL DEPTH 4840 PBT _____

SPUD DATE 11/26/81 DATE COMPLETED 12/13/81

ELEV: GR 1131 DF _____ KB 1139

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS



KCC _____
KGS _____
(Office Use)

Amount of surface pipe set and cemented 326' DV Tool Used? no

AFFIDAVIT

STATE OF TEXAS, COUNTY OF PARKER SS, I, _____

STEVE OWEN OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS PRESIDENT (FOR)(OF) Solo Oil, Inc.

OPERATOR OF THE RANsom LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. 32-1 ON

SAID LEASE HAS BEEN COMPLETED AS OF THE 13TH DAY OF DECEMBER, 1981, AND THAT

ALL INFORMATION ENTERED HEREIN WITH RESPECT TO SAID WELL IS TRUE AND CORRECT.

WS-48-58

32-34-30

SIDE TWO

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Sand & Shale	Surface	3650		
Big Lime - KC	3650	4050	RA Guard Log Density Log	4840 - Surface 4840 - 3100
Shale	4050	4340		
Miss. Lime	4340	4710		
Woodford Shale	4710	4770		
Viola Lime	4770	4810		
Simpson	4810	4840		

Report of all strings set — surface, intermediate, production, etc. **CASING RECORD** (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 $\frac{1}{4}$	8-5/8	23	326	Regular	200	3% CaCl

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
N/Z					
TUBING RECORD			N/A		
Size	Setting depth	Packer set at			

ACID, FRACTURE SHOT CEMENT SQUEEZE RECORD

WELL LOG
Ransom #32-1
990' FSL 990' FEL
Section 32-34S-3W
Sumner County, Kansas

Operator: Solo Oil, Inc.
123 West Rogers
Skiatook, Oklahoma 74070

Casing Record: Surface - 8-5/8 @ 326 KB cemented with 200 sx. common, 3% CACL
Production - None

Date Completed: 12-13-81

<u>FROM</u>	<u>TO</u>	
0	2825	Shale and lime
2825	2885	Lime and shale
2885	3100	Shale
3100	3240	Shale and lime
3240	3351	Sand with lime
3351	3830	Shale and lime
3830	3990	Lime and shale
3990	4180	Shale and lime
4180	4310	Lime and shale
4310	4741	Lime
4741	4780	Shale with lime
4780	4840	Lime
4840		RTD

State of Kansas
County of Segwick

Gary L. Reed, Vice-President of Range Drilling Company, Inc. being first duly sworn on oath says: That I have knowledge of the facts, statements and matters herein contained and the log of the above described well as filed and that the same are true and correct.

Gary L. Reed