


68
MAP NO. **FIRST REPORT & COMPLETION - OWWO** ELEV. 2713 DF
STATE Kans. COUNTY Seward SEC. 12 TWP. 34S RGE. 31W
OPERATOR Texaco, Inc. LOC. C NE/4
WELL NO. 1 FARM NAME Gruber FT. FROM LINE
POOL WC FT. FROM LINE
6-15-60 SPUD COMP. 6-15-60

GEOL.
PRODUCING INTERVAL COMPLETION RECORD
FROM — TO PERF. W/HOLES TREATMENT RECORD
a
b
c
d
a I. P. OIL/DIST. WTR. GAS M.C.F.P.D. CHK. HRS.
b
c
d



D & A

D & A ()

SIP# FI TP # FI CP# SIBHP
GOR. GR. PBTD 2858 TD
CASING - CEMENT RECORD
SIZE DEPTH W/SAX. SIZE DEPTH W/SAX.

INFORMATION TOPS OPERATOR Texaco, Inc. WELL NO. 1 Gruber ELEV. 2713 DF

Old Information: 8" @ 2690 w/300, P. & A.

Morr 5713

Ches 5872

TD 6029

New Information:

Additional Log Tops:

Herr 2674 MICT CO 2858, set 5" liner from 2536 to 2890,

Kri 2714 Pf 18/2778-84, dry, 500A, Swb 15 BSW/3

Win 2775 no shows, D & A

Wref 3022

CG 3068

CS

AMARILLO TOPS


Tested XW in the Hugoton

State Kansas Field OWWO
Company Texaco, Incorporated County Seward
Farm Gruber No. 1
Sec. 12 Twp. 34S Range 31W

Spot C NE

Contractor

Remarks



Comm. 5-25-59 Comp. 5-25-59

Elev. DF 2713 GL KB 6029 PB 5775

Pay

I.P. Press.

Casing Record: 13 3/8 7"

20" 10 3/4 5 1/2" 6029/?

16" 8 5/8

	Sample	Old Log
Old Dope: Was SI gas well.		Lans 4516 Cher 5386
New Dope: RUCT. CO 6025, perf 88/5820-42 (5792-5808 open), 7 hr BD g		Morrow 5713 Ches 5872 St. Gen 6014
163 MCF, frac/40000, sd/40000, swb 20 GLdO +		
40 GXWPH. PB 5775, perf 60/5707-22. Bailed 10		
GO + 10 GXWPH/5 hrs (G. 220), A/500 (15%), bail		
105 GO + 45 GXW/7 hrs; frac/13600, sd/12700, lost load. perf 104/		
<u>5680-5706</u> . Lost load. D&A		