

Meade

KANSAS

33

34S

30W

SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_

#M-2 Adams

WELL NO. \_\_\_\_\_

Columbain Fuel

COMPANY \_\_\_\_\_

NORTH NE NE SW

WEST

EAST

			0				

SOUTH

~~23~~

S-513-A

CO. ~~Meade~~ ELEV. \_\_\_\_\_  
SEC. ~~37~~ TWP. ~~34~~ RGE. ~~30W~~  
COMPANY ~~Columbian Fuel NOM-2~~

FIRST REPORT

NOV 6 1957  
0

FARM ~~Adams~~

LOC. ~~NE 1/4 SW~~


GEOL. \_\_\_\_\_  
CONTR. ~~Gabbert Jones~~  
POOL ~~Adams Ranch Ext.~~  
SPUD ~~10/31/57~~

9" @ 1425 w/900, WOC

CO. 1

1 SE.

NO.

SEC.

TWP.

RGE.

Trp. No.          /           
 Co.          Facet NO

S-513-A

CO. Meade ELEV 25730  
 SEC. 33 TWP. 34 RGE. 30W.  
 COMPANY Columbian Fuel NO#-2

COMPLETE  
 AUG 13 58

FARM Adams  
 LOC. NE NE SW

Log title

Hol 2484	
Her 2557	
Kuld 2615	
Win 2680	
DFort 2758	
LPort 2838	
Flint 2864	
Wref 2918	
TR 4370	
Lsg 4480	
Marm 5174	

GEOL.           
 CONTR. Gabbert Jones  
 POOL Addams Ranch L.t.  
 SPUD 10/31/57

NOV 5270  
 CE 5420  
 Atoka 5560  
 Mooksh 5762  
 Chester 5872  
 TD 5980

911 = 7125 w/100, 100 DST  
 2941 = 6.3 2 hrs 210' GC  
 W M 90' G to W C M FP 100  
 - 140 BHP 525/30" Ø 3290  
 NOV 20 57 DST 4371-4401 120"  
 210' SGC SM FP 70-140  
 BHP 1245/60" Lsg 4480  
 DST 4496 - 4516 90" 180'  
 grip sec 180' HGC satly M  
 360' H to G C SM 180'

D to G C SW 1530' SW  
 FP 285 - 1145 BHP 1420/30"  
 DST 4480 - 4806 90" G 1/8"  
 ga 84 M OF 115" TSTM 145"  
 na 30' H G C M 810 VHO  
 SW C M 480' oil gn 42°  
 20° to W 330' G C SW FP  
 185 - 465 BHP 1400/30"  
 Ø 4896 Back top 4370  
 DST 4969 - 92 90" 360' SGC  
 SW 3060' SW BHP 1725/30"  
 DST 5220 - 38 90" 30' M FP  
 O BHP 770/60" Ø 5238  
 DST 5417 - 32 60" failed  
 worse - all p 0' si 3 h  
 Ø 5687 DST 5810 - 5977  
 120" 122' M FPO BHP 240/30"  
 TD 5980 run log woc

DEC 26 57 JAN 2 58 JAN 9 58 5" 5250/255  
 JAN 16 58 JAN 22 58 JAN 29 58 FEB 5 58 FEB 12 58  
 FEB 12 58 FEB 19 58 FEB 26 58 MAR 5 58 MAR 12 58  
 DST 5752-66 DST 5766-76  
 DST 5776-5810 MAR 19 58 ca 20' FI, BHP 26  
 APR 2 58 APR 9 58 51 gas well  
 APR 16 58 APR 23 58 APR 30 58 MAY 7 58 MAY 14 58  
 MAY 21 58 JUN 3 58 JUN 11 58 JUN 18 58 JUN 25 58  
 JUL 2 58 JUL 9 58 JUL 16 58 JUL 23 58 JUL 30 58  
 AUG 6 58

~~5000~~  
 DST 5177-96 90" 9/3"  
 gr 377 MCF/10" 348 MCF/90"  
 50' gem FP130-100 BHP 1485/30  
 CO 5209 • 24/5176-82 (1/2)  
 Backup 5.779 MCF  
 51P1560  
 mark 5176-82

33-34-30W renew