

WELL NAME: Bennett B #6
COMPANY: Anadarko Petroleum Corp.
LOCATION: 36-34S-42W
Morton County Kansas
DATE: 07/29/97

TRILOBITE TESTING L.L.C.

OPERATOR : Anadarko Pet. Corp.
WELL NAME: Bennett "B" #6
LOCATION : 36-34S-42W
INTERVAL : 4638.00 To 4751.00 ft

DATE 7-23-97

KB 0.00 ft TICKET NO: 9849 DST #1
GR 0.00 ft FORMATION: Upper Morrow
TD 4751.00 ft TEST TYPE: CONVENTIONAL

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	13615	13615	2351			PF Fr. 1122 to 1152 hr
SI 60 Range(Psi)	4575.0	4575.0	4995.0	0.0	0.0	IS Fr. 1152 to 1252 hr
SF 60 Clock(hrs)	12HR.	12HR.	Elet.			SF Fr. 1252 to 1352 hr
FS 120 Depth(ft)	4748.0	4748.0	4642.0	0.0	0.0	FS Fr. 1352 to 1552 hr

	Field	1	2	3	4	
A. Init Hydro	2696.0	2493.0	2366.0	0.0	0.0	T STARTED 0900 hr
B. First Flow	120.0	112.0	31.0	0.0	0.0	T ON BOTM 1120 hr
B1. Final Flow	120.0	115.0	39.0	0.0	0.0	T OPEN 1122 hr
C. In Shut-in	132.0	133.0	70.0	0.0	0.0	T PULLED 1552 hr
D. Init Flow	120.0	109.0	37.0	0.0	0.0	T OUT 1900 hr
E. Final Flow	120.0	109.0	43.0	0.0	0.0	
F. Fl Shut-in	132.0	129.0	69.0	0.0	0.0	
G. Final Hydro	2385.0	2287.0	2205.0	0.0	0.0	
Inside/Outside	O	O	I			

RECOVERY

Tot Fluid 30.00 ft of 30.00 ft in DC and 0.00 ft in DP
30.00 ft of Drilling Mud
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of

SALINITY 0.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow:
Weak surface blow, bilut to 1"

Final Flow:
NO blow

SAMPLES: NO
SENT TO:

Test Successful: Y

TOOL DATA-----
Tool Wt. 1800.00 lbs
Wt Set On Packer 25000.00 lbs
Wt Pulled Loose 120000.00 lbs
Initial Str Wt 90000.00 lbs
Unseated Str Wt 92000.00 lbs
Bot Choke 0.75 in
Hole Size 7.88 in
D Col. ID 2.25 in
D. Pipe ID 3.80 in
D.C. Length 724.00 ft
D.P. Length 3999.00 ft

MUD DATA-----
Mud Type Chemical
Weight 9.00 lb/c
Vis. 65.00 S/L
W.L. 9.50 in3
F.C. 0.00 in
Mud Drop Y 25.0 ft

Amt. of fill 0.00 ft
Btm. H. Temp. 117.00 F
Hole Condition Good
% Porosity 0.00
Packer Size 6.75 in
No. of Packers 2
Cushion Amt. 0.00
Cushion Type
Reversed Out N
Tool Chased N
Tester Mike Colantonio
Co. Rep. Ed Grives
Contr. Cheyenne
Rig # 7
Unit #
Pump T.

*** TOOL DIAGRAM *** CONVENTIONAL

WELL NAME: Bennett "B" #6

LOCATION : 36-34S-42W

TICKET No. 9849 D.S.T. No. 1 DATE 7-23-97

TOTAL TOOL TO BOTTOM OF TOP PACKERS 30ft

INTERVAL TOOL

BOTTOM PACKERS AND ANCHOR 19ft

TOTAL TOOL 49ft

DRILL COLLAR ANCHOR IN INTERVAL

D.C. ANCHOR STND.Stands Single Total

D.P. ANCHOR STND.Stands 1 Single 1 Total 94ft

TOTAL ASSEMBLY

D.C. ABOVE TOOLS.Stands12 Single Total 724ft

D.P. ABOVE TOOLS.Stands63 Single Total 3905ft

TOTAL DRILL COLLARS DRILL PIPE & TOOLS .. 4772ft

TOTAL DEPTH 4751ft

TOTAL DRILL PIPE ABOVE K.B. 21ft

REMARKS:

SAMPLER DATA

4000ml Mud

50PSI.

4000ml Total.

P.O. SUB Top Tool	4608
C.O. SUB 1ft	4609
S.I. TOOL 5ft	4614
3ft Sampler	4617
HMV 5ft	4622
JARS 5ft	4627
SAFETY JOINT 2ft	4629
PACKER 5ft	4633
PACKER 5ft	4638
DEPTH	
STUBB 1ft	4639
ANCHOR	
2ft perf	4641
Alpine Rec.@ 4642	
T.C.	
DEPTH	
6ft PU Sub	4647
5ft perf	4652
96ft Pipe C\O subs	4748
AK-1 Rec @ 4748	
BULLNOSE	
T.D. 3ft Bullplug	4751

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING
 TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.
 DATE: 07/23/97 TIME: 08:59:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
***** Initial Hydro.	130.75	2366.5	0.0	112.91		
***** Start Flow 1	0.00	31.2	0.0	113.16		
	0.25	32.1	0.9	113.17		
	0.50	32.9	1.7	113.18		
	0.75	33.2	2.0	113.19		
	1.00	33.8	2.6	113.20		
	1.25	34.4	3.2	113.20		
	1.50	34.5	3.3	113.20		
	1.75	34.8	3.6	113.20		
	2.00	35.1	3.9	113.21		
	2.25	35.5	4.3	113.20		
	2.50	35.7	4.4	113.20		
	2.75	36.2	5.0	113.19		
	3.00	36.1	4.9	113.19		
	3.25	36.0	4.8	113.18		
	3.50	36.2	5.0	113.18		
	3.75	36.5	5.3	113.17		
	4.00	35.7	4.4	113.17		
	4.25	34.2	3.0	113.16		
	4.50	34.0	2.8	113.16		
	4.75	34.0	2.8	113.15		
	5.00	34.5	3.3	113.15		
	5.25	34.9	3.7	113.15		
	5.50	35.2	4.0	113.14		
	5.75	35.2	4.0	113.14		
	6.00	35.2	3.9	113.13		
	6.25	35.1	3.9	113.14		
	6.50	35.2	4.0	113.13		
	6.75	35.2	4.0	113.13		
	7.00	35.3	4.1	113.13		
	7.25	35.4	4.2	113.13		
	7.50	35.5	4.3	113.13		
	7.75	35.6	4.4	113.12		
	8.00	35.6	4.4	113.12		
	8.25	35.7	4.4	113.13		
	8.50	35.7	4.5	113.13		
	8.75	35.8	4.6	113.12		
	9.00	35.9	4.7	113.13		
	9.25	36.0	4.8	113.13		
	9.50	36.1	4.9	113.13		
	9.75	36.2	4.9	113.13		
	10.00	36.2	4.9	113.14		
	10.25	36.2	5.0	113.14		
	10.50	36.2	5.0	113.14		
	10.75	36.3	5.1	113.14		
	11.00	36.4	5.2	113.14		
	11.25	36.4	5.2	113.15		
	11.50	36.4	5.2	113.15		
	11.75	36.3	5.1	113.15		
	12.00	36.6	5.4	113.15		
	12.25	36.6	5.4	113.16		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
12.50	36.6	5.4	113.16		
12.75	36.6	5.4	113.17		
13.00	36.6	5.4	113.17		
13.25	36.6	5.4	113.18		
13.50	36.6	5.4	113.18		
13.75	36.6	5.4	113.19		
14.00	36.7	5.5	113.19		
14.25	36.7	5.5	113.20		
14.50	36.7	5.5	113.20		
14.75	36.8	5.6	113.20		
15.00	36.8	5.6	113.21		
15.25	36.9	5.7	113.21		
15.50	37.0	5.8	113.22		
15.75	37.1	5.9	113.22		
16.00	37.1	5.9	113.22		
16.25	37.1	5.9	113.23		
16.50	37.2	6.0	113.24		
16.75	37.2	6.0	113.24		
17.00	37.3	6.0	113.25		
17.25	37.3	6.1	113.25		
17.50	37.3	6.1	113.25		
17.75	37.4	6.2	113.27		
18.00	37.4	6.2	113.27		
18.25	37.4	6.2	113.28		
18.50	37.5	6.3	113.28		
18.75	37.6	6.4	113.28		
19.00	37.7	6.5	113.29		
19.25	37.7	6.5	113.29		
19.50	37.8	6.5	113.31		
19.75	37.8	6.5	113.31		
20.00	37.8	6.6	113.31		
20.25	37.9	6.7	113.32		
20.50	38.0	6.8	113.32		
20.75	38.0	6.8	113.33		
21.00	38.2	7.0	113.33		
21.25	38.2	7.0	113.33		
21.50	38.2	7.0	113.35		
21.75	38.2	7.0	113.35		
22.00	38.2	7.0	113.36		
22.25	38.1	6.9	113.36		
22.50	38.1	6.9	113.37		
22.75	38.3	7.0	113.37		
23.00	38.3	7.0	113.38		
23.25	38.3	7.0	113.39		
23.50	38.5	7.3	113.40		
23.75	38.5	7.3	113.40		
24.00	38.5	7.3	113.40		
24.25	38.5	7.3	113.41		
24.50	38.5	7.3	113.42		
24.75	38.5	7.3	113.42		
25.00	38.5	7.3	113.43		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	25.25	38.5	7.3	113.43		
	25.50	38.5	7.3	113.44		
	25.75	38.6	7.4	113.44		
	26.00	38.7	7.5	113.44		
	26.25	38.8	7.6	113.46		
	26.50	38.8	7.6	113.46		
	26.75	38.8	7.6	113.46		
	27.00	38.8	7.6	113.47		
	27.25	38.8	7.6	113.48		
	27.50	38.9	7.7	113.48		
	27.75	38.9	7.7	113.48		
	28.00	38.9	7.7	113.49		
	28.25	38.9	7.7	113.50		
	28.50	38.9	7.7	113.50		
	28.75	39.1	7.9	113.51		
	29.00	39.1	7.9	113.51		
	29.25	39.1	7.9	113.52		
	29.50	39.1	7.9	113.52		
	29.75	39.1	7.9	113.53		
	30.00	39.2	8.0	113.54		
	30.25	39.2	8.0	113.54		
	30.50	39.2	8.0	113.55		
	30.75	39.2	8.0	113.56		
	31.00	39.2	8.0	113.56		
	31.25	39.3	8.1	113.57		
	31.50	39.3	8.1	113.57		
	31.75	39.4	8.2	113.57		
***** End Flow 1	32.00	39.8	8.6	113.58		
***** Start Shutin 1	0.00	39.8	0.0	113.58	0.0000	0.002
	0.25	40.1	0.3	113.58	129.0000	0.002
	0.50	40.4	0.7	113.59	65.0000	0.002
	0.75	40.6	0.8	113.59	43.6667	0.002
	1.00	40.9	1.1	113.60	33.0000	0.002
	1.25	41.2	1.4	113.62	26.6000	0.002
	1.50	41.4	1.6	113.61	22.3333	0.002
	1.75	41.5	1.8	113.61	19.2857	0.002
	2.00	41.9	2.1	113.62	17.0000	0.002
	2.25	42.1	2.3	113.63	15.2222	0.002
	2.50	42.3	2.5	113.63	13.8000	0.002
	2.75	42.4	2.6	113.64	12.6364	0.002
	3.00	42.7	2.9	113.64	11.6667	0.002
	3.25	42.9	3.1	113.65	10.8462	0.002
	3.50	43.0	3.3	113.66	10.1429	0.002
	3.75	43.3	3.5	113.66	9.5333	0.002
	4.00	43.6	3.9	113.67	9.0000	0.002
	4.25	43.8	4.0	113.67	8.5294	0.002
	4.50	44.0	4.2	113.68	8.1111	0.002
	4.75	44.1	4.4	113.68	7.7368	0.002
	5.00	44.4	4.6	113.69	7.4000	0.002
	5.25	44.6	4.8	113.69	7.0952	0.002
	5.50	44.7	5.0	113.70	6.8182	0.002

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
5.75	45.0	5.2	113.71	6.5652	0.002
6.00	45.3	5.5	113.71	6.3333	0.002
6.25	45.5	5.7	113.71	6.1200	0.002
6.50	45.6	5.9	113.72	5.9231	0.002
6.75	45.8	6.0	113.73	5.7407	0.002
7.00	46.0	6.2	113.73	5.5714	0.002
7.25	46.2	6.5	113.74	5.4138	0.002
7.50	46.4	6.6	113.74	5.2667	0.002
7.75	46.6	6.8	113.75	5.1290	0.002
8.00	46.7	7.0	113.75	5.0000	0.002
8.25	46.9	7.1	113.76	4.8788	0.002
8.50	47.1	7.3	113.76	4.7647	0.002
8.75	47.2	7.5	113.77	4.6571	0.002
9.00	47.4	7.6	113.77	4.5556	0.002
9.25	47.6	7.8	113.78	4.4595	0.002
9.50	47.8	8.1	113.78	4.3684	0.002
9.75	47.9	8.1	113.79	4.2821	0.002
10.00	48.0	8.2	113.79	4.2000	0.002
10.25	48.2	8.4	113.80	4.1220	0.002
10.50	48.3	8.6	113.80	4.0476	0.002
10.75	48.6	8.8	113.81	3.9767	0.002
11.00	48.7	8.9	113.81	3.9091	0.002
11.25	48.9	9.1	113.82	3.8444	0.002
11.50	49.0	9.2	113.82	3.7826	0.002
11.75	49.3	9.5	113.83	3.7234	0.002
12.00	49.3	9.6	113.83	3.6667	0.002
12.25	49.4	9.7	113.84	3.6122	0.002
12.50	49.7	9.9	113.84	3.5600	0.002
12.75	49.9	10.2	113.85	3.5098	0.002
13.00	50.1	10.3	113.85	3.4615	0.003
13.25	50.2	10.4	113.86	3.4151	0.003
13.50	50.3	10.5	113.86	3.3704	0.003
13.75	50.5	10.7	113.87	3.3273	0.003
14.00	50.7	10.9	113.88	3.2857	0.003
14.25	50.9	11.1	113.88	3.2456	0.003
14.50	50.9	11.2	113.89	3.2069	0.003
14.75	51.1	11.3	113.88	3.1695	0.003
15.00	51.2	11.4	113.90	3.1333	0.003
15.25	51.4	11.6	113.90	3.0984	0.003
15.50	51.5	11.7	113.90	3.0645	0.003
15.75	51.7	11.9	113.91	3.0317	0.003
16.00	51.9	12.1	113.91	3.0000	0.003
16.25	51.9	12.2	113.92	2.9692	0.003
16.50	52.1	12.3	113.93	2.9394	0.003
16.75	52.3	12.5	113.93	2.9104	0.003
17.00	52.4	12.7	113.93	2.8824	0.003
17.25	52.6	12.8	113.94	2.8551	0.003
17.50	52.8	13.0	113.94	2.8286	0.003
17.75	52.9	13.1	113.95	2.8028	0.003
18.00	53.0	13.3	113.95	2.7778	0.003
18.25	53.2	13.4	113.96	2.7534	0.003

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
18.50	53.3	13.5	113.97	2.7297	0.003
18.75	53.5	13.7	113.97	2.7067	0.003
19.00	53.6	13.8	113.97	2.6842	0.003
19.25	53.8	14.0	113.97	2.6623	0.003
19.50	54.0	14.2	113.98	2.6410	0.003
19.75	54.0	14.3	113.99	2.6203	0.003
20.00	54.2	14.4	113.99	2.6000	0.003
20.25	54.3	14.5	114.00	2.5802	0.003
20.50	54.5	14.7	114.00	2.5610	0.003
20.75	54.6	14.9	114.01	2.5422	0.003
21.00	54.7	14.9	114.01	2.5238	0.003
21.25	54.9	15.1	114.02	2.5059	0.003
21.50	55.0	15.3	114.03	2.4884	0.003
21.75	55.1	15.4	114.02	2.4713	0.003
22.00	55.2	15.4	114.03	2.4545	0.003
22.25	55.4	15.6	114.04	2.4382	0.003
22.50	55.6	15.8	114.04	2.4222	0.003
22.75	55.6	15.9	114.04	2.4066	0.003
23.00	55.8	16.0	114.06	2.3913	0.003
23.25	55.9	16.1	114.05	2.3763	0.003
23.50	56.1	16.3	114.06	2.3617	0.003
23.75	56.1	16.3	114.06	2.3474	0.003
24.00	56.2	16.4	114.07	2.3333	0.003
24.25	56.4	16.6	114.07	2.3196	0.003
24.50	56.6	16.8	114.08	2.3061	0.003
24.75	56.6	16.9	114.08	2.2929	0.003
25.00	56.7	17.0	114.08	2.2800	0.003
25.25	56.8	17.0	114.09	2.2673	0.003
25.50	57.1	17.3	114.10	2.2549	0.003
25.75	57.1	17.3	114.10	2.2427	0.003
26.00	57.2	17.5	114.11	2.2308	0.003
26.25	57.4	17.6	114.11	2.2190	0.003
26.50	57.5	17.7	114.12	2.2075	0.003
26.75	57.6	17.8	114.12	2.1963	0.003
27.00	57.7	18.0	114.13	2.1852	0.003
27.25	57.8	18.0	114.12	2.1743	0.003
27.50	58.0	18.2	114.13	2.1636	0.003
27.75	58.1	18.3	114.14	2.1532	0.003
28.00	58.2	18.5	114.14	2.1429	0.003
28.25	58.3	18.5	114.15	2.1327	0.003
28.50	58.4	18.6	114.16	2.1228	0.003
28.75	58.6	18.8	114.16	2.1130	0.003
29.00	58.7	19.0	114.16	2.1034	0.003
29.25	58.8	19.1	114.17	2.0940	0.003
29.50	58.9	19.1	114.17	2.0847	0.003
29.75	59.1	19.3	114.17	2.0756	0.003
30.00	59.2	19.4	114.18	2.0667	0.003
30.25	59.2	19.5	114.19	2.0579	0.004
30.50	59.4	19.6	114.19	2.0492	0.004
30.75	59.6	19.8	114.19	2.0407	0.004
31.00	59.7	20.0	114.20	2.0323	0.004

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
31.25	59.8	20.1	114.21	2.0240	0.004
31.50	60.0	20.2	114.21	2.0159	0.004
31.75	60.0	20.2	114.22	2.0079	0.004
32.00	60.2	20.4	114.22	2.0000	0.004
32.25	60.3	20.5	114.22	1.9922	0.004
32.50	60.4	20.6	114.22	1.9846	0.004
32.75	60.5	20.7	114.23	1.9771	0.004
33.00	60.5	20.7	114.24	1.9697	0.004
33.25	60.8	21.0	114.24	1.9624	0.004
33.50	60.8	21.1	114.24	1.9552	0.004
33.75	60.9	21.1	114.25	1.9481	0.004
34.00	61.2	21.4	114.25	1.9412	0.004
34.25	61.2	21.4	114.26	1.9343	0.004
34.50	61.3	21.6	114.27	1.9275	0.004
34.75	61.4	21.7	114.28	1.9209	0.004
35.00	61.5	21.7	114.28	1.9143	0.004
35.25	61.6	21.8	114.28	1.9078	0.004
35.50	61.8	22.0	114.29	1.9014	0.004
35.75	61.8	22.1	114.28	1.8951	0.004
36.00	62.1	22.3	114.29	1.8889	0.004
36.25	62.2	22.4	114.29	1.8828	0.004
36.50	62.3	22.5	114.30	1.8767	0.004
36.75	62.3	22.6	114.31	1.8707	0.004
37.00	62.4	22.7	114.30	1.8649	0.004
37.25	62.6	22.8	114.31	1.8591	0.004
37.50	62.7	22.9	114.32	1.8533	0.004
37.75	62.9	23.1	114.33	1.8477	0.004
38.00	62.9	23.2	114.33	1.8421	0.004
38.25	63.1	23.3	114.33	1.8366	0.004
38.50	63.2	23.4	114.34	1.8312	0.004
38.75	63.3	23.5	114.33	1.8258	0.004
39.00	63.4	23.7	114.35	1.8205	0.004
39.25	63.4	23.7	114.35	1.8153	0.004
39.50	63.6	23.8	114.36	1.8101	0.004
39.75	63.6	23.8	114.35	1.8050	0.004
40.00	63.8	24.0	114.36	1.8000	0.004
40.25	63.9	24.2	114.37	1.7950	0.004
40.50	64.0	24.3	114.37	1.7901	0.004
40.75	64.1	24.3	114.38	1.7853	0.004
41.00	64.3	24.5	114.38	1.7805	0.004
41.25	64.3	24.5	114.38	1.7758	0.004
41.50	64.4	24.6	114.39	1.7711	0.004
41.75	64.5	24.8	114.39	1.7665	0.004
42.00	64.7	24.9	114.40	1.7619	0.004
42.25	64.8	25.0	114.40	1.7574	0.004
42.50	64.9	25.1	114.41	1.7529	0.004
42.75	65.0	25.2	114.41	1.7485	0.004
43.00	65.0	25.3	114.42	1.7442	0.004
43.25	65.1	25.3	114.42	1.7399	0.004
43.50	65.2	25.4	114.43	1.7356	0.004
43.75	65.4	25.6	114.43	1.7314	0.004

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
44.00	65.5	25.7	114.44	1.7273	0.004
44.25	65.5	25.8	114.44	1.7232	0.004
44.50	65.5	25.8	114.44	1.7191	0.004
44.75	65.6	25.8	114.44	1.7151	0.004
45.00	65.8	26.0	114.46	1.7111	0.004
45.25	65.9	26.1	114.46	1.7072	0.004
45.50	66.0	26.2	114.46	1.7033	0.004
45.75	66.0	26.3	114.47	1.6995	0.004
46.00	66.1	26.4	114.46	1.6957	0.004
46.25	66.3	26.5	114.47	1.6919	0.004
46.50	66.4	26.6	114.48	1.6882	0.004
46.75	66.5	26.7	114.49	1.6845	0.004
47.00	66.6	26.9	114.49	1.6809	0.004
47.25	66.8	27.0	114.49	1.6772	0.004
47.50	66.8	27.0	114.49	1.6737	0.004
47.75	66.9	27.1	114.50	1.6702	0.004
48.00	67.0	27.2	114.50	1.6667	0.004
48.25	67.0	27.2	114.51	1.6632	0.004
48.50	67.1	27.4	114.51	1.6598	0.005
48.75	67.2	27.4	114.52	1.6564	0.005
49.00	67.3	27.5	114.52	1.6531	0.005
49.25	67.5	27.7	114.53	1.6497	0.005
49.50	67.6	27.8	114.53	1.6465	0.005
49.75	67.6	27.9	114.54	1.6432	0.005
50.00	67.8	28.0	114.54	1.6400	0.005
50.25	67.9	28.1	114.55	1.6368	0.005
50.50	68.0	28.2	114.55	1.6337	0.005
50.75	68.0	28.3	114.56	1.6305	0.005
51.00	68.0	28.3	114.56	1.6275	0.005
51.25	68.1	28.4	114.56	1.6244	0.005
51.50	68.3	28.5	114.56	1.6214	0.005
51.75	68.4	28.6	114.57	1.6184	0.005
52.00	68.5	28.7	114.57	1.6154	0.005
52.25	68.5	28.7	114.58	1.6124	0.005
52.50	68.6	28.9	114.59	1.6095	0.005
52.75	68.6	28.9	114.59	1.6066	0.005
53.00	68.8	29.0	114.59	1.6038	0.005
53.25	68.8	29.0	114.60	1.6009	0.005
53.50	69.0	29.2	114.60	1.5981	0.005
53.75	69.0	29.2	114.60	1.5953	0.005
54.00	69.1	29.4	114.61	1.5926	0.005
54.25	69.3	29.5	114.62	1.5899	0.005
54.50	69.4	29.6	114.61	1.5872	0.005
54.75	69.4	29.6	114.63	1.5845	0.005
55.00	69.5	29.7	114.62	1.5818	0.005
55.25	69.6	29.8	114.64	1.5792	0.005
55.50	69.7	29.9	114.63	1.5766	0.005
55.75	69.7	30.0	114.64	1.5740	0.005
56.00	69.8	30.0	114.64	1.5714	0.005
56.25	70.0	30.2	114.64	1.5689	0.005
56.50	70.1	30.3	114.65	1.5664	0.005

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

	Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
	56.75	70.1	30.3	114.65	1.5639	0.005
	57.00	70.2	30.5	114.66	1.5614	0.005
	57.25	70.3	30.5	114.66	1.5590	0.005
	57.50	70.5	30.7	114.67	1.5565	0.005
	57.75	70.5	30.7	114.67	1.5541	0.005
	58.00	70.5	30.7	114.68	1.5517	0.005
	58.25	70.7	30.9	114.68	1.5494	0.005
	58.50	70.7	31.0	114.69	1.5470	0.005
***** End Shut-in 1	58.75	70.9	31.1	114.69	1.5447	0.005
***** Start Flow 2	0.00	37.2	0.0	114.70		
	0.25	38.1	0.9	114.71		
	0.50	38.8	1.7	114.71		
	0.75	39.3	2.1	114.71		
	1.00	39.5	2.4	114.72		
	1.25	39.9	2.7	114.71		
	1.50	40.1	2.9	114.72		
	1.75	40.3	3.1	114.72		
	2.00	40.4	3.2	114.72		
	2.25	40.5	3.4	114.73		
	2.50	40.7	3.5	114.73		
	2.75	40.9	3.7	114.74		
	3.00	40.9	3.8	114.74		
	3.25	41.2	4.0	114.74		
	3.50	41.4	4.2	114.75		
	3.75	41.5	4.4	114.75		
	4.00	41.7	4.5	114.76		
	4.25	41.8	4.6	114.76		
	4.50	41.8	4.6	114.76		
	4.75	39.7	2.5	114.77		
	5.00	40.4	3.2	114.77		
	5.25	40.7	3.5	114.78		
	5.50	40.9	3.8	114.78		
	5.75	41.0	3.9	114.79		
	6.00	41.2	4.0	114.79		
	6.25	41.4	4.2	114.79		
	6.50	41.6	4.4	114.80		
	6.75	41.7	4.5	114.80		
	7.00	41.9	4.7	114.81		
	7.25	42.0	4.8	114.81		
	7.50	42.0	4.9	114.81		
	7.75	42.2	5.0	114.82		
	8.00	42.4	5.2	114.82		
	8.25	42.5	5.4	114.83		
	8.50	42.7	5.5	114.83		
	8.75	42.7	5.5	114.84		
	9.00	42.7	5.5	114.84		
	9.25	42.8	5.6	114.84		
	9.50	42.9	5.7	114.84		
	9.75	43.0	5.8	114.85		
	10.00	43.0	5.9	114.86		
	10.25	40.2	3.0	114.86		

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97 TIME: 08:59:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
10.50	38.7	1.5	114.87		
10.75	39.5	2.4	114.87		
11.00	39.8	2.6	114.87		
11.25	40.0	2.9	114.88		
11.50	40.4	3.3	114.88		
11.75	40.6	3.4	114.89		
12.00	40.8	3.6	114.89		
12.25	40.9	3.8	114.90		
12.50	41.1	3.9	114.91		
12.75	41.2	4.0	114.91		
13.00	41.4	4.2	114.91		
13.25	41.5	4.3	114.92		
13.50	41.6	4.4	114.92		
13.75	41.7	4.5	114.92		
14.00	41.9	4.7	114.92		
14.25	42.0	4.8	114.94		
14.50	42.1	5.0	114.93		
14.75	42.3	5.1	114.94		
15.00	42.4	5.2	114.95		
15.25	42.5	5.4	114.95		
15.50	42.6	5.5	114.96		
15.75	42.8	5.6	114.96		
16.00	42.9	5.7	114.97		
16.25	43.0	5.8	114.97		
16.50	43.1	6.0	114.97		
16.75	43.1	6.0	114.97		
17.00	43.3	6.1	114.98		
17.25	43.3	6.1	114.98		
17.50	43.4	6.2	114.99		
17.75	43.4	6.2	114.99		
18.00	43.5	6.3	115.00		
18.25	43.5	6.4	115.00		
18.50	43.6	6.5	115.01		
18.75	43.7	6.5	115.01		
19.00	43.8	6.6	115.01		
19.25	43.9	6.7	115.02		
19.50	44.0	6.8	115.02		
19.75	44.1	6.9	115.02		
20.00	40.7	3.5	115.03		
20.25	40.4	3.2	115.04		
20.50	41.0	3.9	115.04		
20.75	41.3	4.1	115.04		
21.00	41.5	4.3	115.05		
21.25	41.5	4.4	115.05		
21.50	41.7	4.5	115.06		
21.75	41.9	4.7	115.06		
22.00	42.0	4.9	115.07		
22.25	42.2	5.0	115.06		
22.50	42.3	5.1	115.07		
22.75	42.5	5.3	115.08		
23.00	42.6	5.5	115.08		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
23.25	42.7	5.5	115.09		
23.50	42.8	5.6	115.09		
23.75	43.0	5.8	115.10		
24.00	43.0	5.9	115.10		
24.25	43.1	6.0	115.10		
24.50	43.2	6.0	115.10		
24.75	43.3	6.1	115.11		
25.00	43.4	6.2	115.11		
25.25	43.5	6.4	115.12		
25.50	43.5	6.4	115.12		
25.75	43.6	6.5	115.13		
26.00	43.7	6.5	115.13		
26.25	43.8	6.6	115.14		
26.50	43.9	6.7	115.14		
26.75	43.9	6.7	115.15		
27.00	44.0	6.8	115.15		
27.25	44.1	6.9	115.15		
27.50	44.1	7.0	115.16		
27.75	42.1	5.0	115.16		
28.00	42.2	5.0	115.17		
28.25	41.7	4.5	115.19		
28.50	41.8	4.6	115.18		
28.75	41.9	4.7	115.18		
29.00	42.0	4.9	115.18		
29.25	42.2	5.0	115.18		
29.50	42.3	5.1	115.19		
29.75	42.4	5.2	115.19		
30.00	42.5	5.4	115.20		
30.25	42.7	5.5	115.20		
30.50	42.9	5.7	115.21		
30.75	43.0	5.9	115.21		
31.00	43.1	6.0	115.21		
31.25	43.3	6.1	115.21		
31.50	43.4	6.2	115.22		
31.75	43.5	6.3	115.23		
32.00	43.5	6.4	115.23		
32.25	43.6	6.5	115.23		
32.50	43.7	6.5	115.24		
32.75	43.8	6.6	115.24		
33.00	43.9	6.7	115.24		
33.25	44.0	6.8	115.25		
33.50	44.1	6.9	115.25		
33.75	41.9	4.7	115.25		
34.00	41.5	4.4	115.26		
34.25	41.7	4.5	115.24		
34.50	41.8	4.6	115.27		
34.75	42.0	4.9	115.27		
35.00	42.2	5.0	115.27		
35.25	42.3	5.1	115.27		
35.50	42.5	5.3	115.28		
35.75	42.7	5.5	115.29		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
36.00	42.7	5.5	115.29		
36.25	42.9	5.7	115.29		
36.50	43.0	5.8	115.30		
36.75	43.1	6.0	115.30		
37.00	43.2	6.0	115.30		
37.25	43.3	6.1	115.31		
37.50	43.4	6.2	115.31		
37.75	43.5	6.3	115.32		
38.00	43.5	6.4	115.32		
38.25	43.6	6.5	115.33		
38.50	43.7	6.5	115.33		
38.75	43.8	6.6	115.33		
39.00	43.9	6.7	115.34		
39.25	43.9	6.7	115.34		
39.50	42.6	5.5	115.35		
39.75	42.4	5.2	115.35		
40.00	42.2	5.0	115.35		
40.25	42.3	5.1	115.36		
40.50	42.5	5.4	115.36		
40.75	42.6	5.5	115.37		
41.00	42.8	5.6	115.37		
41.25	43.0	5.8	115.38		
41.50	43.0	5.9	115.38		
41.75	43.2	6.0	115.38		
42.00	43.3	6.1	115.39		
42.25	43.4	6.2	115.39		
42.50	43.5	6.4	115.39		
42.75	43.7	6.5	115.39		
43.00	43.8	6.6	115.40		
43.25	44.0	6.8	115.41		
43.50	44.1	6.9	115.41		
43.75	44.2	7.1	115.41		
44.00	44.2	7.1	115.42		
44.25	44.4	7.2	115.42		
44.50	44.4	7.2	115.42		
44.75	44.5	7.3	115.43		
45.00	44.6	7.4	115.43		
45.25	44.6	7.5	115.43		
45.50	44.8	7.6	115.44		
45.75	44.8	7.6	115.44		
46.00	44.9	7.7	115.44		
46.25	43.9	6.7	115.45		
46.50	42.6	5.5	115.45		
46.75	42.5	5.4	115.45		
47.00	42.7	5.5	115.46		
47.25	42.9	5.7	115.47		
47.50	42.9	5.7	115.47		
47.75	43.0	5.8	115.47		
48.00	43.1	6.0	115.48		
48.25	43.0	5.9	115.48		
48.50	43.0	5.8	115.49		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	48.75	42.9	5.7	115.48		
	49.00	42.6	5.4	115.49		
	49.25	42.7	5.5	115.49		
	49.50	42.7	5.5	115.50		
	49.75	42.8	5.6	115.50		
	50.00	42.9	5.7	115.50		
	50.25	43.0	5.9	115.50		
	50.50	43.1	6.0	115.51		
	50.75	43.2	6.0	115.51		
	51.00	43.4	6.2	115.52		
	51.25	43.5	6.4	115.52		
	51.50	43.6	6.5	115.53		
	51.75	43.7	6.5	115.53		
	52.00	43.7	6.5	115.53		
	52.25	43.8	6.6	115.54		
	52.50	43.8	6.6	115.54		
	52.75	43.9	6.7	115.55		
	53.00	43.9	6.7	115.55		
	53.25	43.9	6.7	115.55		
	53.50	43.9	6.7	115.56		
***** End Flow 2	53.75	43.9	6.7	115.56		
***** Start Shutin 2	0.00	43.9	0.0	115.56	0.0000	0.002
	0.25	43.5	-0.3	115.56	344.0000	0.002
	0.50	43.3	-0.6	115.56	172.5000	0.002
	0.75	43.3	-0.6	115.57	115.3333	0.002
	1.00	43.3	-0.6	115.58	86.7500	0.002
	1.25	43.5	-0.3	115.58	69.6000	0.002
	1.50	43.6	-0.2	115.58	58.1667	0.002
	1.75	43.8	-0.1	115.58	50.0000	0.002
	2.00	43.9	0.0	115.59	43.8750	0.002
	2.25	44.1	0.2	115.59	39.1111	0.002
	2.50	44.2	0.3	115.60	35.3000	0.002
	2.75	44.3	0.4	115.60	32.1818	0.002
	3.00	44.4	0.5	115.60	29.5833	0.002
	3.25	44.5	0.6	115.61	27.3846	0.002
	3.50	44.6	0.7	115.61	25.5000	0.002
	3.75	44.7	0.8	115.61	23.8667	0.002
	4.00	44.8	0.9	115.61	22.4375	0.002
	4.25	44.9	1.0	115.62	21.1765	0.002
	4.50	45.0	1.1	115.63	20.0556	0.002
	4.75	45.0	1.1	115.63	19.0526	0.002
	5.00	45.1	1.3	115.63	18.1500	0.002
	5.25	45.2	1.3	115.63	17.3333	0.002
	5.50	45.3	1.4	115.64	16.5909	0.002
	5.75	45.3	1.4	115.64	15.9130	0.002
	6.00	45.5	1.6	115.65	15.2917	0.002
	6.25	45.5	1.6	115.65	14.7200	0.002
	6.50	45.5	1.6	115.65	14.1923	0.002
	6.75	45.5	1.6	115.66	13.7037	0.002
	7.00	45.6	1.8	115.67	13.2500	0.002
	7.25	45.7	1.9	115.66	12.8276	0.002

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
7.50	45.8	1.9	115.67	12.4333	0.002
7.75	46.0	2.1	115.67	12.0645	0.002
8.00	46.1	2.2	115.67	11.7188	0.002
8.25	46.2	2.3	115.68	11.3939	0.002
8.50	46.2	2.4	115.68	11.0882	0.002
8.75	46.4	2.5	115.69	10.8000	0.002
9.00	46.5	2.6	115.69	10.5278	0.002
9.25	46.6	2.7	115.69	10.2703	0.002
9.50	46.6	2.7	115.70	10.0263	0.002
9.75	46.6	2.8	115.70	9.7949	0.002
10.00	46.8	2.9	115.70	9.5750	0.002
10.25	46.8	2.9	115.71	9.3659	0.002
10.50	46.9	3.0	115.71	9.1667	0.002
10.75	47.1	3.2	115.72	8.9767	0.002
11.00	47.1	3.2	115.72	8.7955	0.002
11.25	47.2	3.4	115.72	8.6222	0.002
11.50	47.3	3.4	115.72	8.4565	0.002
11.75	47.4	3.5	115.73	8.2979	0.002
12.00	47.5	3.6	115.74	8.1458	0.002
12.25	47.6	3.7	115.73	8.0000	0.002
12.50	47.6	3.7	115.74	7.8600	0.002
12.75	47.7	3.8	115.74	7.7255	0.002
13.00	47.8	4.0	115.75	7.5962	0.002
13.25	47.9	4.0	115.75	7.4717	0.002
13.50	48.0	4.1	115.76	7.3519	0.002
13.75	48.1	4.2	115.75	7.2364	0.002
14.00	48.2	4.3	115.76	7.1250	0.002
14.25	48.2	4.4	115.76	7.0175	0.002
14.50	48.4	4.5	115.77	6.9138	0.002
14.75	48.4	4.5	115.77	6.8136	0.002
15.00	48.5	4.6	115.78	6.7167	0.002
15.25	48.6	4.7	115.78	6.6230	0.002
15.50	48.7	4.8	115.78	6.5323	0.002
15.75	48.7	4.8	115.79	6.4444	0.002
16.00	48.8	5.0	115.79	6.3594	0.002
16.25	48.8	5.0	115.79	6.2769	0.002
16.50	48.9	5.0	115.80	6.1970	0.002
16.75	49.1	5.2	115.79	6.1194	0.002
17.00	49.1	5.2	115.80	6.0441	0.002
17.25	49.1	5.2	115.80	5.9710	0.002
17.50	49.2	5.3	115.81	5.9000	0.002
17.75	49.3	5.4	115.81	5.8310	0.002
18.00	49.3	5.5	115.82	5.7639	0.002
18.25	49.4	5.5	115.82	5.6986	0.002
18.50	49.5	5.6	115.82	5.6351	0.002
18.75	49.5	5.6	115.83	5.5733	0.002
19.00	49.6	5.7	115.83	5.5132	0.002
19.25	49.6	5.7	115.83	5.4545	0.002
19.50	49.8	5.9	115.83	5.3974	0.002
19.75	49.8	6.0	115.84	5.3418	0.002
20.00	49.8	6.0	115.84	5.2875	0.002

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
20.25	49.9	6.0	115.84	5.2346	0.002
20.50	50.0	6.1	115.85	5.1829	0.003
20.75	50.1	6.2	115.85	5.1325	0.003
21.00	50.1	6.2	115.85	5.0833	0.003
21.25	50.2	6.3	115.85	5.0353	0.003
21.50	50.2	6.3	115.86	4.9884	0.003
21.75	50.3	6.4	115.87	4.9425	0.003
22.00	50.3	6.5	115.87	4.8977	0.003
22.25	50.4	6.5	115.87	4.8539	0.003
22.50	50.5	6.6	115.87	4.8111	0.003
22.75	50.5	6.6	115.88	4.7692	0.003
23.00	50.5	6.6	115.89	4.7283	0.003
23.25	50.7	6.8	115.89	4.6882	0.003
23.50	50.8	6.9	115.89	4.6489	0.003
23.75	50.8	7.0	115.89	4.6105	0.003
24.00	50.8	7.0	115.90	4.5729	0.003
24.25	50.9	7.0	115.90	4.5361	0.003
24.50	51.0	7.1	115.91	4.5000	0.003
24.75	51.0	7.1	115.90	4.4646	0.003
25.00	51.1	7.2	115.91	4.4300	0.003
25.25	51.1	7.2	115.92	4.3960	0.003
25.50	51.2	7.3	115.91	4.3627	0.003
25.75	51.3	7.4	115.92	4.3301	0.003
26.00	51.3	7.4	115.92	4.2981	0.003
26.25	51.3	7.5	115.93	4.2667	0.003
26.50	51.3	7.5	115.92	4.2358	0.003
26.75	51.4	7.6	115.93	4.2056	0.003
27.00	51.5	7.6	115.94	4.1759	0.003
27.25	51.5	7.6	115.94	4.1468	0.003
27.50	51.7	7.8	115.94	4.1182	0.003
27.75	51.7	7.8	115.95	4.0901	0.003
28.00	51.8	7.9	115.94	4.0625	0.003
28.25	51.8	7.9	115.95	4.0354	0.003
28.50	51.9	8.0	115.95	4.0088	0.003
28.75	51.9	8.1	115.95	3.9826	0.003
29.00	51.9	8.1	115.96	3.9569	0.003
29.25	52.0	8.1	115.96	3.9316	0.003
29.50	52.1	8.2	115.97	3.9068	0.003
29.75	52.2	8.3	115.97	3.8824	0.003
30.00	52.2	8.3	115.98	3.8583	0.003
30.25	52.4	8.5	115.97	3.8347	0.003
30.50	52.4	8.5	115.98	3.8115	0.003
30.75	52.3	8.4	115.98	3.7886	0.003
31.00	52.4	8.6	115.99	3.7661	0.003
31.25	52.4	8.6	115.99	3.7440	0.003
31.50	52.4	8.5	116.00	3.7222	0.003
31.75	52.5	8.6	116.00	3.7008	0.003
32.00	52.6	8.7	116.01	3.6797	0.003
32.25	52.6	8.7	115.99	3.6589	0.003
32.50	52.7	8.8	116.00	3.6385	0.003
32.75	52.7	8.8	116.01	3.6183	0.003

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
33.00	52.9	9.0	116.01	3.5985	0.003
33.25	52.9	9.0	116.01	3.5789	0.003
33.50	52.9	9.1	116.02	3.5597	0.003
33.75	52.9	9.1	116.02	3.5407	0.003
34.00	53.0	9.1	116.02	3.5221	0.003
34.25	53.0	9.1	116.03	3.5036	0.003
34.50	53.1	9.2	116.03	3.4855	0.003
34.75	53.2	9.3	116.04	3.4676	0.003
35.00	53.3	9.4	116.04	3.4500	0.003
35.25	53.4	9.5	116.04	3.4326	0.003
35.50	53.4	9.5	116.05	3.4155	0.003
35.75	53.5	9.6	116.05	3.3986	0.003
36.00	53.5	9.6	116.05	3.3819	0.003
36.25	53.6	9.7	116.06	3.3655	0.003
36.50	53.6	9.7	116.06	3.3493	0.003
36.75	53.6	9.7	116.06	3.3333	0.003
37.00	53.8	9.9	116.06	3.3176	0.003
37.25	53.8	9.9	116.07	3.3020	0.003
37.50	53.8	9.9	116.07	3.2867	0.003
37.75	53.9	10	116.08	3.2715	0.003
38.00	53.9	10.1	116.07	3.2566	0.003
38.25	54.0	10.2	116.08	3.2418	0.003
38.50	54.0	10.2	116.08	3.2273	0.003
38.75	54.1	10.2	116.08	3.2129	0.003
39.00	54.2	10.3	116.10	3.1987	0.003
39.25	54.2	10.3	116.09	3.1847	0.003
39.50	54.3	10.4	116.09	3.1709	0.003
39.75	54.3	10.4	116.10	3.1572	0.003
40.00	54.3	10.4	116.10	3.1437	0.003
40.25	54.4	10.5	116.10	3.1304	0.003
40.50	54.5	10.6	116.11	3.1173	0.003
40.75	54.5	10.7	116.11	3.1043	0.003
41.00	54.5	10.7	116.11	3.0915	0.003
41.25	54.6	10.7	116.12	3.0788	0.003
41.50	54.7	10.8	116.12	3.0663	0.003
41.75	54.7	10.8	116.12	3.0539	0.003
42.00	54.7	10.8	116.13	3.0417	0.003
42.25	54.8	10.9	116.13	3.0296	0.003
42.50	54.9	11.0	116.13	3.0176	0.003
42.75	54.9	11.0	116.13	3.0058	0.003
43.00	55.0	11.1	116.14	2.9942	0.003
43.25	55.0	11.2	116.14	2.9827	0.003
43.50	55.1	11.2	116.14	2.9713	0.003
43.75	55.1	11.2	116.15	2.9600	0.003
44.00	55.1	11.2	116.15	2.9489	0.003
44.25	55.2	11.3	116.15	2.9379	0.003
44.50	55.3	11.4	116.16	2.9270	0.003
44.75	55.4	11.5	116.16	2.9162	0.003
45.00	55.5	11.6	116.16	2.9056	0.003
45.25	55.5	11.6	116.16	2.8950	0.003
45.50	55.5	11.7	116.17	2.8846	0.003

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
45.75	55.6	11.7	116.18	2.8743	0.003
46.00	55.6	11.7	116.18	2.8641	0.003
46.25	55.7	11.8	116.18	2.8541	0.003
46.50	55.7	11.8	116.18	2.8441	0.003
46.75	55.7	11.8	116.19	2.8342	0.003
47.00	55.8	11.9	116.19	2.8245	0.003
47.25	55.8	11.9	116.19	2.8148	0.003
47.50	55.9	12.0	116.20	2.8053	0.003
47.75	56.0	12.2	116.20	2.7958	0.003
48.00	56.0	12.2	116.20	2.7865	0.003
48.25	56.1	12.2	116.20	2.7772	0.003
48.50	56.1	12.2	116.21	2.7680	0.003
48.75	56.2	12.3	116.20	2.7590	0.003
49.00	56.2	12.3	116.21	2.7500	0.003
49.25	56.4	12.5	116.22	2.7411	0.003
49.50	56.4	12.5	116.22	2.7323	0.003
49.75	56.4	12.5	116.22	2.7236	0.003
50.00	56.5	12.6	116.23	2.7150	0.003
50.25	56.6	12.7	116.23	2.7065	0.003
50.50	56.7	12.8	116.23	2.6980	0.003
50.75	56.7	12.8	116.23	2.6897	0.003
51.00	56.7	12.8	116.24	2.6814	0.003
51.25	56.7	12.8	116.24	2.6732	0.003
51.50	56.7	12.8	116.24	2.6650	0.003
51.75	56.8	12.9	116.24	2.6570	0.003
52.00	56.8	12.9	116.25	2.6490	0.003
52.25	57.0	13.1	116.25	2.6411	0.003
52.50	56.9	13.0	116.26	2.6333	0.003
52.75	57.1	13.2	116.26	2.6256	0.003
53.00	57.1	13.2	116.26	2.6179	0.003
53.25	57.1	13.2	116.26	2.6103	0.003
53.50	57.1	13.3	116.27	2.6028	0.003
53.75	57.3	13.4	116.27	2.5953	0.003
54.00	57.3	13.4	116.27	2.5880	0.003
54.25	57.4	13.5	116.28	2.5806	0.003
54.50	57.5	13.6	116.28	2.5734	0.003
54.75	57.6	13.7	116.27	2.5662	0.003
55.00	57.6	13.7	116.28	2.5591	0.003
55.25	57.6	13.8	116.28	2.5520	0.003
55.50	57.6	13.8	116.29	2.5450	0.003
55.75	57.7	13.8	116.29	2.5381	0.003
56.00	57.7	13.8	116.30	2.5312	0.003
56.25	57.7	13.8	116.30	2.5244	0.003
56.50	57.7	13.8	116.31	2.5177	0.003
56.75	57.8	13.9	116.30	2.5110	0.003
57.00	57.8	13.9	116.31	2.5044	0.003
57.25	57.9	14.0	116.31	2.4978	0.003
57.50	58.0	14.1	116.32	2.4913	0.003
57.75	58.0	14.1	116.32	2.4848	0.003
58.00	58.0	14.1	116.32	2.4784	0.003
58.25	58.1	14.2	116.33	2.4721	0.003

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
58.50	58.2	14.3	116.33	2.4658	0.003
58.75	58.2	14.3	116.33	2.4596	0.003
59.00	58.3	14.4	116.33	2.4534	0.003
59.25	58.3	14.4	116.34	2.4473	0.003
59.50	58.3	14.4	116.33	2.4412	0.003
59.75	58.4	14.5	116.34	2.4351	0.003
60.00	58.4	14.5	116.34	2.4292	0.003
60.25	58.5	14.6	116.35	2.4232	0.003
60.50	58.6	14.7	116.35	2.4174	0.003
60.75	58.6	14.7	116.36	2.4115	0.003
61.00	58.6	14.7	116.36	2.4057	0.003
61.25	58.6	14.8	116.36	2.4000	0.003
61.50	58.6	14.8	116.36	2.3943	0.003
61.75	58.7	14.9	116.36	2.3887	0.003
62.00	58.7	14.9	116.37	2.3831	0.003
62.25	58.8	14.9	116.37	2.3775	0.003
62.50	58.8	14.9	116.37	2.3720	0.003
62.75	58.9	15.0	116.38	2.3665	0.003
63.00	59.0	15.1	116.38	2.3611	0.003
63.25	59.1	15.2	116.38	2.3557	0.003
63.50	59.1	15.2	116.39	2.3504	0.003
63.75	59.1	15.2	116.39	2.3451	0.003
64.00	59.2	15.3	116.39	2.3398	0.003
64.25	59.2	15.4	116.39	2.3346	0.004
64.50	59.3	15.4	116.39	2.3295	0.004
64.75	59.3	15.4	116.40	2.3243	0.004
65.00	59.4	15.5	116.40	2.3192	0.004
65.25	59.4	15.5	116.40	2.3142	0.004
65.50	59.4	15.5	116.40	2.3092	0.004
65.75	59.5	15.6	116.41	2.3042	0.004
66.00	59.6	15.7	116.41	2.2992	0.004
66.25	59.6	15.7	116.42	2.2943	0.004
66.50	59.7	15.8	116.42	2.2895	0.004
66.75	59.7	15.9	116.43	2.2846	0.004
67.00	59.7	15.9	116.42	2.2799	0.004
67.25	59.9	16.0	116.43	2.2751	0.004
67.50	59.8	15.9	116.43	2.2704	0.004
67.75	59.8	15.9	116.43	2.2657	0.004
68.00	60.0	16.1	116.44	2.2610	0.004
68.25	60.0	16.1	116.44	2.2564	0.004
68.50	59.9	16.0	116.44	2.2518	0.004
68.75	60.1	16.2	116.44	2.2473	0.004
69.00	60.1	16.2	116.45	2.2428	0.004
69.25	60.2	16.3	116.45	2.2383	0.004
69.50	60.2	16.3	116.45	2.2338	0.004
69.75	60.2	16.4	116.45	2.2294	0.004
70.00	60.3	16.4	116.46	2.2250	0.004
70.25	60.3	16.4	116.46	2.2206	0.004
70.50	60.3	16.4	116.47	2.2163	0.004
70.75	60.4	16.5	116.47	2.2120	0.004
71.00	60.4	16.5	116.47	2.2077	0.004

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
71.25	60.4	16.5	116.47	2.2035	0.004
71.50	60.5	16.6	116.47	2.1993	0.004
71.75	60.6	16.7	116.48	2.1951	0.004
72.00	60.7	16.8	116.48	2.1910	0.004
72.25	60.7	16.8	116.49	2.1869	0.004
72.50	60.8	16.9	116.48	2.1828	0.004
72.75	60.8	16.9	116.49	2.1787	0.004
73.00	60.8	16.9	116.49	2.1747	0.004
73.25	61.0	17.1	116.50	2.1706	0.004
73.50	61.0	17.1	116.50	2.1667	0.004
73.75	61.1	17.2	116.50	2.1627	0.004
74.00	61.1	17.2	116.51	2.1588	0.004
74.25	61.2	17.3	116.51	2.1549	0.004
74.50	61.2	17.4	116.51	2.1510	0.004
74.75	61.2	17.4	116.51	2.1472	0.004
75.00	61.3	17.5	116.51	2.1433	0.004
75.25	61.3	17.5	116.52	2.1395	0.004
75.50	61.4	17.5	116.53	2.1358	0.004
75.75	61.4	17.5	116.53	2.1320	0.004
76.00	61.4	17.5	116.53	2.1283	0.004
76.25	61.5	17.6	116.53	2.1246	0.004
76.50	61.5	17.6	116.54	2.1209	0.004
76.75	61.6	17.7	116.54	2.1173	0.004
77.00	61.7	17.8	116.54	2.1136	0.004
77.25	61.8	17.9	116.54	2.1100	0.004
77.50	61.8	17.9	116.54	2.1065	0.004
77.75	61.8	17.9	116.55	2.1029	0.004
78.00	61.9	18.0	116.55	2.0994	0.004
78.25	61.9	18.0	116.55	2.0958	0.004
78.50	61.8	18.0	116.55	2.0924	0.004
78.75	61.8	18.0	116.56	2.0889	0.004
79.00	61.8	18.0	116.56	2.0854	0.004
79.25	62.0	18.1	116.57	2.0820	0.004
79.50	62.1	18.2	116.57	2.0786	0.004
79.75	62.1	18.2	116.57	2.0752	0.004
80.00	62.2	18.3	116.57	2.0719	0.004
80.25	62.2	18.3	116.57	2.0685	0.004
80.50	62.3	18.4	116.58	2.0652	0.004
80.75	62.3	18.5	116.58	2.0619	0.004
81.00	62.3	18.5	116.58	2.0586	0.004
81.25	62.3	18.5	116.59	2.0554	0.004
81.50	62.3	18.4	116.59	2.0521	0.004
81.75	62.4	18.5	116.60	2.0489	0.004
82.00	62.5	18.6	116.59	2.0457	0.004
82.25	62.5	18.6	116.60	2.0426	0.004
82.50	62.5	18.6	116.60	2.0394	0.004
82.75	62.7	18.8	116.61	2.0363	0.004
83.00	62.7	18.8	116.61	2.0331	0.004
83.25	62.8	18.9	116.61	2.0300	0.004
83.50	62.8	18.9	116.61	2.0269	0.004
83.75	62.8	19.0	116.61	2.0239	0.004

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
84.00	62.8	19.0	116.61	2.0208	0.004
84.25	62.9	19.0	116.62	2.0178	0.004
84.50	63.0	19.1	116.62	2.0148	0.004
84.75	63.0	19.1	116.62	2.0118	0.004
85.00	63.1	19.2	116.63	2.0088	0.004
85.25	63.1	19.2	116.63	2.0059	0.004
85.50	63.2	19.3	116.64	2.0029	0.004
85.75	63.2	19.3	116.63	2.0000	0.004
86.00	63.2	19.3	116.64	1.9971	0.004
86.25	63.2	19.3	116.64	1.9942	0.004
86.50	63.3	19.4	116.65	1.9913	0.004
86.75	63.3	19.4	116.65	1.9885	0.004
87.00	63.4	19.5	116.64	1.9856	0.004
87.25	63.4	19.5	116.65	1.9828	0.004
87.50	63.3	19.5	116.65	1.9800	0.004
87.75	63.3	19.5	116.66	1.9772	0.004
88.00	63.6	19.7	116.66	1.9744	0.004
88.25	63.6	19.7	116.66	1.9717	0.004
88.50	63.6	19.7	116.66	1.9689	0.004
88.75	63.6	19.7	116.67	1.9662	0.004
89.00	63.6	19.7	116.67	1.9635	0.004
89.25	63.8	19.9	116.68	1.9608	0.004
89.50	63.8	19.9	116.68	1.9581	0.004
89.75	63.8	19.9	116.68	1.9554	0.004
90.00	63.8	19.9	116.68	1.9528	0.004
90.25	63.8	19.9	116.68	1.9501	0.004
90.50	63.9	20.1	116.69	1.9475	0.004
90.75	64.0	20.1	116.69	1.9449	0.004
91.00	64.0	20.1	116.69	1.9423	0.004
91.25	64.1	20.2	116.69	1.9397	0.004
91.50	64.1	20.2	116.70	1.9372	0.004
91.75	64.1	20.2	116.70	1.9346	0.004
92.00	64.2	20.3	116.71	1.9321	0.004
92.25	64.3	20.4	116.71	1.9295	0.004
92.50	64.4	20.5	116.71	1.9270	0.004
92.75	64.4	20.6	116.71	1.9245	0.004
93.00	64.4	20.6	116.71	1.9220	0.004
93.25	64.4	20.5	116.71	1.9196	0.004
93.50	64.5	20.6	116.72	1.9171	0.004
93.75	64.5	20.6	116.72	1.9147	0.004
94.00	64.6	20.7	116.73	1.9122	0.004
94.25	64.6	20.7	116.73	1.9098	0.004
94.50	64.6	20.7	116.73	1.9074	0.004
94.75	64.6	20.7	116.73	1.9050	0.004
95.00	64.8	20.9	116.74	1.9026	0.004
95.25	64.8	20.9	116.74	1.9003	0.004
95.50	64.9	21.0	116.74	1.8979	0.004
95.75	64.9	21.0	116.74	1.8956	0.004
96.00	64.9	21.0	116.75	1.8932	0.004
96.25	64.9	21.1	116.75	1.8909	0.004
96.50	65.0	21.1	116.75	1.8886	0.004

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
96.75	65.0	21.1	116.75	1.8863	0.004
97.00	65.0	21.1	116.76	1.8840	0.004
97.25	65.1	21.2	116.76	1.8817	0.004
97.50	65.1	21.2	116.76	1.8795	0.004
97.75	65.2	21.3	116.77	1.8772	0.004
98.00	65.3	21.4	116.76	1.8750	0.004
98.25	65.3	21.4	116.77	1.8728	0.004
98.50	65.3	21.4	116.77	1.8706	0.004
98.75	65.4	21.5	116.77	1.8684	0.004
99.00	65.4	21.6	116.78	1.8662	0.004
99.25	65.4	21.6	116.78	1.8640	0.004
99.50	65.4	21.6	116.78	1.8618	0.004
99.75	65.5	21.6	116.78	1.8596	0.004
100.00	65.6	21.7	116.79	1.8575	0.004
100.25	65.6	21.7	116.79	1.8554	0.004
100.50	65.7	21.8	116.79	1.8532	0.004
100.75	65.8	21.9	116.80	1.8511	0.004
101.00	65.8	21.9	116.80	1.8490	0.004
101.25	65.8	21.9	116.80	1.8469	0.004
101.50	65.9	22.0	116.81	1.8448	0.004
101.75	65.9	22.0	116.81	1.8428	0.004
102.00	65.9	22.1	116.80	1.8407	0.004
102.25	65.9	22.1	116.81	1.8386	0.004
102.50	66.0	22.1	116.82	1.8366	0.004
102.75	66.0	22.1	116.82	1.8345	0.004
103.00	66.0	22.1	116.82	1.8325	0.004
103.25	66.1	22.2	116.82	1.8305	0.004
103.50	66.1	22.2	116.82	1.8285	0.004
103.75	66.2	22.3	116.83	1.8265	0.004
104.00	66.2	22.3	116.83	1.8245	0.004
104.25	66.3	22.4	116.83	1.8225	0.004
104.50	66.3	22.4	116.83	1.8206	0.004
104.75	66.4	22.5	116.84	1.8186	0.004
105.00	66.4	22.5	116.84	1.8167	0.004
105.25	66.4	22.5	116.84	1.8147	0.004
105.50	66.4	22.6	116.84	1.8128	0.004
105.75	66.4	22.6	116.85	1.8109	0.004
106.00	66.4	22.5	116.85	1.8090	0.004
106.25	66.6	22.8	116.86	1.8071	0.004
106.50	66.7	22.8	116.86	1.8052	0.004
106.75	66.8	22.9	116.86	1.8033	0.004
107.00	66.8	22.9	116.86	1.8014	0.004
107.25	66.8	22.9	116.86	1.7995	0.004
107.50	66.9	23.0	116.87	1.7977	0.004
107.75	67.0	23.1	116.87	1.7958	0.004
108.00	67.0	23.1	116.87	1.7940	0.004
108.25	67.0	23.1	116.88	1.7921	0.004
108.50	67.0	23.1	116.88	1.7903	0.004
108.75	67.0	23.1	116.88	1.7885	0.004
109.00	67.1	23.2	116.89	1.7867	0.005
109.25	67.1	23.2	116.89	1.7849	0.005

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
109.50	67.1	23.2	116.89	1.7831	0.005
109.75	67.1	23.2	116.89	1.7813	0.005
110.00	67.1	23.2	116.90	1.7795	0.005
110.25	67.3	23.4	116.90	1.7778	0.005
110.50	67.3	23.4	116.90	1.7760	0.005
110.75	67.3	23.4	116.90	1.7743	0.005
111.00	67.2	23.3	116.90	1.7725	0.005
111.25	67.4	23.5	116.91	1.7708	0.005
111.50	67.5	23.6	116.91	1.7691	0.005
111.75	67.5	23.7	116.91	1.7673	0.005
112.00	67.5	23.7	116.92	1.7656	0.005
112.25	67.5	23.6	116.92	1.7639	0.005
112.50	67.7	23.8	116.92	1.7622	0.005
112.75	67.7	23.8	116.92	1.7605	0.005
113.00	67.7	23.8	116.92	1.7588	0.005
113.25	67.7	23.8	116.93	1.7572	0.005
113.50	67.7	23.8	116.93	1.7555	0.005
113.75	67.9	24.0	116.93	1.7538	0.005
114.00	67.9	24.0	116.94	1.7522	0.005
114.25	68.0	24.1	116.94	1.7505	0.005
114.50	68.0	24.1	116.93	1.7489	0.005
114.75	68.0	24.2	116.94	1.7473	0.005
115.00	68.0	24.2	116.94	1.7457	0.005
115.25	68.1	24.2	116.95	1.7440	0.005
115.50	68.1	24.2	116.95	1.7424	0.005
115.75	68.2	24.3	116.95	1.7408	0.005
116.00	68.2	24.3	116.95	1.7392	0.005
116.25	68.3	24.4	116.96	1.7376	0.005
116.50	68.3	24.4	116.96	1.7361	0.005
116.75	68.3	24.4	116.96	1.7345	0.005
117.00	68.4	24.5	116.97	1.7329	0.005
117.25	68.4	24.5	116.97	1.7313	0.005
117.50	68.5	24.6	116.97	1.7298	0.005
117.75	68.5	24.6	116.98	1.7282	0.005
118.00	68.6	24.8	116.97	1.7267	0.005
118.25	68.6	24.8	116.98	1.7252	0.005
118.50	68.6	24.8	116.98	1.7236	0.005
118.75	68.6	24.8	116.98	1.7221	0.005
119.00	68.7	24.8	116.99	1.7206	0.005
119.25	68.7	24.8	116.99	1.7191	0.005
119.50	68.7	24.8	117.00	1.7176	0.005
119.75	68.7	24.8	116.99	1.7161	0.005
120.00	68.8	24.9	117.00	1.7146	0.005
120.25	68.9	25.0	117.00	1.7131	0.005
120.50	68.9	25.0	117.00	1.7116	0.005
120.75	69.0	25.1	117.01	1.7101	0.005
121.00	69.0	25.1	117.00	1.7087	0.005
121.25	69.0	25.1	117.01	1.7072	0.005
121.50	69.0	25.2	117.00	1.7058	0.005
121.75	69.1	25.3	117.01	1.7043	0.005
122.00	69.1	25.3	117.01	1.7029	0.005

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/23/97

TIME: 08:59:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	122.25	69.1	25.3	117.02	1.7014	0.005
	122.50	69.1	25.3	117.02	1.7000	0.005
	122.75	69.2	25.3	117.02	1.6986	0.005
	123.00	69.2	25.3	117.02	1.6972	0.005
	123.25	69.3	25.4	117.03	1.6957	0.005
	123.50	69.3	25.4	117.03	1.6943	0.005
	123.75	69.3	25.4	117.03	1.6929	0.005
	124.00	69.3	25.4	117.03	1.6915	0.005
	124.25	69.5	25.6	117.03	1.6901	0.005
	124.50	69.5	25.6	117.04	1.6888	0.005
	124.75	69.5	25.6	117.04	1.6874	0.005
	125.00	69.6	25.7	117.04	1.6860	0.005
***** End Shut-in 2	125.25	69.6	25.7	117.04	1.6846	0.005
	125.50	69.6	25.7	117.05	1.6833	0.005
***** Final Hydro.	406.50	2206.0	0.0	117.79		

TEST HISTORY

9849 DST#1 Bennett "B" #6 Anadarko Pet. Corp.

Flag Points

t (Min.) P (PSig)

A: 0.00 2366.50
 B: 0.00 31.21
 C: 32.00 39.77
 D: 58.75 70.91
 E: 0.00 37.17
 F: 53.75 43.88
 G: 125.50 69.55
 Q: 0.00 2205.95





CHART PAGE



This is a photocopy of the actual AK-1 recorder chart

TRILOBITE TESTING L.L.C.

P.O. Box 362 - Hays, Kansas 67601

FLUID SAMPLER DATA

Ticket No. 9849 Date 7-23-97
Company Name Anadarko Pet. Corp.
Lease Bennett "B" #6 Test No. DS1 #1
County Morton Sec. 36 Twp. 34S Rng. 40W

SAMPLER RECOVERY

Gas _____ ML
Oil _____ ML
Mud 4,000 ML
Water _____ ML
Other _____ ML
Pressure 50 PSI
Total 4,000 ML

SAMPLER ANALYSIS

Resistivity _____ ohms @ _____ F
Chlorides _____ ppm.
Gravity _____ corrected @ 60 F

PIT MUD ANALYSIS

Chlorides 1,000 ppm.
Resistivity _____ ohms @ _____ F
Viscosity 65
Mud Weight 90
Filtrate 9.5
Other LCM 7#

PIPE RECOVERY

TOP
Resistivity _____ ohms @ _____ F
Chlorides _____ ppm.

MIDDLE
Resistivity _____ ohms @ _____ F
Chlorides _____ ppm.

BOTTOM
Resistivity _____ ohms @ _____ F
Chlorides _____ ppm.

TRILOBITE TESTING L.L.C.

OPERATOR : Anadarko Pet. Corp.

DATE 7-24-97

WELL NAME: Bennett "B" #6

KB 3538.00 ft

TICKET NO: 9850 DST #2

LOCATION : 36-34S-42W

GR 3526.00 ft

FORMATION: Upper Morrow

INTERVAL : 4635.00 To 4803.00 ft

TD 4803.00 ft

TEST TYPE: CONV

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	13615	13615	2351			PF Fr. 1000 to 1030 hr
SI 60 Range(Psi)	4950.0	4950.0	4995.0	0.0	0.0	IS Fr. 1030 to 1130 hr
SF 60 Clock(hrs)	12HR.	12HR.	Elet.			SF Fr. 1130 to 1230 hr
FS 120 Depth(ft)	4800.0	4800.0	4639.0	0.0	0.0	FS Fr. 1230 to 1430 hr

	Field	1	2	3	4	
A. Init Hydro	2661.0	2602.0	2515.0	0.0	0.0	T STARTED 0730 hr
B. First Flow	262.0	295.0	156.0	0.0	0.0	T ON BOTM 0958 hr
Bl. Final Flow	704.0	707.0	701.0	0.0	0.0	T OPEN 1000 hr
C. In Shut-in	1393.0	1396.0	1339.0	0.0	0.0	T PULLED 1430 hr
D. Init Flow	853.0	853.0	761.0	0.0	0.0	T OUT 1830 hr
E. Final Flow	1117.0	1124.0	1087.0	0.0	0.0	
F. Fl Shut-in	1393.0	1399.0	1330.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	2489.0	2448.0	2391.0	0.0	0.0	Tool Wt. 1800.00 lbs
Inside/Outside	O	O	I			Wt Set On Packer 25000.00 lbs
						Wt Pulled Loose 130000.00 lbs
						Initial Str Wt 90000.00 lbs
						Unseated Str Wt 98000.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.25 in
						D. Pipe ID 3.80 in
						D.C. Length 724.00 ft
						D.P. Length 4061.00 ft

RECOVERY

Tot Fluid 2250.00 ft of 724.00 ft in DC and 1526.00 ft in DP

150.00 ft of Drilling Mud

0.00 ft of

180.00 ft of Muddy Water

0.00 ft of 50%mud 50%water

300.00 ft of Muddy Water

0.00 ft of 10%mud 90%water

1620.00 ft of Salt Water

0.00 ft of

SALINITY 54000.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow:

Strong blow, bottom of bucket in 2 min

Initial Shut In:

Bled off 2", with surface blow back

Final Flow:

Strong blow, bottom of bucket in 5 min

Final Shut In:

Bled off 2", with surface blow back

SAMPLES: NO

SENT TO:

MUD DATA-----

Mud Type	Chemical
Weight	9.00 lb/c
Vis.	65.00 S/L
W.L.	9.50 in3
F.C.	0.00 in
Mud Drop Y	15.0 ft

Amt. of fill	0.00 ft
Btm. H. Temp.	118.00 F
Hole Condition	Good
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out N	
Tool Chased N	
Tester	Mike Colantonio
Co. Rep.	Ed Grieves
Contr.	Cheyenne
Rig #	7
Unit #	
Pump T.	

Test Successful: Y

*** TOOL DIAGRAM *** CONV

WELL NAME: Bennett "B" #6

LOCATION : 36-34S-42W

TICKET No. 9850 D.S.T. No. 2 DATE 7-24-97

TOTAL TOOL TO BOTTOM OF TOP PACKERS 30

INTERVAL TOOL

BOTTOM PACKERS AND ANCHOR 43

TOTAL TOOL 73

DRILL COLLAR ANCHOR IN INTERVAL

D.C. ANCHOR STND.Stands Single Total

D.P. ANCHOR STND.Stands 2 Single Total 125

TOTAL ASSEMBLY

D.C. ABOVE TOOLS.Stands7 Single Total 724

D.P. ABOVE TOOLS.Stands65 Single Total 3906

TOTAL DRILL COLLARS DRILL PIPE & TOOLS .. 4828

TOTAL DEPTH 4803

TOTAL DRILL PIPE ABOVE K.B. 25

REMARKS:

SAMPLER DATA

4000ml Water

1000PSI

4000ml Total

55000 Chlorides

P.O. SUB top tool	4605
C.O. SUB 1ft	4606
S.I. TOOL Sterling	4611
3ft sampler	4614
HMV Sterling	4619
JARS Sterling	4624
SAFETY JOINT 2ft	4626
PACKER 5ft	4630
PACKER 5ft	4635
DEPTH	
STUBB 1ft	4646
ANCHOR	
2ft	4638
Alpine Rec.@	4639
6ft PU Sub	4644
T.C.	
DEPTH	
29ft perf	4673
127pipe Subs	4800
AK-1 Rec. @	4800
BULLNOSE	
T.D. 3ft Bullplug	4803

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
***** Initial Hydro.	128.00	2330.1	0.0	111.75		
***** Start Flow 1	0.00	156.6	0.0	111.72		
	0.25	183.8	27.2	111.70		
	0.50	192.0	35.4	111.68		
	0.75	239.6	83.0	111.68		
	1.00	226.9	70.3	111.66		
	1.25	264.6	108.0	111.66		
	1.50	267.0	110.4	111.66		
	1.75	272.3	115.7	111.66		
	2.00	294.2	137.6	111.67		
	2.25	310.0	153.4	111.68		
	2.50	324.7	168.1	111.69		
	2.75	305.2	148.6	111.70		
	3.00	335.9	179.3	111.72		
	3.25	320.9	164.3	111.73		
	3.50	328.6	172.0	111.74		
	3.75	350.3	193.7	111.76		
	4.00	336.3	179.7	111.77		
	4.25	347.6	191.0	111.79		
	4.50	362.9	206.3	111.80		
	4.75	375.5	218.9	111.83		
	5.00	385.1	228.5	111.84		
	5.25	394.1	237.5	111.85		
	5.50	402.8	246.2	111.87		
	5.75	413.3	256.7	111.88		
	6.00	422.6	266.0	111.89		
	6.25	434.5	277.9	111.90		
	6.50	443.6	287.0	111.92		
	6.75	449.7	293.1	111.93		
	7.00	452.4	295.8	111.94		
	7.25	457.9	301.3	111.95		
	7.50	461.1	304.5	111.96		
	7.75	465.2	308.6	111.97		
	8.00	468.0	311.4	111.98		
	8.25	472.5	315.9	111.98		
	8.50	475.7	319.1	112.00		
	8.75	478.1	321.5	112.01		
	9.00	480.6	324.0	112.01		
	9.25	483.6	327.0	112.02		
	9.50	486.5	329.9	112.03		
	9.75	489.3	332.7	112.04		
	10.00	493.0	336.4	112.04		
	10.25	497.4	340.8	112.05		
	10.50	499.9	343.3	112.05		
	10.75	502.5	345.9	112.06		
	11.00	505.0	348.4	112.06		
	11.25	507.2	350.6	112.07		
	11.50	490.2	333.6	112.08		
	11.75	491.1	334.5	112.08		
	12.00	492.6	336.0	112.08		
	12.25	495.1	338.5	112.09		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
12.50	497.3	340.7	112.10		
12.75	500.2	343.6	112.09		
13.00	502.6	346.0	112.10		
13.25	505.8	349.2	112.11		
13.50	508.7	352.1	112.11		
13.75	511.4	354.8	112.12		
14.00	514.4	357.8	112.12		
14.25	517.2	360.6	112.13		
14.50	520.6	364.0	112.13		
14.75	523.6	367.0	112.13		
15.00	526.7	370.1	112.13		
15.25	529.5	372.9	112.14		
15.50	532.7	376.1	112.14		
15.75	535.8	379.2	112.15		
16.00	538.9	382.3	112.15		
16.25	541.8	385.2	112.15		
16.50	545.3	388.7	112.16		
16.75	548.0	391.4	112.16		
17.00	551.1	394.5	112.16		
17.25	554.2	397.6	112.17		
17.50	556.9	400.3	112.17		
17.75	560.3	403.7	112.18		
18.00	563.2	406.6	112.17		
18.25	565.9	409.3	112.19		
18.50	568.9	412.3	112.20		
18.75	572.0	415.4	112.20		
19.00	574.6	418.0	112.20		
19.25	577.2	420.6	112.21		
19.50	580.0	423.4	112.21		
19.75	582.6	426.0	112.22		
20.00	585.6	429.0	112.23		
20.25	588.4	431.8	112.22		
20.50	591.0	434.4	112.23		
20.75	593.6	437.0	112.24		
21.00	596.2	439.6	112.25		
21.25	599.2	442.6	112.25		
21.50	601.9	445.3	112.25		
21.75	604.5	447.9	112.26		
22.00	607.0	450.4	112.27		
22.25	609.8	453.2	112.28		
22.50	612.7	456.1	112.28		
22.75	615.3	458.7	112.29		
23.00	617.9	461.3	112.30		
23.25	620.3	463.7	112.30		
23.50	622.9	466.3	112.31		
23.75	625.7	469.1	112.32		
24.00	628.7	472.1	112.33		
24.25	631.2	474.6	112.33		
24.50	633.7	477.1	112.34		
24.75	636.3	479.7	112.35		
25.00	638.7	482.1	112.36		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	25.25	641.6	485.0	112.37		
	25.50	644.1	487.5	112.37		
	25.75	646.6	490.0	112.38		
	26.00	649.0	492.4	112.39		
	26.25	651.4	494.8	112.41		
	26.50	653.9	497.3	112.41		
	26.75	656.7	500.1	112.43		
	27.00	659.3	502.7	112.43		
	27.25	662.0	505.4	112.44		
	27.50	665.0	508.4	112.46		
	27.75	667.6	511.0	112.46		
	28.00	670.3	513.7	112.47		
	28.25	672.5	515.9	112.48		
	28.50	674.9	518.3	112.50		
	28.75	677.2	520.6	112.51		
	29.00	679.5	522.9	112.52		
	29.25	682.3	525.7	112.53		
	29.50	684.8	528.2	112.55		
	29.75	686.9	530.3	112.55		
	30.00	689.3	532.7	112.57		
	30.25	691.7	535.1	112.58		
	30.50	694.0	537.4	112.59		
	30.75	696.4	539.8	112.60		
	31.00	699.1	542.5	112.62		
***** End Flow 1	31.25	701.5	544.9	112.63		
***** Start Shutin 1	0.00	701.5	0.0	112.63	0.0000	0.492
	0.25	985.3	283.8	112.64	126.0000	0.971
	0.50	1179.3	477.8	112.66	63.5000	1.391
	0.75	1240.4	538.9	112.68	42.6667	1.538
	1.00	1264.6	563.2	112.70	32.2500	1.599
	1.25	1277.3	575.8	112.73	26.0000	1.631
	1.50	1285.3	583.9	112.74	21.8333	1.652
	1.75	1291.0	589.5	112.77	18.8571	1.667
	2.00	1295.4	594.0	112.88	16.6250	1.678
	2.25	1298.9	597.5	112.82	14.8889	1.687
	2.50	1301.7	600.3	112.84	13.5000	1.694
	2.75	1304.1	602.7	112.87	12.3636	1.701
	3.00	1306.2	604.7	112.90	11.4167	1.706
	3.25	1307.9	606.5	112.92	10.6154	1.711
	3.50	1309.5	608.1	112.95	9.9286	1.715
	3.75	1310.9	609.5	112.97	9.3333	1.719
	4.00	1312.1	610.7	112.99	8.8125	1.722
	4.25	1309.3	607.9	113.03	8.3529	1.714
	4.50	1310.4	609.0	113.04	7.9444	1.717
	4.75	1311.4	609.9	113.07	7.5789	1.720
	5.00	1312.3	610.8	113.09	7.2500	1.722
	5.25	1313.0	611.6	113.12	6.9524	1.724
	5.50	1313.9	612.4	113.14	6.6818	1.726
	5.75	1314.6	613.1	113.16	6.4348	1.728
	6.00	1315.2	613.8	113.19	6.2083	1.730
	6.25	1315.8	614.4	113.21	6.0000	1.731

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
6.50	1316.5	615.0	113.22	5.8077	1.733
6.75	1317.1	615.6	113.25	5.6296	1.735
7.00	1317.6	616.1	113.27	5.4643	1.736
7.25	1318.1	616.6	113.29	5.3103	1.737
7.50	1318.6	617.1	113.32	5.1667	1.739
7.75	1319.1	617.6	113.35	5.0323	1.740
8.00	1319.5	618.0	113.36	4.9062	1.741
8.25	1319.9	618.5	113.38	4.7879	1.742
8.50	1320.3	618.8	113.40	4.6765	1.743
8.75	1320.7	619.2	113.42	4.5714	1.744
9.00	1320.9	619.5	113.44	4.4722	1.745
9.25	1321.4	620.0	113.47	4.3784	1.746
9.50	1321.7	620.2	113.48	4.2895	1.747
9.75	1322.0	620.6	113.50	4.2051	1.748
10.00	1322.4	620.9	113.52	4.1250	1.749
10.25	1322.6	621.1	113.54	4.0488	1.749
10.50	1322.9	621.4	113.56	3.9762	1.750
10.75	1323.2	621.7	113.58	3.9070	1.751
11.00	1323.5	622.1	113.60	3.8409	1.752
11.25	1323.9	622.4	113.62	3.7778	1.753
11.50	1324.0	622.6	113.64	3.7174	1.753
11.75	1324.3	622.8	113.65	3.6596	1.754
12.00	1324.5	623.1	113.67	3.6042	1.754
12.25	1324.7	623.2	113.69	3.5510	1.755
12.50	1325.0	623.6	113.72	3.5000	1.756
12.75	1325.3	623.8	113.73	3.4510	1.756
13.00	1325.5	624.0	113.74	3.4038	1.757
13.25	1325.7	624.3	113.77	3.3585	1.758
13.50	1325.9	624.4	113.78	3.3148	1.758
13.75	1326.1	624.7	113.80	3.2727	1.759
14.00	1326.4	624.9	113.82	3.2321	1.759
14.25	1326.6	625.1	113.84	3.1930	1.760
14.50	1326.8	625.3	113.86	3.1552	1.760
14.75	1327.0	625.5	113.87	3.1186	1.761
15.00	1327.1	625.7	113.89	3.0833	1.761
15.25	1327.3	625.8	113.91	3.0492	1.762
15.50	1327.6	626.1	113.93	3.0161	1.762
15.75	1327.7	626.3	113.94	2.9841	1.763
16.00	1327.8	626.4	113.96	2.9531	1.763
16.25	1328.1	626.6	113.98	2.9231	1.764
16.50	1328.2	626.8	114.00	2.8939	1.764
16.75	1328.4	626.9	114.02	2.8657	1.765
17.00	1328.5	627.0	114.03	2.8382	1.765
17.25	1328.7	627.2	114.04	2.8116	1.765
17.50	1328.8	627.4	114.07	2.7857	1.766
17.75	1329.0	627.5	114.08	2.7606	1.766
18.00	1329.2	627.7	114.10	2.7361	1.767
18.25	1329.2	627.7	114.11	2.7123	1.767
18.50	1329.4	627.9	114.14	2.6892	1.767
18.75	1329.5	628.0	114.15	2.6667	1.768
19.00	1329.7	628.2	114.17	2.6447	1.768

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
19.25	1329.7	628.3	114.19	2.6234	1.768
19.50	1329.9	628.5	114.21	2.6026	1.769
19.75	1330.1	628.6	114.23	2.5823	1.769
20.00	1330.2	628.8	114.25	2.5625	1.770
20.25	1330.3	628.9	114.27	2.5432	1.770
20.50	1330.5	629.0	114.27	2.5244	1.770
20.75	1330.6	629.1	114.28	2.5060	1.770
21.00	1330.8	629.3	114.29	2.4881	1.771
21.25	1330.9	629.5	114.32	2.4706	1.771
21.50	1330.8	629.4	114.34	2.4535	1.771
21.75	1331.0	629.5	114.35	2.4368	1.772
22.00	1331.2	629.7	114.37	2.4205	1.772
22.25	1331.3	629.8	114.39	2.4045	1.772
22.50	1331.4	629.9	114.40	2.3889	1.773
22.75	1331.4	629.9	114.42	2.3736	1.773
23.00	1331.5	630.0	114.44	2.3587	1.773
23.25	1331.6	630.1	114.46	2.3441	1.773
23.50	1331.8	630.3	114.47	2.3298	1.774
23.75	1331.8	630.4	114.49	2.3158	1.774
24.00	1331.9	630.5	114.49	2.3021	1.774
24.25	1332.1	630.6	114.52	2.2887	1.774
24.50	1332.2	630.7	114.53	2.2755	1.775
24.75	1332.3	630.9	114.55	2.2626	1.775
25.00	1332.3	630.9	114.56	2.2500	1.775
25.25	1332.5	631.1	114.57	2.2376	1.776
25.50	1332.5	631.1	114.60	2.2255	1.776
25.75	1332.7	631.2	114.61	2.2136	1.776
26.00	1332.7	631.2	114.63	2.2019	1.776
26.25	1332.8	631.3	114.65	2.1905	1.776
26.50	1332.8	631.4	114.65	2.1792	1.776
26.75	1332.9	631.5	114.66	2.1682	1.777
27.00	1333.1	631.6	114.68	2.1574	1.777
27.25	1333.1	631.6	114.70	2.1468	1.777
27.50	1333.3	631.8	114.72	2.1364	1.778
27.75	1333.4	631.9	114.73	2.1261	1.778
28.00	1333.4	632.0	114.75	2.1161	1.778
28.25	1333.5	632.1	114.75	2.1062	1.778
28.50	1333.6	632.1	114.77	2.0965	1.778
28.75	1333.7	632.2	114.79	2.0870	1.779
29.00	1333.7	632.2	114.81	2.0776	1.779
29.25	1333.8	632.3	114.81	2.0684	1.779
29.50	1333.9	632.4	114.83	2.0593	1.779
29.75	1333.9	632.5	114.85	2.0504	1.779
30.00	1334.1	632.6	114.87	2.0417	1.780
30.25	1334.1	632.6	114.88	2.0331	1.780
30.50	1334.2	632.7	114.89	2.0246	1.780
30.75	1334.3	632.8	114.92	2.0163	1.780
31.00	1334.3	632.8	114.91	2.0081	1.780
31.25	1334.4	633.0	114.93	2.0000	1.781
31.50	1334.4	633.0	114.95	1.9921	1.781
31.75	1334.3	632.9	114.96	1.9843	1.780

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
32.00	1334.6	633.1	114.98	1.9766	1.781
32.25	1334.6	633.1	115.00	1.9690	1.781
32.50	1334.7	633.2	115.00	1.9615	1.781
32.75	1334.8	633.3	115.02	1.9542	1.782
33.00	1334.8	633.4	115.04	1.9470	1.782
33.25	1334.8	633.4	115.05	1.9398	1.782
33.50	1335.0	633.6	115.07	1.9328	1.782
33.75	1335.0	633.6	115.08	1.9259	1.782
34.00	1335.1	633.6	115.07	1.9191	1.782
34.25	1335.2	633.7	115.09	1.9124	1.783
34.50	1335.2	633.7	115.11	1.9058	1.783
34.75	1335.3	633.8	115.12	1.8993	1.783
35.00	1335.4	633.9	115.14	1.8929	1.783
35.25	1335.5	634.0	115.16	1.8865	1.783
35.50	1335.5	634.1	115.17	1.8803	1.784
35.75	1335.5	634.1	115.19	1.8741	1.784
36.00	1335.6	634.1	115.20	1.8681	1.784
36.25	1335.7	634.2	115.19	1.8621	1.784
36.50	1335.8	634.3	115.22	1.8562	1.784
36.75	1335.9	634.4	115.23	1.8503	1.785
37.00	1335.9	634.4	115.25	1.8446	1.785
37.25	1335.9	634.4	115.26	1.8389	1.785
37.50	1336.0	634.6	115.26	1.8333	1.785
37.75	1336.0	634.6	115.29	1.8278	1.785
38.00	1336.0	634.6	115.30	1.8224	1.785
38.25	1336.1	634.6	115.31	1.8170	1.785
38.50	1336.2	634.7	115.32	1.8117	1.785
38.75	1336.2	634.7	115.34	1.8065	1.785
39.00	1336.3	634.8	115.35	1.8013	1.786
39.25	1336.4	634.9	115.37	1.7962	1.786
39.50	1336.4	634.9	115.37	1.7911	1.786
39.75	1336.5	635.1	115.39	1.7862	1.786
40.00	1336.5	635.1	115.40	1.7812	1.786
40.25	1336.5	635.1	115.41	1.7764	1.786
40.50	1336.5	635.1	115.42	1.7716	1.786
40.75	1336.5	635.1	115.43	1.7669	1.786
41.00	1336.7	635.2	115.45	1.7622	1.787
41.25	1336.7	635.2	115.46	1.7576	1.787
41.50	1336.7	635.2	115.47	1.7530	1.787
41.75	1336.6	635.2	115.48	1.7485	1.787
42.00	1336.8	635.3	115.50	1.7440	1.787
42.25	1336.9	635.4	115.50	1.7396	1.787
42.50	1336.9	635.4	115.51	1.7353	1.787
42.75	1336.9	635.4	115.52	1.7310	1.787
43.00	1337.0	635.6	115.53	1.7267	1.788
43.25	1337.0	635.6	115.55	1.7225	1.788
43.50	1337.0	635.6	115.56	1.7184	1.788
43.75	1337.1	635.7	115.58	1.7143	1.788
44.00	1337.1	635.7	115.57	1.7102	1.788
44.25	1337.1	635.7	115.58	1.7062	1.788
44.50	1337.2	635.7	115.60	1.7022	1.788

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
44.75	1337.2	635.7	115.62	1.6983	1.788
45.00	1337.3	635.8	115.62	1.6944	1.788
45.25	1337.4	635.9	115.63	1.6906	1.789
45.50	1337.5	636.0	115.64	1.6868	1.789
45.75	1337.5	636.1	115.65	1.6831	1.789
46.00	1337.4	636.0	115.67	1.6793	1.789
46.25	1337.4	636.0	115.67	1.6757	1.789
46.50	1337.6	636.2	115.69	1.6720	1.789
46.75	1337.6	636.2	115.69	1.6684	1.789
47.00	1337.7	636.2	115.71	1.6649	1.789
47.25	1337.7	636.2	115.72	1.6614	1.789
47.50	1337.8	636.3	115.73	1.6579	1.790
47.75	1337.8	636.3	115.74	1.6545	1.790
48.00	1337.8	636.3	115.75	1.6510	1.790
48.25	1337.9	636.4	115.76	1.6477	1.790
48.50	1337.9	636.4	115.77	1.6443	1.790
48.75	1338.0	636.5	115.78	1.6410	1.790
49.00	1338.0	636.5	115.80	1.6378	1.790
49.25	1338.0	636.6	115.80	1.6345	1.790
49.50	1338.1	636.7	115.81	1.6313	1.791
49.75	1338.1	636.7	115.82	1.6281	1.791
50.00	1338.2	636.7	115.83	1.6250	1.791
50.25	1338.2	636.7	115.84	1.6219	1.791
50.50	1338.2	636.7	115.85	1.6188	1.791
50.75	1338.3	636.8	115.87	1.6158	1.791
51.00	1338.3	636.8	115.87	1.6127	1.791
51.25	1338.3	636.8	115.88	1.6098	1.791
51.50	1338.4	636.9	115.90	1.6068	1.791
51.75	1338.5	637.0	115.90	1.6039	1.791
52.00	1338.5	637.0	115.92	1.6010	1.791
52.25	1338.5	637.0	115.94	1.5981	1.791
52.50	1338.5	637.1	115.93	1.5952	1.792
52.75	1338.5	637.1	115.95	1.5924	1.792
53.00	1338.6	637.2	115.95	1.5896	1.792
53.25	1338.6	637.2	115.95	1.5869	1.792
53.50	1338.7	637.2	115.95	1.5841	1.792
53.75	1338.8	637.3	115.96	1.5814	1.792
54.00	1338.8	637.3	115.97	1.5787	1.792
54.25	1338.8	637.3	115.96	1.5760	1.792
54.50	1338.9	637.4	115.99	1.5734	1.793
54.75	1339.0	637.5	116.00	1.5708	1.793
55.00	1339.0	637.5	116.01	1.5682	1.793
55.25	1339.0	637.5	116.02	1.5656	1.793
55.50	1339.0	637.5	116.02	1.5631	1.793
55.75	1339.0	637.5	116.04	1.5605	1.793
56.00	1339.1	637.7	116.05	1.5580	1.793
56.25	1339.1	637.7	116.06	1.5556	1.793
56.50	1339.1	637.7	116.06	1.5531	1.793
56.75	1339.2	637.8	116.08	1.5507	1.793
57.00	1339.2	637.8	116.08	1.5482	1.793
57.25	1339.2	637.8	116.09	1.5459	1.793

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	57.50	1339.2	637.8	116.10	1.5435	1.793
	57.75	1339.2	637.8	116.11	1.5411	1.793
	58.00	1339.3	637.8	116.12	1.5388	1.794
	58.25	1339.3	637.8	116.12	1.5365	1.794
	58.50	1339.3	637.8	116.13	1.5342	1.794
	58.75	1339.3	637.8	116.14	1.5319	1.794
	59.00	1339.4	637.9	116.15	1.5297	1.794
	59.25	1339.4	637.9	116.16	1.5274	1.794
	59.50	1339.4	637.9	116.16	1.5252	1.794
	59.75	1339.4	637.9	116.17	1.5230	1.794
	60.00	1339.4	637.9	116.18	1.5208	1.794
	60.25	1339.5	638.1	116.19	1.5187	1.794
	60.50	1339.5	638.1	116.20	1.5165	1.794
	60.75	1339.5	638.1	116.21	1.5144	1.794
***** End Shut-in 1	61.00	1339.6	638.2	116.21	1.5123	1.795
***** Start Flow 2	0.00	762.0	0.0	116.21		
	0.25	766.3	4.3	116.23		
	0.50	764.2	2.3	116.23		
	0.75	764.4	2.4	116.24		
	1.00	765.1	3.1	116.25		
	1.25	765.2	3.3	116.26		
	1.50	766.9	5.0	116.26		
	1.75	768.2	6.2	116.27		
	2.00	768.7	6.7	116.27		
	2.25	773.5	11.5	116.28		
	2.50	773.1	11.2	116.28		
	2.75	773.3	11.3	116.29		
	3.00	774.6	12.6	116.31		
	3.25	779.7	17.7	116.34		
	3.50	781.7	19.7	116.38		
	3.75	779.8	17.9	116.44		
	4.00	780.4	18.5	116.51		
	4.25	783.5	21.6	116.59		
	4.50	785.6	23.7	116.69		
	4.75	787.2	25.3	116.80		
	5.00	786.9	24.9	116.91		
	5.25	788.5	26.5	117.03		
	5.50	790.3	28.4	117.14		
	5.75	792.1	30.1	117.24		
	6.00	794.0	32.1	117.37		
	6.25	795.7	33.7	117.48		
	6.50	797.6	35.6	117.59		
	6.75	799.7	37.8	117.70		
	7.00	801.7	39.7	117.82		
	7.25	803.2	41.2	117.93		
	7.50	805.0	43.1	118.06		
	7.75	806.6	44.6	118.18		
	8.00	808.9	46.9	118.33		
	8.25	810.2	48.3	118.47		
	8.50	812.2	50.3	118.63		
	8.75	815.1	53.1	118.79		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
9.00	816.9	55.0	118.95		
9.25	819.0	57.1	119.12		
9.50	820.9	58.9	119.29		
9.75	823.0	61.0	119.46		
10.00	824.7	62.7	119.65		
10.25	826.4	64.5	119.82		
10.50	828.8	66.8	119.99		
10.75	830.9	68.9	120.17		
11.00	832.6	70.7	120.34		
11.25	834.6	72.6	120.52		
11.50	836.2	74.2	120.69		
11.75	838.3	76.3	120.86		
12.00	839.9	78.0	121.02		
12.25	841.7	79.7	121.19		
12.50	843.4	81.4	121.34		
12.75	845.0	83.0	121.50		
13.00	846.7	84.7	121.65		
13.25	848.2	86.3	121.79		
13.50	850.3	88.3	121.94		
13.75	852.0	90.1	122.08		
14.00	853.4	91.4	122.22		
14.25	855.0	93.0	122.34		
14.50	856.6	94.6	122.47		
14.75	858.2	96.2	122.60		
15.00	859.8	97.9	122.71		
15.25	861.6	99.6	122.82		
15.50	863.5	101.6	122.93		
15.75	865.2	103.2	123.03		
16.00	866.8	104.8	123.13		
16.25	868.4	106.4	123.22		
16.50	870.0	108.0	123.32		
16.75	871.7	109.7	123.40		
17.00	873.3	111.3	123.48		
17.25	875.2	113.2	123.57		
17.50	877.0	115.1	123.65		
17.75	878.9	116.9	123.73		
18.00	880.6	118.7	123.80		
18.25	882.4	120.4	123.86		
18.50	884.2	122.2	123.94		
18.75	885.8	123.9	124.01		
19.00	887.6	125.6	124.06		
19.25	889.5	127.5	124.13		
19.50	891.1	129.1	124.19		
19.75	892.5	130.5	124.25		
20.00	894.1	132.1	124.31		
20.25	895.7	133.7	124.36		
20.50	897.2	135.2	124.41		
20.75	898.7	136.7	124.46		
21.00	900.1	138.1	124.51		
21.25	901.9	139.9	124.56		
21.50	904.5	142.5	124.60		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
21.75	903.6	141.6	124.65		
22.00	905.0	143.0	124.68		
22.25	906.4	144.4	124.72		
22.50	907.9	146.0	124.75		
22.75	909.3	147.4	124.79		
23.00	910.9	148.9	124.83		
23.25	912.4	150.4	124.86		
23.50	914.0	152.1	124.91		
23.75	915.6	153.6	124.93		
24.00	917.0	155.0	124.96		
24.25	918.5	156.5	124.99		
24.50	920.0	158.0	125.02		
24.75	921.4	159.5	125.04		
25.00	922.8	160.8	125.07		
25.25	924.2	162.2	125.09		
25.50	925.8	163.8	125.12		
25.75	927.4	165.4	125.14		
26.00	928.8	166.8	125.17		
26.25	930.3	168.4	125.19		
26.50	931.8	169.8	125.21		
26.75	933.1	171.1	125.24		
27.00	934.4	172.5	125.25		
27.25	935.9	173.9	125.28		
27.50	937.2	175.2	125.30		
27.75	938.9	176.9	125.32		
28.00	940.3	178.3	125.32		
28.25	941.7	179.8	125.34		
28.50	943.3	181.3	125.36		
28.75	944.5	182.5	125.37		
29.00	945.9	184.0	125.38		
29.25	947.4	185.4	125.39		
29.50	948.9	186.9	125.40		
29.75	950.3	188.3	125.42		
30.00	951.9	189.9	125.44		
30.25	953.2	191.3	125.43		
30.50	954.6	192.6	125.44		
30.75	955.9	194.0	125.45		
31.00	957.1	195.1	125.46		
31.25	958.5	196.6	125.46		
31.50	959.7	197.7	125.47		
31.75	961.1	199.2	125.47		
32.00	962.3	200.3	125.48		
32.25	963.8	201.8	125.49		
32.50	965.4	203.4	125.49		
32.75	966.8	204.8	125.49		
33.00	968.3	206.3	125.50		
33.25	969.6	207.6	125.51		
33.50	971.1	209.1	125.50		
33.75	972.5	210.6	125.52		
34.00	973.9	211.9	125.52		
34.25	975.3	213.3	125.52		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
34.50	977.0	215.0	125.52		
34.75	978.3	216.3	125.53		
35.00	979.6	217.6	125.54		
35.25	980.9	219.0	125.54		
35.50	982.2	220.2	125.55		
35.75	983.5	221.6	125.55		
36.00	984.7	222.7	125.56		
36.25	986.1	224.1	125.56		
36.50	987.2	225.3	125.56		
36.75	988.5	226.5	125.57		
37.00	989.8	227.8	125.57		
37.25	991.3	229.4	125.57		
37.50	992.6	230.6	125.58		
37.75	993.8	231.8	125.58		
38.00	995.1	233.2	125.55		
38.25	996.2	234.2	125.58		
38.50	997.4	235.4	125.58		
38.75	998.6	236.7	125.58		
39.00	999.9	237.9	125.58		
39.25	1001.2	239.2	125.59		
39.50	1002.3	240.3	125.57		
39.75	1003.8	241.8	125.57		
40.00	1005.1	243.1	125.57		
40.25	1006.3	244.3	125.58		
40.50	1007.5	245.5	125.57		
40.75	1008.6	246.7	125.57		
41.00	1009.8	247.8	125.55		
41.25	1010.9	248.9	125.57		
41.50	1012.1	250.1	125.56		
41.75	1013.3	251.3	125.55		
42.00	1014.3	252.4	125.55		
42.25	1015.4	253.5	125.55		
42.50	1016.9	255.0	125.55		
42.75	1018.1	256.1	125.54		
43.00	1019.3	257.3	125.55		
43.25	1020.4	258.4	125.55		
43.50	1021.6	259.7	125.55		
43.75	1022.7	260.8	125.55		
44.00	1023.9	261.9	125.55		
44.25	1024.9	262.9	125.54		
44.50	1026.1	264.1	125.55		
44.75	1027.4	265.4	125.55		
45.00	1028.4	266.4	125.55		
45.25	1029.6	267.6	125.55		
45.50	1031.1	269.2	125.55		
45.75	1032.3	270.3	125.55		
46.00	1033.4	271.4	125.54		
46.25	1034.7	272.7	125.55		
46.50	1035.7	273.8	125.54		
46.75	1036.9	274.9	125.54		
47.00	1038.1	276.1	125.54		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97 TIME: 07:41:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	47.25	1039.3	277.3	125.55		
	47.50	1040.4	278.4	125.54		
	47.75	1041.5	279.6	125.54		
	48.00	1042.7	280.7	125.53		
	48.25	1044.1	282.1	125.53		
	48.50	1045.1	283.1	125.52		
	48.75	1046.2	284.2	125.53		
	49.00	1047.2	285.2	125.52		
	49.25	1048.3	286.4	125.52		
	49.50	1049.3	287.4	125.52		
	49.75	1050.3	288.4	125.51		
	50.00	1051.4	289.5	125.50		
	50.25	1052.4	290.5	125.50		
	50.50	1053.5	291.6	125.50		
	50.75	1054.5	292.6	125.50		
	51.00	1055.5	293.5	125.49		
	51.25	1056.6	294.7	125.49		
	51.50	1057.9	295.9	125.49		
	51.75	1058.8	296.9	125.49		
	52.00	1060.0	298.0	125.48		
	52.25	1061.0	299.0	125.48		
	52.50	1061.9	300.0	125.47		
	52.75	1063.0	301.0	125.48		
	53.00	1063.9	302.0	125.47		
	53.25	1065.0	303.1	125.46		
	53.50	1066.0	304.1	125.47		
	53.75	1067.0	305.1	125.46		
	54.00	1068.1	306.1	125.45		
	54.25	1068.9	306.9	125.44		
	54.50	1070.2	308.2	125.44		
	54.75	1071.3	309.4	125.44		
	55.00	1072.2	310.2	125.44		
	55.25	1073.3	311.3	125.43		
	55.50	1074.3	312.3	125.43		
	55.75	1075.3	313.3	125.43		
	56.00	1076.2	314.2	125.42		
	56.25	1077.0	315.1	125.42		
	56.50	1078.0	316.0	125.42		
	56.75	1079.0	317.0	125.41		
	57.00	1079.8	317.8	125.41		
	57.25	1080.7	318.8	125.40		
	57.50	1081.7	319.7	125.40		
	57.75	1082.6	320.6	125.40		
	58.00	1083.6	321.6	125.40		
	58.25	1084.8	322.8	125.40		
	58.50	1085.8	323.8	125.40		
	58.75	1086.7	324.7	125.40		
	59.00	1087.6	325.6	125.35		
*****	End Flow 2	59.25	1087.9	325.9	125.36	
*****	Start Shutin 2	0.00	1087.9	0.0	125.36	0.0000 1.183
		0.25	1231.5	143.6	125.38	363.0000 1.517

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
0.50	1272.9	185.1	125.38	182.0000	1.620
0.75	1285.4	197.6	125.38	121.6667	1.652
1.00	1291.1	203.2	125.38	91.5000	1.667
1.25	1294.4	206.5	125.38	73.4000	1.675
1.50	1296.8	209.0	125.37	61.3333	1.682
1.75	1298.5	210.7	125.37	52.7143	1.686
2.00	1299.9	212.1	125.37	46.2500	1.690
2.25	1301.0	213.2	125.39	41.2222	1.693
2.50	1302.0	214.2	125.38	37.2000	1.695
2.75	1302.8	214.9	125.39	33.9091	1.697
3.00	1303.6	215.7	125.39	31.1667	1.699
3.25	1304.2	216.4	125.39	28.8462	1.701
3.50	1304.9	217.0	125.39	26.8571	1.703
3.75	1305.4	217.5	125.39	25.1333	1.704
4.00	1305.8	218.0	125.39	23.6250	1.705
4.25	1306.3	218.5	125.39	22.2941	1.706
4.50	1306.7	218.9	125.39	21.1111	1.708
4.75	1307.2	219.3	125.38	20.0526	1.709
5.00	1307.5	219.6	125.38	19.1000	1.710
5.25	1307.8	220.0	125.37	18.2381	1.710
5.50	1308.2	220.3	125.37	17.4545	1.711
5.75	1308.5	220.6	125.37	16.7391	1.712
6.00	1308.8	221.0	125.35	16.0833	1.713
6.25	1309.1	221.2	125.35	15.4800	1.714
6.50	1309.3	221.5	125.34	14.9231	1.714
6.75	1309.7	221.8	125.34	14.4074	1.715
7.00	1309.9	222.1	125.33	13.9286	1.716
7.25	1310.1	222.2	125.31	13.4828	1.716
7.50	1310.4	222.5	125.31	13.0667	1.717
7.75	1310.5	222.7	125.30	12.6774	1.717
8.00	1310.8	222.9	125.28	12.3125	1.718
8.25	1310.9	223.1	125.28	11.9697	1.719
8.50	1311.1	223.2	125.27	11.6471	1.719
8.75	1311.3	223.4	125.26	11.3429	1.719
9.00	1311.4	223.6	125.24	11.0556	1.720
9.25	1311.7	223.8	125.23	10.7838	1.721
9.50	1311.9	224.0	125.21	10.5263	1.721
9.75	1312.0	224.1	125.20	10.2821	1.721
10.00	1312.2	224.3	125.18	10.0500	1.722
10.25	1312.4	224.5	125.18	9.8293	1.722
10.50	1312.5	224.7	125.17	9.6190	1.723
10.75	1312.7	224.8	125.16	9.4186	1.723
11.00	1312.8	224.9	125.15	9.2273	1.723
11.25	1312.9	225.0	125.14	9.0444	1.724
11.50	1313.1	225.3	125.13	8.8696	1.724
11.75	1313.1	225.3	125.12	8.7021	1.724
12.00	1313.4	225.5	125.10	8.5417	1.725
12.25	1313.5	225.7	125.09	8.3878	1.725
12.50	1313.7	225.8	125.08	8.2400	1.726
12.75	1313.8	225.9	125.07	8.0980	1.726
13.00	1313.9	226.0	125.06	7.9615	1.726

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P^2/10^6
13.25	1314.0	226.2	125.05	7.8302	1.727
13.50	1314.1	226.3	125.04	7.7037	1.727
13.75	1314.3	226.4	125.03	7.5818	1.727
14.00	1314.5	226.6	125.00	7.4643	1.728
14.25	1314.6	226.7	124.99	7.3509	1.728
14.50	1314.6	226.8	124.98	7.2414	1.728
14.75	1314.7	226.9	124.96	7.1356	1.728
15.00	1314.9	227.0	124.94	7.0333	1.729
15.25	1315.0	227.1	124.92	6.9344	1.729
15.50	1315.1	227.2	124.91	6.8387	1.729
15.75	1315.1	227.3	124.88	6.7460	1.730
16.00	1315.2	227.4	124.87	6.6562	1.730
16.25	1315.2	227.4	124.87	6.5692	1.730
16.50	1315.4	227.5	124.86	6.4848	1.730
16.75	1315.6	227.7	124.84	6.4030	1.731
17.00	1315.7	227.9	124.83	6.3235	1.731
17.25	1315.8	227.9	124.82	6.2464	1.731
17.50	1315.9	228.0	124.81	6.1714	1.732
17.75	1316.0	228.1	124.79	6.0986	1.732
18.00	1316.1	228.3	124.78	6.0278	1.732
18.25	1316.1	228.3	124.77	5.9589	1.732
18.50	1316.2	228.4	124.75	5.8919	1.732
18.75	1316.3	228.5	124.74	5.8267	1.733
19.00	1316.4	228.5	124.73	5.7632	1.733
19.25	1316.6	228.7	124.72	5.7013	1.733
19.50	1316.6	228.8	124.71	5.6410	1.734
19.75	1316.6	228.8	124.69	5.5823	1.734
20.00	1316.6	228.8	124.68	5.5250	1.734
20.25	1316.8	229.0	124.67	5.4691	1.734
20.50	1316.9	229.0	124.66	5.4146	1.734
20.75	1317.0	229.1	124.65	5.3614	1.734
21.00	1317.1	229.2	124.63	5.3095	1.735
21.25	1317.2	229.3	124.62	5.2588	1.735
21.50	1317.2	229.4	124.61	5.2093	1.735
21.75	1317.3	229.5	124.60	5.1609	1.735
22.00	1317.4	229.5	124.59	5.1136	1.736
22.25	1317.4	229.5	124.57	5.0674	1.736
22.50	1317.6	229.7	124.56	5.0222	1.736
22.75	1317.6	229.7	124.55	4.9780	1.736
23.00	1317.6	229.8	124.54	4.9348	1.736
23.25	1317.7	229.9	124.53	4.8925	1.736
23.50	1317.8	230.0	124.52	4.8511	1.737
23.75	1317.9	230.0	124.51	4.8105	1.737
24.00	1318.0	230.1	124.50	4.7708	1.737
24.25	1318.1	230.2	124.48	4.7320	1.737
24.50	1318.2	230.3	124.48	4.6939	1.738
24.75	1318.2	230.3	124.47	4.6566	1.738
25.00	1318.2	230.3	124.46	4.6200	1.738
25.25	1318.2	230.4	124.44	4.5842	1.738
25.50	1318.3	230.5	124.43	4.5490	1.738
25.75	1318.4	230.5	124.42	4.5146	1.738

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
26.00	1318.5	230.6	124.41	4.4808	1.738
26.25	1318.6	230.7	124.39	4.4476	1.739
26.50	1318.6	230.7	124.38	4.4151	1.739
26.75	1318.7	230.8	124.37	4.3832	1.739
27.00	1318.7	230.9	124.36	4.3519	1.739
27.25	1318.8	231.0	124.35	4.3211	1.739
27.50	1319.0	231.1	124.34	4.2909	1.740
27.75	1319.0	231.1	124.33	4.2613	1.740
28.00	1318.9	231.0	124.32	4.2321	1.740
28.25	1319.1	231.2	124.31	4.2035	1.740
28.50	1319.2	231.3	124.30	4.1754	1.740
28.75	1319.2	231.3	124.29	4.1478	1.740
29.00	1319.2	231.4	124.29	4.1207	1.740
29.25	1319.2	231.3	124.27	4.0940	1.740
29.50	1319.2	231.3	124.26	4.0678	1.740
29.75	1319.3	231.5	124.26	4.0420	1.741
30.00	1319.4	231.5	124.24	4.0167	1.741
30.25	1319.4	231.5	124.24	3.9917	1.741
30.50	1319.6	231.7	124.22	3.9672	1.741
30.75	1319.6	231.7	124.22	3.9431	1.741
31.00	1319.7	231.8	124.20	3.9194	1.742
31.25	1319.7	231.8	124.19	3.8960	1.742
31.50	1319.8	231.9	124.18	3.8730	1.742
31.75	1319.8	232.0	124.17	3.8504	1.742
32.00	1319.9	232.1	124.17	3.8281	1.742
32.25	1319.9	232.1	124.16	3.8062	1.742
32.50	1320.0	232.1	124.15	3.7846	1.742
32.75	1320.2	232.3	124.13	3.7634	1.743
33.00	1320.2	232.3	124.11	3.7424	1.743
33.25	1320.2	232.3	124.10	3.7218	1.743
33.50	1320.2	232.3	124.11	3.7015	1.743
33.75	1320.2	232.3	124.10	3.6815	1.743
34.00	1320.3	232.4	124.08	3.6618	1.743
34.25	1320.3	232.5	124.08	3.6423	1.743
34.50	1320.4	232.6	124.06	3.6232	1.744
34.75	1320.5	232.6	124.06	3.6043	1.744
35.00	1320.6	232.7	124.03	3.5857	1.744
35.25	1320.6	232.7	124.03	3.5674	1.744
35.50	1320.6	232.7	124.02	3.5493	1.744
35.75	1320.6	232.7	124.01	3.5315	1.744
36.00	1320.6	232.7	124.00	3.5139	1.744
36.25	1320.8	232.9	124.00	3.4966	1.744
36.50	1320.8	232.9	123.98	3.4795	1.744
36.75	1320.8	233.0	123.97	3.4626	1.745
37.00	1320.8	233.0	123.98	3.4459	1.745
37.25	1321.0	233.1	123.96	3.4295	1.745
37.50	1321.0	233.1	123.96	3.4133	1.745
37.75	1320.9	233.1	123.95	3.3974	1.745
38.00	1321.1	233.2	123.93	3.3816	1.745
38.25	1321.2	233.3	123.93	3.3660	1.745
38.50	1321.2	233.3	123.91	3.3506	1.745

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
38.75	1321.2	233.3	123.91	3.3355	1.745
39.00	1321.3	233.4	123.91	3.3205	1.746
39.25	1321.3	233.4	123.89	3.3057	1.746
39.50	1321.3	233.4	123.89	3.2911	1.746
39.75	1321.3	233.5	123.88	3.2767	1.746
40.00	1321.4	233.6	123.87	3.2625	1.746
40.25	1321.4	233.6	123.86	3.2484	1.746
40.50	1321.5	233.6	123.85	3.2346	1.746
40.75	1321.6	233.7	123.84	3.2209	1.747
41.00	1321.7	233.8	123.84	3.2073	1.747
41.25	1321.7	233.8	123.83	3.1939	1.747
41.50	1321.7	233.8	123.82	3.1807	1.747
41.75	1321.8	233.9	123.82	3.1677	1.747
42.00	1321.8	234.0	123.80	3.1548	1.747
42.25	1321.8	234.0	123.79	3.1420	1.747
42.50	1321.9	234.1	123.79	3.1294	1.747
42.75	1321.9	234.1	123.78	3.1170	1.747
43.00	1322.0	234.1	123.78	3.1047	1.748
43.25	1322.0	234.1	123.77	3.0925	1.748
43.50	1322.0	234.1	123.76	3.0805	1.748
43.75	1322.2	234.3	123.75	3.0686	1.748
44.00	1322.2	234.3	123.74	3.0568	1.748
44.25	1322.1	234.2	123.73	3.0452	1.748
44.50	1322.3	234.4	123.73	3.0337	1.748
44.75	1322.3	234.4	123.72	3.0223	1.748
45.00	1322.2	234.3	123.71	3.0111	1.748
45.25	1322.3	234.5	123.71	3.0000	1.749
45.50	1322.3	234.5	123.69	2.9890	1.749
45.75	1322.4	234.6	123.69	2.9781	1.749
46.00	1322.5	234.7	123.68	2.9674	1.749
46.25	1322.5	234.7	123.68	2.9568	1.749
46.50	1322.5	234.7	123.66	2.9462	1.749
46.75	1322.6	234.7	123.66	2.9358	1.749
47.00	1322.6	234.7	123.65	2.9255	1.749
47.25	1322.8	234.9	123.64	2.9153	1.750
47.50	1322.8	234.9	123.63	2.9053	1.750
47.75	1322.8	234.9	123.62	2.8953	1.750
48.00	1322.8	234.9	123.61	2.8854	1.750
48.25	1322.8	234.9	123.61	2.8756	1.750
48.50	1322.9	235.0	123.60	2.8660	1.750
48.75	1322.9	235.0	123.59	2.8564	1.750
49.00	1322.9	235.1	123.58	2.8469	1.750
49.25	1322.9	235.1	123.57	2.8376	1.750
49.50	1323.1	235.2	123.58	2.8283	1.751
49.75	1323.1	235.2	123.56	2.8191	1.751
50.00	1323.1	235.2	123.56	2.8100	1.751
50.25	1323.1	235.2	123.54	2.8010	1.751
50.50	1323.1	235.2	123.54	2.7921	1.751
50.75	1323.2	235.3	123.54	2.7833	1.751
51.00	1323.2	235.3	123.52	2.7745	1.751
51.25	1323.2	235.3	123.52	2.7659	1.751

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
51.50	1323.2	235.3	123.51	2.7573	1.751
51.75	1323.3	235.4	123.50	2.7488	1.751
52.00	1323.3	235.4	123.49	2.7404	1.751
52.25	1323.4	235.5	123.48	2.7321	1.751
52.50	1323.4	235.6	123.48	2.7238	1.751
52.75	1323.4	235.6	123.47	2.7156	1.751
53.00	1323.4	235.6	123.46	2.7075	1.751
53.25	1323.5	235.7	123.45	2.6995	1.752
53.50	1323.5	235.7	123.45	2.6916	1.752
53.75	1323.6	235.7	123.44	2.6837	1.752
54.00	1323.6	235.7	123.43	2.6759	1.752
54.25	1323.6	235.7	123.43	2.6682	1.752
54.50	1323.7	235.8	123.43	2.6606	1.752
54.75	1323.8	235.9	123.43	2.6530	1.752
55.00	1323.9	236.0	123.40	2.6455	1.753
55.25	1323.9	236.0	123.40	2.6380	1.753
55.50	1323.9	236.0	123.40	2.6306	1.753
55.75	1323.8	235.9	123.39	2.6233	1.752
56.00	1323.9	236.1	123.38	2.6161	1.753
56.25	1324.0	236.2	123.37	2.6089	1.753
56.50	1324.0	236.2	123.37	2.6018	1.753
56.75	1324.0	236.2	123.37	2.5947	1.753
57.00	1324.1	236.2	123.35	2.5877	1.753
57.25	1324.1	236.2	123.35	2.5808	1.753
57.50	1324.1	236.2	123.34	2.5739	1.753
57.75	1324.1	236.2	123.34	2.5671	1.753
58.00	1324.2	236.3	123.32	2.5603	1.753
58.25	1324.2	236.3	123.31	2.5536	1.753
58.50	1324.3	236.4	123.31	2.5470	1.754
58.75	1324.3	236.4	123.31	2.5404	1.754
59.00	1324.3	236.4	123.31	2.5339	1.754
59.25	1324.3	236.4	123.28	2.5274	1.754
59.50	1324.4	236.6	123.29	2.5210	1.754
59.75	1324.4	236.6	123.28	2.5146	1.754
60.00	1324.5	236.7	123.26	2.5083	1.754
60.25	1324.5	236.7	123.26	2.5021	1.754
60.50	1324.5	236.7	123.26	2.4959	1.754
60.75	1324.6	236.7	123.25	2.4897	1.755
61.00	1324.6	236.7	123.23	2.4836	1.755
61.25	1324.7	236.8	123.24	2.4776	1.755
61.50	1324.7	236.8	123.23	2.4715	1.755
61.75	1324.8	236.9	123.21	2.4656	1.755
62.00	1324.8	236.9	123.22	2.4597	1.755
62.25	1324.8	236.9	123.22	2.4538	1.755
62.50	1324.8	236.9	123.21	2.4480	1.755
62.75	1324.8	236.9	123.20	2.4422	1.755
63.00	1324.8	236.9	123.18	2.4365	1.755
63.25	1324.9	237.0	123.18	2.4308	1.755
63.50	1324.9	237.0	123.18	2.4252	1.755
63.75	1324.9	237.0	123.17	2.4196	1.755
64.00	1324.9	237.1	123.16	2.4141	1.755

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
64.25	1324.9	237.1	123.16	2.4086	1.755
64.50	1324.9	237.1	123.15	2.4031	1.755
64.75	1325.0	237.2	123.15	2.3977	1.756
65.00	1325.0	237.2	123.14	2.3923	1.756
65.25	1325.0	237.2	123.14	2.3870	1.756
65.50	1325.1	237.3	123.12	2.3817	1.756
65.75	1325.2	237.3	123.12	2.3764	1.756
66.00	1325.2	237.3	123.11	2.3712	1.756
66.25	1325.2	237.3	123.11	2.3660	1.756
66.50	1325.3	237.4	123.11	2.3609	1.756
66.75	1325.4	237.5	123.10	2.3558	1.757
67.00	1325.4	237.5	123.09	2.3507	1.757
67.25	1325.4	237.5	123.09	2.3457	1.757
67.50	1325.5	237.6	123.08	2.3407	1.757
67.75	1325.5	237.6	123.07	2.3358	1.757
68.00	1325.5	237.6	123.07	2.3309	1.757
68.25	1325.5	237.7	123.06	2.3260	1.757
68.50	1325.5	237.7	123.06	2.3212	1.757
68.75	1325.6	237.8	123.04	2.3164	1.757
69.00	1325.6	237.8	123.04	2.3116	1.757
69.25	1325.7	237.8	123.04	2.3069	1.757
69.50	1325.7	237.8	123.03	2.3022	1.757
69.75	1325.7	237.8	123.03	2.2975	1.757
70.00	1325.7	237.8	123.02	2.2929	1.757
70.25	1325.7	237.8	123.01	2.2883	1.757
70.50	1325.7	237.8	123.01	2.2837	1.757
70.75	1325.7	237.8	123.00	2.2792	1.757
71.00	1325.8	237.9	123.00	2.2746	1.758
71.25	1325.8	237.9	122.99	2.2702	1.758
71.50	1325.9	238.0	122.98	2.2657	1.758
71.75	1325.9	238.0	122.99	2.2613	1.758
72.00	1325.9	238.0	122.98	2.2569	1.758
72.25	1326.0	238.2	122.97	2.2526	1.758
72.50	1326.0	238.2	122.97	2.2483	1.758
72.75	1326.0	238.2	122.95	2.2440	1.758
73.00	1326.0	238.2	122.95	2.2397	1.758
73.25	1326.0	238.2	122.95	2.2355	1.758
73.50	1326.2	238.3	122.94	2.2313	1.759
73.75	1326.2	238.3	122.94	2.2271	1.759
74.00	1326.2	238.3	122.93	2.2230	1.759
74.25	1326.2	238.3	122.93	2.2189	1.759
74.50	1326.2	238.3	122.92	2.2148	1.759
74.75	1326.2	238.3	122.91	2.2107	1.759
75.00	1326.2	238.3	122.91	2.2067	1.759
75.25	1326.3	238.4	122.90	2.2027	1.759
75.50	1326.3	238.4	122.90	2.1987	1.759
75.75	1326.4	238.5	122.89	2.1947	1.759
76.00	1326.4	238.5	122.88	2.1908	1.759
76.25	1326.4	238.5	122.89	2.1869	1.759
76.50	1326.5	238.6	122.88	2.1830	1.759
76.75	1326.5	238.6	122.87	2.1792	1.759

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
77.00	1326.5	238.6	122.87	2.1753	1.759
77.25	1326.5	238.7	122.86	2.1715	1.760
77.50	1326.6	238.8	122.86	2.1677	1.760
77.75	1326.6	238.8	122.85	2.1640	1.760
78.00	1326.6	238.8	122.85	2.1603	1.760
78.25	1326.6	238.8	122.84	2.1565	1.760
78.50	1326.6	238.8	122.84	2.1529	1.760
78.75	1326.7	238.8	122.83	2.1492	1.760
79.00	1326.7	238.8	122.82	2.1456	1.760
79.25	1326.7	238.8	122.82	2.1420	1.760
79.50	1326.6	238.8	122.81	2.1384	1.760
79.75	1326.8	238.9	122.81	2.1348	1.760
80.00	1326.8	238.9	122.81	2.1313	1.760
80.25	1326.8	238.9	122.80	2.1277	1.760
80.50	1326.9	239.0	122.79	2.1242	1.761
80.75	1326.9	239.0	122.79	2.1207	1.761
81.00	1327.0	239.1	122.79	2.1173	1.761
81.25	1327.0	239.1	122.78	2.1138	1.761
81.50	1327.0	239.1	122.77	2.1104	1.761
81.75	1327.0	239.1	122.77	2.1070	1.761
82.00	1327.0	239.1	122.77	2.1037	1.761
82.25	1327.0	239.1	122.76	2.1003	1.761
82.50	1327.0	239.2	122.76	2.0970	1.761
82.75	1327.0	239.2	122.75	2.0937	1.761
83.00	1327.1	239.3	122.75	2.0904	1.761
83.25	1327.1	239.3	122.75	2.0871	1.761
83.50	1327.2	239.4	122.74	2.0838	1.761
83.75	1327.2	239.4	122.74	2.0806	1.761
84.00	1327.2	239.4	122.73	2.0774	1.761
84.25	1327.3	239.4	122.72	2.0742	1.762
84.50	1327.3	239.4	122.72	2.0710	1.762
84.75	1327.3	239.4	122.71	2.0678	1.762
85.00	1327.3	239.4	122.71	2.0647	1.762
85.25	1327.3	239.4	122.70	2.0616	1.762
85.50	1327.3	239.4	122.70	2.0585	1.762
85.75	1327.5	239.6	122.70	2.0554	1.762
86.00	1327.5	239.6	122.69	2.0523	1.762
86.25	1327.5	239.6	122.68	2.0493	1.762
86.50	1327.5	239.6	122.68	2.0462	1.762
86.75	1327.5	239.6	122.68	2.0432	1.762
87.00	1327.5	239.6	122.68	2.0402	1.762
87.25	1327.5	239.7	122.67	2.0372	1.762
87.50	1327.5	239.7	122.66	2.0343	1.762
87.75	1327.5	239.7	122.65	2.0313	1.762
88.00	1327.5	239.7	122.66	2.0284	1.762
88.25	1327.6	239.8	122.65	2.0255	1.763
88.50	1327.6	239.8	122.65	2.0226	1.763
88.75	1327.7	239.9	122.64	2.0197	1.763
89.00	1327.7	239.9	122.63	2.0169	1.763
89.25	1327.8	239.9	122.63	2.0140	1.763
89.50	1327.8	239.9	122.63	2.0112	1.763

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
89.75	1327.7	239.9	122.61	2.0084	1.763
90.00	1327.9	240.0	122.61	2.0056	1.763
90.25	1327.9	240.0	122.61	2.0028	1.763
90.50	1327.9	240.0	122.60	2.0000	1.763
90.75	1327.9	240.0	122.61	1.9972	1.763
91.00	1328.0	240.1	122.59	1.9945	1.764
91.25	1328.0	240.1	122.58	1.9918	1.764
91.50	1328.0	240.1	122.58	1.9891	1.764
91.75	1328.0	240.1	122.58	1.9864	1.764
92.00	1328.1	240.2	122.58	1.9837	1.764
92.25	1328.1	240.2	122.57	1.9810	1.764
92.50	1328.1	240.3	122.56	1.9784	1.764
92.75	1328.1	240.3	122.56	1.9757	1.764
93.00	1328.2	240.4	122.55	1.9731	1.764
93.25	1328.2	240.4	122.54	1.9705	1.764
93.50	1328.1	240.3	122.53	1.9679	1.764
93.75	1328.1	240.3	122.54	1.9653	1.764
94.00	1328.1	240.3	122.54	1.9628	1.764
94.25	1328.1	240.3	122.55	1.9602	1.764
94.50	1328.1	240.3	122.53	1.9577	1.764
94.75	1328.3	240.4	122.53	1.9551	1.764
95.00	1328.3	240.4	122.53	1.9526	1.764
95.25	1328.3	240.4	122.51	1.9501	1.764
95.50	1328.2	240.4	122.51	1.9476	1.764
95.75	1328.4	240.5	122.52	1.9452	1.765
96.00	1328.4	240.5	122.50	1.9427	1.765
96.25	1328.4	240.5	122.50	1.9403	1.765
96.50	1328.4	240.5	122.50	1.9378	1.765
96.75	1328.5	240.6	122.49	1.9354	1.765
97.00	1328.5	240.6	122.49	1.9330	1.765
97.25	1328.6	240.7	122.49	1.9306	1.765
97.50	1328.6	240.7	122.49	1.9282	1.765
97.75	1328.6	240.7	122.48	1.9258	1.765
98.00	1328.6	240.8	122.48	1.9235	1.765
98.25	1328.6	240.8	122.48	1.9211	1.765
98.50	1328.6	240.8	122.46	1.9188	1.765
98.75	1328.7	240.9	122.47	1.9165	1.766
99.00	1328.7	240.9	122.46	1.9141	1.766
99.25	1328.7	240.9	122.46	1.9118	1.766
99.50	1328.7	240.9	122.46	1.9095	1.766
99.75	1328.7	240.9	122.46	1.9073	1.766
100.00	1328.8	240.9	122.45	1.9050	1.766
100.25	1328.8	240.9	122.44	1.9027	1.766
100.50	1328.8	240.9	122.43	1.9005	1.766
100.75	1328.8	240.9	122.44	1.8983	1.766
101.00	1328.9	241.0	122.43	1.8960	1.766
101.25	1328.9	241.0	122.43	1.8938	1.766
101.50	1328.9	241.0	122.43	1.8916	1.766
101.75	1329.0	241.1	122.42	1.8894	1.766
102.00	1329.0	241.1	122.42	1.8873	1.766
102.25	1329.0	241.1	122.42	1.8851	1.766

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
102.50	1329.0	241.1	122.41	1.8829	1.766
102.75	1329.1	241.2	122.40	1.8808	1.766
103.00	1329.1	241.2	122.40	1.8786	1.766
103.25	1329.1	241.3	122.40	1.8765	1.767
103.50	1329.1	241.3	122.39	1.8744	1.767
103.75	1329.1	241.3	122.39	1.8723	1.767
104.00	1329.1	241.3	122.39	1.8702	1.767
104.25	1329.2	241.4	122.38	1.8681	1.767
104.50	1329.2	241.4	122.39	1.8660	1.767
104.75	1329.2	241.4	122.38	1.8640	1.767
105.00	1329.3	241.4	122.37	1.8619	1.767
105.25	1329.3	241.4	122.38	1.8599	1.767
105.50	1329.3	241.4	122.37	1.8578	1.767
105.75	1329.3	241.4	122.37	1.8558	1.767
106.00	1329.3	241.4	122.36	1.8538	1.767
106.25	1329.3	241.4	122.36	1.8518	1.767
106.50	1329.4	241.5	122.35	1.8498	1.767
106.75	1329.4	241.5	122.35	1.8478	1.767
107.00	1329.4	241.5	122.35	1.8458	1.767
107.25	1329.5	241.6	122.35	1.8438	1.768
107.50	1329.6	241.7	122.34	1.8419	1.768
107.75	1329.6	241.7	122.34	1.8399	1.768
108.00	1329.5	241.6	122.34	1.8380	1.768
108.25	1329.6	241.8	122.34	1.8360	1.768
108.50	1329.6	241.8	122.33	1.8341	1.768
108.75	1329.6	241.8	122.32	1.8322	1.768
109.00	1329.6	241.7	122.32	1.8303	1.768
109.25	1329.6	241.7	122.32	1.8284	1.768
109.50	1329.7	241.9	122.31	1.8265	1.768
109.75	1329.7	241.9	122.31	1.8246	1.768
110.00	1329.7	241.9	122.31	1.8227	1.768
110.25	1329.7	241.9	122.30	1.8209	1.768
110.50	1329.7	241.9	122.31	1.8190	1.768
110.75	1329.7	241.9	122.31	1.8172	1.768
111.00	1329.8	242.0	122.30	1.8153	1.768
111.25	1329.8	242.0	122.30	1.8135	1.768
111.50	1329.8	242.0	122.30	1.8117	1.768
111.75	1329.9	242.0	122.29	1.8098	1.769
112.00	1329.9	242.0	122.29	1.8080	1.769
112.25	1329.9	242.0	122.29	1.8062	1.769
112.50	1329.9	242.0	122.28	1.8044	1.769
112.75	1329.9	242.0	122.28	1.8027	1.769
113.00	1330.0	242.1	122.27	1.8009	1.769
113.25	1330.0	242.1	122.27	1.7991	1.769
113.50	1330.0	242.1	122.27	1.7974	1.769
113.75	1330.0	242.1	122.26	1.7956	1.769
114.00	1330.1	242.2	122.26	1.7939	1.769
114.25	1330.1	242.2	122.26	1.7921	1.769
114.50	1330.1	242.2	122.25	1.7904	1.769
114.75	1330.1	242.2	122.25	1.7887	1.769
115.00	1330.1	242.2	122.24	1.7870	1.769

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

DATE: 07/24/97

TIME: 07:41:54

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
	115.25	1330.1	242.2	122.24	1.7852	1.769
	115.50	1330.1	242.2	122.24	1.7835	1.769
	115.75	1330.2	242.3	122.23	1.7819	1.769
	116.00	1330.2	242.3	122.23	1.7802	1.769
	116.25	1330.2	242.3	122.22	1.7785	1.769
	116.50	1330.3	242.5	122.22	1.7768	1.770
	116.75	1330.3	242.5	122.22	1.7752	1.770
	117.00	1330.3	242.5	122.21	1.7735	1.770
	117.25	1330.2	242.4	122.21	1.7719	1.770
	117.50	1330.4	242.6	122.21	1.7702	1.770
***** End Shut-in 2	117.75	1330.3	242.5	122.20	1.7686	1.770
***** Final Hydro.	398.75	2177.8	0.0	122.20		

TEST HISTORY

9850 DST#2 Bennett "B" #6 Anadarko Pet. Corp.

Flag Points

t(Min.) P(PSig)

A: 0.00 2330.08
 B: 0.00 156.60
 C: 31.25 701.46
 D: 61.00 1339.63
 E: 0.00 761.97
 F: 59.25 1087.86
 G: 117.75 1330.33
 Q: 0.00 2177.75





CHART PAGE



This is a photocopy of the actual AK-1 recorder chart

TRILOBITE TESTING L.L.C.

P.O. Box 362 - Hays, Kansas 67601

FLUID SAMPLER DATA

Ticket No. 9850 Date 7-24-97
Company Name Anadarko
Lease Bennett "B" #6 Test No. PST #2
County MORTON Sec. 36 Twp. 34S Rng. 42W

SAMPLER RECOVERY

Gas _____ ML
Oil _____ ML
Mud _____ ML
Water 4,000 ML
Other _____ ML
Pressure 4,000 PSI
Total 4000 ML

PIT MUD ANALYSIS

Chlorides 1,000 ppm.
Resistivity _____ ohms @ _____ F
Viscosity 65
Mud Weight 9.0
Filtrate 9.5
Other hcm 7th

SAMPLER ANALYSIS

Resistivity 116 ohms @ 91.7 F
Chlorides 55,000 ppm.
Gravity _____ corrected @ 60 F

PIPE RECOVERY

TOP
Resistivity 110 ohms @ 90.2 F
Chlorides 54,000 ppm.

MIDDLE
Resistivity 112 ohms @ 90.4 F
Chlorides 52,000 ppm.

BOTTOM
Resistivity 115 ohms @ 90.6 F
Chlorides 54,000 ppm.