

KANSAS

State Geological Survey
WICHITA BRANCH

31-34-43W

WELL COMPLETION REPORT AND
DRILLER'S LOGAPI No. 15 — 129 — 20,583
County Number

Operator

Edgar W. White

Address

701 Vilymaca St., Elkhart, Ks 67950

Well No.

2

Lease Name

Schweizer Red Cave

Footage Location

660 feet from (N) ~~XX~~line 660 feet from (E) ~~XX~~line

Principal Contractor

KTM Drilling Co.

Geologist

Bob Posey, Liberal, Ks

Spud Date

10-20-81

Date Completed

11-3-81

Total Depth

1293

P.B.T.D.

1293

Directional Deviation


Oil and/or Gas Purchaser

Panhandle Eastern Pipe Line

S. 31 T. 34 R. 43 XX

Loc. ~~PT~~ SW $\frac{1}{4}$

County Morton

640 Acres
N

Locate well correctly

Elev.: Gr. 3525

DF KS

CASING RECORD

Report of oil strings set—surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 $\frac{1}{2}$ "	8 5/8"	24#	317	Halliburton	250	H type
Production	7 7/8"	4 $\frac{1}{2}$ "	9#	1293	Halliburton	250	200 sks HLC 50 sks 50-50 Poz w/10% salt circulate to top

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Welex perforated 2 shots per ft. from 1248'-1260' Gas	surfaced naturally

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
11-16-81		flowing			
RATE OF PRODUCTION PER 24 HOURS		Oil	Gas	Water	Gas-oil ratio
-----		bbls.	200	trace	-----
			MCF		CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval(s)		
sold to Panhandle Eastern Pipe Line Co			1248 to 1260		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.



KTM DRILLING, INC.

ARNOLD WINTER

BUSINESS OFFICE
BOX 1385 (405) 338-8147
GUYMON, OKLAHOMA 73942

31-34-43w
State Geological Survey
WICHITA BRANCH

October 27, 1981

EDGAR WHITE
DRAWER D
ELKHART, KS 67950

DRILLERS LOG FOR SCHEWIZER #2
0 - 247 Surface red shale
247 - 327 Red bed & rock
327 - 760 Clay & Anhyd.
760 - 1150 Anhyd & Glor.
1150 - 1305 Anhyd & red shale

KTM DRILLING, INC.

Arnold Winter
ARNOLD WINTER

STATE OF OKLAHOMA
COUNTY OF TEXAS

SUBSCRIBED AND SWORN TO BEFORE ME THIS 27th DAY OF OCTOBER, 1981.

Carol Anderson
NOTARY PUBLIC

MY COMMISSION EXPIRES: 9-4-83

31. 34. 43w

ELEVATION OF WELL LOCATION IS 3525.7 feet

N

4740.1'

5280'

31

660

330

330

660

Alternate Location
used

4738.8'