

WELL RECORD

17-34-43W
17-34-43WWELL NO. ^{#3}

LEASE Government "A"

COMPANY J. M. Huber Corporation ACRESRECORD COMPILED 1-14 1958 BY kpSEC 17 TWP 34S RGE 43W COUNTY Morton STATE Kansas

SURVEY BLOCK SECTION

LOCATION Center of NW 1/4 of NE 1/4STAKED BY Watson DATE 7-11 1957 ELEVATION 3581 G.I.RIG COMMENCE 7-15 1957 COMPLETED 7-24 1957 CONTR. J.M.H.

TOOLS	STARTED	COMPLETED	FROM	TO	CONTRACTOR
ROTARY	7-15-57	7-24-57	0	4385	J.M.H.
CABLE	7-30-57	8-18-57	0	4346	Andrews Cable Tools

COMPLETION METHOD Cable ToolsPRODUCTION DATA State test 9-23-57 - 108 bbls oil per day. 12% water. Water depleting

GAS WELL SHUT-IN PRESSURE VOLUME M. CU. FT.

(1) CASING AND TUBING RECORD

SIZE HOLE DRILLED	DEPTH	CASING SIZE	WT.	THDS.	MAKE, TYPE, GRADE, NEW, USED	CASING POINT	PULLED	LEFT IN	CEMENT SACKS	ESTIMATED TOP	REMARKS
12 1/4 IN.	1243	8-5/8	22.7#	S.J.	Spiral Weld	1242	-	1242	750	Pozmix	circulated
7-1/8	4385	5 1/2"	15.5#	J-55	Smls Csg	4384	-	4384	150	reg. cement	
2" EUE 8rd thd J-55 tbg set at 4318'											
Zero point - 12.20' above top of braden head in cellar											

(2) ACIDIZING RECORD (3) PRODUCING METHODS

DATE	WELL FLOWING NATURAL FROM	19	TO	19
QUANTITY (GALS.)	Completion record on page 4	PRODUCED BY GAS LIFT	IN. TUBING FROM	19 TO 19
MAX. TUB. PR.		OTHER LIFTS		
MAX. CAS'G PR.				
BLANKET				
HOURS		PUT ON JACK/BEAM/UNIT		19
METHOD	KANSAS GEOLOGICAL SURVEY WICHITA BRANCH	OCT 29 1967		

(4) SAND RECORD

	NAME	TOP	BOTTOM	THICKNESS	CONTENT	COLOR, HARD OR SOFT
OIL BEFORE	Wabaunsee	2680	Purdy Sd.			4289
AFTER	Elmont	2802	B/Purdy Sd.			4349
WATER BEFORE	Topeka	2898				
WATER AFTER	LeCompton	3042				
DONE BY	Morrow Sh.					

(CONTINUED)

CONSERVATION DIVISION

10 DEFLECTION
11 PLUGGING RECORD
14 WELL LOG7 PLUG BACK RECORD
8 PACKERS
9 CLEANOUT RECORD4 SAND RECORD
5 TORPEDO RECORD
6 SWABBING RECORD1 CASING RECORD
2 ACIDIZING RECORD
3 PRODUCING METHOD

INDEX:

17-3443W
Government 'X'

2346

RECEIVED
OCT 23 1987
WICHITA DIVISION
Wichita, KS

WELL RECORD—(Continued)

17-34-13W

WELL NO. #3

LEASE Government "A"

(12) ADDITIONAL INFORMATION

No D.S.T.

(13) MATERIAL LOST IN HOLE

None

(14)

WELL LOG

	FROM	TO	NO. OF FEET	DRILL TIME	FORMATION	FROM	TO	NO. OF FEET	DRILL TIME
Sand, gravel	0	195							
Red bed	195	300							
Red bed, shells	300	752							
Red bed, lime	752	858							
Red bed, sand	858	1095							
Red bed, shells, lime str.	1095	1118							
Anhydrite	1118	1240							
Lime	1240	1255							
Lime, shale	1255	3532							
Lime	3532	3600							
Lime, shale	3600	4019							
Lime	4019	4182							
Lime, shale	4182	4247							
Shale	4247	4285							
Sand, shale	4285	4381							
Shale	4381	4385							
Total Depth	4385								

RECEIVED

STATE CORPORATION COMMISSION

OCT 23 1987

CONSERVATION DIVISION

Wichita, Kansas

17-34-434
Government 'A'

TORPEDO RECORD

[illegible]

(10) DEFLECTION

DEPTH	ANGLE	V. CORR.
176'	$1\frac{1}{4}$	
532'	$1\frac{1}{4}$	
812'	1	
1170'	0	
1945'	$\frac{1}{2}$	
2440'	$\frac{3}{4}$	
3055'	$\frac{7}{8}$	
4087'	1	

START	19	FINISH	19
GIVE RECORD OF PLUGS DRIVEN, CEMENT, ROCK, ETC., MUD AND HOW PLACED,			
AND ALL PIPE LEFT IN HOLE. (USE NEXT PAGE IF NECESSARY.)			
RECEIVED STATE CORPORATION COMMISSION OCT 23 1937 CONSERVATION DIVISION			