


KANSAS

5-35-12W

WELL COMPLETION REPORT AND
DRILLER'S LOGState Geological Survey
WICHITA, BRANCH
copyAPI No. 15 — 007 — 20 875
County NumberS. 5 T. 35S R. 12W E
W

Loc. SE SE NE

County Barber

640 Acres
N

Locate well correctly

Elev.: Gr. 1465

DF KB 1478

Operator

Beren Corporation

Address

970 Fourth Financial Center, Wichita, Kansas 67202

Well No.

9

Lease Name

BLACKSTOCK

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

BEREDCO

Geologist

Spud Date

June 9, 1980

Date Completed

June 19, 1980

Total Depth

4855

P.B.T.D.

Directional Deviation

Oil and/or Gas Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		8-5/8	28#	416	60-40 pozmix	300	2% gel, 3% CC
Production		5½	14#	4854		250	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at			


ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS		Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB
Disposition of gas (vented, used on lease or sold)				Producing interval (s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Beren Corporation		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:															
Well No. 9	Lease Name BLACKSTOCK	Oil															
S <u>5</u> T <u>35</u> R <u>12</u> ^E _W																	
WELL LOG Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.															
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="padding: 5px;">NAME</th> <th style="padding: 5px;">DEPTH</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">RB</td> <td style="padding: 5px;">0</td> </tr> <tr> <td style="padding: 5px;">RB and shale</td> <td style="padding: 5px;">770</td> </tr> <tr> <td style="padding: 5px;">RB and shale and lime</td> <td style="padding: 5px;">1496</td> </tr> <tr> <td style="padding: 5px;">Shale</td> <td style="padding: 5px;">1806</td> </tr> <tr> <td style="padding: 5px;">Lime and shale</td> <td style="padding: 5px;">1985</td> </tr> <tr> <td style="padding: 5px;">RTD</td> <td style="padding: 5px;">4855</td> </tr> </tbody> </table>	NAME	DEPTH	RB	0	RB and shale	770	RB and shale and lime	1496	Shale	1806	Lime and shale	1985	RTD	4855
NAME	DEPTH																
RB	0																
RB and shale	770																
RB and shale and lime	1496																
Shale	1806																
Lime and shale	1985																
RTD	4855																
USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.																	
Date Received	<div style="text-align: right;">  Signature Don Beauchamp - Geologist Title September 22, 1980 Date </div>																

9-22-1980

DRILLERS LOG

Blackstock #9
Barber County
SE SE NE
SEC 5-35S-12W

State Geological Survey
WICHITA BRANCH

Company: BEREN CORPORATION

Contractor: BEREDCO

Comm: June 9, 1980

Comp.: June 19, 1980

Casing: 8 5/8", 28# set at 416' with 300 sacks pozmix, 2% gel, 3% CC, 60-40
5 1/2", 14# set at 4854 with 250 sacks cement

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>
RB	0'	770'
RB and Shale	770'	1496'
RB and Shale and Lime	1496'	1806'
Shale	1806'	1985'
Lime and Shale	1985'	4855'

Rotary Total Depth 4855'

STATE OF KANSAS

COUNTY OF SEDGWICK

ss:

I certify that this is a true and correct copy of the above logs as shown by the drilling reports.

BEREDCO

Marcia Deane

Subscribed and sworn to before me this 24 day of July, 1980.

Karen G. Berry

