15-007-20354

11-35-13W

# KANSAS DRILLERS LOG


API No. 15 — ____ — ____
County Number

S. 11 T. 35 R. 13 E/W

Loc. C NW NE

County Barber

640 Acres




Locate well correctly

Elev.: Gr. ____

DF ____ KB ____

Released 8/7/78

| | |
|---|---|
| Operator: Okmar Oil Company | |
| Address: 970 Fourth Financial Center, Wichita, KS 67202 | |
| Well No.: 2 | Lease Name: Achenbach A |
| Footage Location: 660 feet from (N) (S) line | 1980 feet from (E) (W) line |
| Principal Contractor: Union Drilling Company | Geologist: Don Beauchamp |
| Spud Date: October 9, 1975 | Total Depth: 4904 / P.B.T.D. |
| Date Completed: October 23, 1975 | Oil Purchaser |

## CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|---|---|---|---|---|---|---|---|
| Surface | 12¼" | 8-5/8" | 26 | 257' | 60/40Poz. | 250 | 3% C.C. |
| Production | | 5½" | | 4877' | | 100 | |
| | | | | | | | |
| | | | | | | | |

## LINER RECORD

| Top, ft. | Bottom, ft. | Sacks cement |
|---|---|---|
| | | |

## TUBING RECORD

| Size | Setting depth | Packer set at |
|---|---|---|
| | | |

## PERFORATION RECORD

| Shots per ft. | Size & type | Depth interval |
|---|---|---|
| | | |
| | | |

## ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|---|---|
| | |
| | |
| | |

## INITIAL PRODUCTION

| Date of first production | Producing method (flowing, pumping, gas lift, etc.) |
|---|---|
| | |

| RATE OF PRODUCTION PER 24 HOURS | Oil | Gas | Water | Gas-oil ratio |
|---|---|---|---|---|
| | bbls. | MCF | bbls. | CFPB |

Disposition of gas (vented, used on lease or sold): ____

Producing interval(s): ____

**INSTRUCTIONS:** As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

| Operator | DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: |
|---|---|
| Okmar Oil Company | |
| **Well No.** 2 / **Lease Name** ACHENBACH A | |
| S 11 T 35 R 13 ~~E~~ W | |

## WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---|---|---|---|---|
| Sand and shale | 0 | 257 | | |
| Shale | 257 | 330 | | |
| Shale and sand | 330 | 1380 | | |
| Lime and Shale | 1380 | 1630 | | |
| Shale and Shells | 1630 | 1847 | | |
| Shale | 1847 | 2311 | | |
| Shale and Lime | 2311 | 2755 | | |
| Lime and Shale | 2755 | 2942 | | |
| Shale and Lime | 2942 | 3241 | | |
| Lime and Shale | 3241 | 4751 | | |
| Lime | 4751 | 4838 | | |
| Lime and Shale | 4838 | 4870 | | |
| Lime | 4870 | 4904 | | |
| T.D. | 4904 | | | |

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Don Beauchamp
Signature

Don Beauchamp, Geologist
Title

April 27, 1977
Date

4-22-1977

ite Geological Survey
WICHITA BRANCH

15-007-20354
11-35-13W

CONTRACTOR'S WELL LOG

OPERATOR: Okmar Oil Company
CONTRACTOR: Union Drilling Co., Inc.
WELL NAME: Achenbach "A" #2
LOCATION: C NW NE Section 11-35S-13W
Barber County, Kansas
COMMENCED: October 9, 1975
COMPLETED: October 23, 1975

| | | | |
|---|---|---|---|
| 0 | 257 | Sand and shale | 8-5/8" casing set at 257 w/250 |
| 257 | 330 | Shale | sacks 60-40posmix, 3% Ca.Cl. |
| 330 | 1380 | Shale and sand | |
| 1380 | 1630 | Lime and shale | |
| 1630 | 1847 | Shale and shells | |
| 1847 | 2311 | Shale | |
| 2311 | 2755 | Shale and lime | |
| 2755 | 2942 | Lime and shale | |
| 2942 | 3241 | Shale and lime | |
| 3241 | 4751 | Lime and shale | |
| 4751 | 4838 | Lime | |
| 4838 | 4870 | Lime and shale | |
| 4870 | 4904 | Lime | 5-1/2" casing set at 4886 w/100 |
| 4904 | | T. D. | sacks |

We certify that the above and foregoing is a true and correct copy of the log on the Achenbach "A" #2, C NW NE Section 11-35S-13W, Barber County, Kansas.

UNION DRILLING CO., INC.

R. D. Messinger

R. D. Messinger

STATE OF KANSAS )
) SS
COUNTY OF SEDGWICK )

Subscribed and sworn to before me, a Notary Public in and for the aforesaid county and state as of this 27th day of October, 1975.

Donna F. Brown

Donna F. Brown - Notary Public

My commission expires: