

48-35-19w

perior Testers Enterprises, Inc.
R.R. 3, Box 295B, Great Bend, Kansas 67530
(316) 792-6902

Remarks None

Extra Equipment - Jars yes Safety Joint yes Extra Packer — Straddle — Hook Wall —

Top Recorder No. 4023 Clock No. Electronica Depth 4931 Cir. Sub — Sampler —

Bottom Recorder No. 3088 Clock No. 4744 Depth 4932 Insurance —

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the
the one for whom a test is made, of for any loss suffered or
the test or its statements or

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
TWP. 35 RGE. 19

Lease & Well No. BOX RANCH 1-8

Test #: 1 Date: 11-02-05 SEC. 8

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	2438
2	Initial Flow Pressure	50
3	Final Initial Flow Pressure	88
4	Initial Shut-In Pressure	1936
5	Initial Final Flow Pressure	121
6	Final Flow Pressure	199
7	Final Shut-In Pressure	1903
8	Final Hydrostatic Pressure	2323

Maximum Temperature 121

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/2/05

SECTION-TOWN-RANGE 8-35W-19S

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANCH 1-18

FORMATION TESTED LANSING "SWOPE"

DRILL STEM TEST NUMBER 1

REPORT NUMBER 14648

ELEVATION KELLY BUSHINGS 1756

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 4915

TEST INTERVAL (to) 4935

ANCHOR LENGTH 20

TOTAL DEPTH (ft) 4935

TOP PACKER DEPTH 4910

BOTTOM PACKER DEPTH 4915

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 4:35A

INITIAL OPEN

TOOL OPEN (to) 4:40A

FINAL OPEN

DURATION (min.) 5

TOOL OPEN (from) 5:40A

TOOL OPEN (to) 6:25A

DURATION (min.) 45

TOOL CLOSED (from) 4:40A

INITIAL SHUT-IN

TOOL CLOSED (to) 5:40A

FINAL SHUT-IN

DURATION (min.) 60

TOOL CLOSED (from) 6:25A

TOOL CLOSED (to) 7:25A

DURATION (min.) 60

INITIAL FLOW

WEAK BLOW 4 INCHS INTO THE BUCKEET IN 5 MIN

FINAL FLOW

FAIR BLOW 1 INCH FROM THE BOTTOM OF THE BUCKET IN 45 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 30	WATER CUT MUD			10	90
2) 120	WATER CUT MUD			1	99
3) 180	WATER CUT MUD			1	99
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	BOX RANCH 1-18
TEST DATE	11/2/05	FORMATION TESTED	LANSING "SWOPE"
SECTION-TOWN-RANGE	8-35W-19S	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	14648
COUNTY	COMANCHE	ELEVATION KELLY BUSHINGS	1756
ELEVATION GROUND LEVEL	1743	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JOSH AUSTIN		

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	272 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	4931	BOTTOM RECORDER DEPTH	4932
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING COMPANY RIG #7		
DRILL PIPE LENGTH	4606	DRILL COLLAR LENGTH	283
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.2
WEIGHT PIPE I.D.	2.25	VISCOSITY	40
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	9.6
		CHLORIDES-PITS	5,000
		CHLORIDES-DST	4,000

COMMENTS

Resistivity 2

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530
(316) 792-6902

Date 11-3-05 Location 8-35W-19N Elevation 1743 County Comanche
Company FG Hall Company L.L.C. Number of Copies 5
Charts Mailed to 9431 E Central St #100 Wichita KS 67206
Drilling Contractor Josh Austin I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
Length Drill Pipe 4899 I.D. Weight Pipe _____ Tool Joint Size _____
Length Weight Pipe _____ I.D. Drill Collars 2.25 Tool Joint Size 4 1/2 XH
Length Drill Collars 283.37 I.D. Drill Collars _____ Tool Joint Size _____
Top Packer Depth 5187 Bottom Packer Depth 5192 Number of Packers 2 Packer Size 6 3/4
TESTED FROM 5192 TO 5208 ANCHOR LENGTH 16 TOTAL DEPTH 5208 Hole Size 9 7/8
LEASE & WELL NO. Box Ranch 1-B FORMATION TESTED Fort Scott TEST NO. 2
Mud Weight 92 Viscosity 50 Water Loss 8.8 Chlorides - Pits 5,100 D.S.T. _____
Maximum Temp. 121 °F Initial Hydrostatic Pressure (A) 2569 P.S.I. Final Hydrostatic Pressure (H) 2383 P.S.I.
Tool Open I.F.P. from 3:16 p.m. to 3:21 p.m. 5 min
Tool Closed I.C.I.P. from 3:21 p.m. to 4:21 p.m. 60 min
Tool Open F.F.P. from 4:21 p.m. to 4:51 p.m. 30 min
Tool Closed F.C.I.P. from 4:51 p.m. to 5:51 p.m. 100 min
Initial Blow Strong Blow 1 min to the Bottom of Bucket
Final Blow Strong Blow 1 min to the Bottom of Bucket
Total Feet Recovered 190 feet Gassy Mud
Feet of 10 Mud _____ % Gas _____ % Oil 100 % Mud _____ % Water
Feet of 60 Gassy Mud _____ % Gas 2 % Oil 98 % Mud _____ % Water
Feet of 120 Gassy Mud _____ % Gas 2 % Oil 98 % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks _____
Extra Equipment - Jars yes Safety Joint yes Extra Packer _____ Straddle _____ Hook Wall _____
Top Recorder No. 4023 Clock No. Electronica Depth 5204 Cir. Sub _____ Sampler _____
Bottom Recorder No. 3088 Clock No. 47441 Depth 5205 Insurance _____
Price of Job _____
Tool Operator Jim Smith
Approved By _____


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made; or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	2569
2	Initial Flow Pressure	61
3	Final Initial Flow Pressure	59
4	Initial Shut-In Pressure	1861
5	Initial Final Flow Pressure	66
6	Final Flow Pressure	88
7	Final Shut-In Pressure	1715
8	Final Hydrostatic Pressure	2383

Maximum Temperature 121

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/3/05

SECTION-TOWN-RANGE 8-35W-8S

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANCH 1-8

FORMATION TESTED FORT SCOTT

DRILL STEM TEST NUMBER 2

REPORT NUMBER 14649

ELEVATION KELLY BUSHINGS 1756

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 5192

TEST INTERVAL (to) 5208

ANCHOR LENGTH 16

TOTAL DEPTH (ft) 5208

TOP PACKER DEPTH 5187

BOTTOM PACKER DEPTH 5192

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 3:16P

TOOL OPEN (from) 4:21P

INITIAL OPEN TOOL OPEN (to) 3:21P

FINAL OPEN TOOL OPEN (to) 4:51P

DURATION (min.) 5

DURATION (min.) 30

TOOL CLOSED (from) 3:21P

TOOL CLOSED (from) 4:51P

INITIAL SHUT-IN TOOL CLOSED (to) 4:21P

FINAL SHUT-IN TOOL CLOSED (to) 5:51P

DURATION (min.) 60

DURATION (min.) 60

INITIAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FINAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 10	MUD			100	
2) 60	MUD CUT GAS	2		98	
3) 120	MUD CUT GAS	2		98	
4)					
5)					
6)					


Company: F.G HOLL COMPANY L.L.C
35 RGE. 19

Lease & Well No. BOX RANCH 1-8

Test #: 2 Date: 11-3-05 SEC. 8 TWP.

GREAT BEND, KANSAS 67530 (800) 792-6902

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-4-05 Location 8-35-19 Elevation 1743 ^{AB13} County Comanche Number of Copies 5

Company F.G. Hall Company LLC
Charts Mailed to 9431 E Central St #100 Wichita KS 67206

Drilling Contractor Josh Austin I.D. Drill Pipe 38 Tool Joint Size 4 1/2 XH
Length Drill Pipe 4981

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____
Length Drill Collars 283 I.D. Drill Collars 2.25 Tool Joint Size 4 1/2 XH

Top Packer Depth 5285 Bottom Packer Depth 5290 Number of Packers 2 Packer Size 6 3/4
TESTED FROM 5290 TO 5360 ANCHOR LENGTH 70 TOTAL DEPTH 5360 Hole Size 7 7/8

LEASE & WELL NO. Box Ranch 1-8 FORMATION TESTED Mississippi TEST NO. 3
Mud Weight 9.1 Viscosity 46 Water Loss 12.4 Chlorides - Pits 5000 D.S.T. _____

Maximum Temp. _____ °F Initial Hydrostatic Pressure (A) _____ P.S.I. Final Hydrostatic Pressure (H) _____ P.S.I.

Tool Open I.F.P. from _____ m to _____ m _____ min
Tool Closed I.C.I.P. from _____ m to _____ m _____ min
Tool Open F.F.P. from _____ m to _____ m _____ min
Tool Closed F.C.I.P. from _____ m to _____ m _____ min

from [B] _____ P.S.I. to [C] _____ P.S.I.
[D] _____ P.S.I.
from [E] _____ P.S.I. to [F] _____ P.S.I.
[G] _____ P.S.I.

Initial Blow Packer Failed

Final Blow _____ Gravity of Oil _____ Corrected
Total Feet Recovered 720 feet Mud

_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____
_____ Feet of _____	% Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks Packers Failed

Extra Equipment - Jars yes Safety Joint yes Extra Packer _____ Straddle _____ Hook Wall _____
Top Recorder No. 4023 Clock No. Electronica Depth 5356 Cir. Sub _____ Sampler _____
Bottom Recorder No. 3088 Clock No. 49441 Depth 5357 Insurance _____

Price of Job _____
Tool Operator Amf. Schmid
Approved By _____
NO. 14650

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

142 miles Great Bend

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

TWP. 35 RGE. 19

Company: F.G HOLL COMPANY L.L.C

Lease & Well No. BOX RANCH 1-8

Test #: 3 Date: 11-04-05 SEC. 8



- 1 Initial Hydrostatic Pressure
- 2 Initial Flow Pressure
- 3 Final Initial Flow Pressure
- 4 Initial Shut-In Pressure
- 5 Initial Final Flow Pressure
- 6 Final Flow Pressure
- 7 Final Shut-In Pressure
- 8 Final Hydrostatic Pressure

Maximum Temperature

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/4/05

SECTION-TOWN-RANGE 8-35-19

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANCH 1-8

FORMATION TESTED MISSISSIPPI

DRILL STEM TEST NUMBER 3

REPORT NUMBER 14650

ELEVATION KELLY BUSHINGS 1756

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 5290

TEST INTERVAL (to) 5360

ANCHOR LENGTH 70

TOTAL DEPTH (ft) 5360

TOP PACKER DEPTH 5285

BOTTOM PACKER DEPTH 5290

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from)

TOOL OPEN (from)

INITIAL OPEN TOOL OPEN (to)

FINAL OPEN TOOL OPEN (to)

DURATION (min.)

DURATION (min.)

TOOL CLOSED (from)

TOOL CLOSED (from)

INITIAL SHUT-IN TOOL CLOSED (to)

FINAL SHUT-IN TOOL CLOSED (to)

DURATION (min.)

DURATION (min.)

INITIAL FLOW

PACKER FAILED

FINAL FLOW

FEET OF	RECOVERY	%	%	%	%
Recovery	DESCRIPTION	GAS	OIL	MUD	WATER
1) 720	DRILLING MUD				
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	BOX RANCH 1-8
TEST DATE	11/4/05	FORMATION TESTED	MISSISSIPPI
SECTION-TOWN-RANGE	8-35-19	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	14650
COUNTY	COMANCHE	ELEVATION KELLY BUSHINGS	1756
ELEVATION GROUND LEVEL	1743	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JOSH AUSTIN		

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	142 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	5356	BOTTOM RECORDER DEPTH	5357
RECORDER NUMBER	91981	RECORDER NUMBER	5463


WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING COMPANY RIG 7		
DRILL PIPE LENGTH	4981	DRILL COLLAR LENGTH	283
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.1
WEIGHT PIPE I.D.	2.25	VISCOSITY	46
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	5,000
		CHLORIDES-DST	

COMMENTS

PACKER FAILED

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-04-05 Location 8-35-19 Elevation 15743 KBBS County Comanche

Company F.G. Hall Company LLC Number of Copies 5

Charts Mailed to 9431 E Central St #100 Wichita KS 67206

Drilling Contractor Tesh Austin

Length Drill Pipe 5006 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 x H

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars 283 I.D. Drill Collars 2.25 Tool Joint Size 4 1/2 x H

Top Packer Depth 5310 Bottom Packer Depth 5315 Number of Packers 2 Packer Size 6 3/4

TESTED FROM 5315 TO 5360 ANCHOR LENGTH 45 TOTAL DEPTH 5360 Hole Size 7 7/8

LEASE & WELL NO. Box Ranch 1-8 FORMATION TESTED Mississippi TEST NO. 4

Mud Weight 9.1 Viscosity 46 Water Loss 12.4 Chlorides - Pits 5,000 D.S.T. _____

Maximum Temp. 129 °F Initial Hydrostatic Pressure (A) 2168 P.S.I. Final Hydrostatic Pressure (H) 2498 P.S.I.

Tool Open I.F.P. from 10:49 A m to 10:56 P m 7 min

Tool Closed I.C.I.P. from 10:56 P m to 11:56 P m 60 min

Tool Open F.F.P. from 11:56 P m to 12:56 A m 60 min

Tool Closed F.C.I.P. from 12:56 A m to 2:26 A m 90 min

Initial Blow Fair Blow Bottom of Bucket in 7 min

Final Blow Strong Blow Bottom of Bucket in less than 1 min

Total Feet Recovered 20 feet mud Gravity of Oil _____ Corrected _____

20 Feet of mud % Gas _____ % Oil 100 % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars yes Safety Joint yes Extra Packer _____ Straddle _____ Hook Wall _____

Top Recorder No. 4023 Clock No. Electronica Depth 5356 Cir. Sub _____ Sampler _____

Bottom Recorder No. 3088 Clock No. 47441 Depth 5359 Insurance _____

Price of Job _____

Tool Operator [Signature]

Approved By _____

Nº 14681

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

(300)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
TWP. 35 RGE. 19

Lease & Well No. BOX RANCH 1-8

Test #: 4 Date: 11-04-05 SEC. 8

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	2658
2	Initial Flow Pressure	71
3	Final Initial Flow Pressure	77
4	Initial Shut-In Pressure	521
5	Initial Final Flow Pressure	55
6	Final Flow Pressure	53
7	Final Shut-In Pressure	1414
8	Final Hydrostatic Pressure	2498

Maximum Temperature 129

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/4/05

SECTION-TOWN-RANGE 8-35-19

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANACH 1-8

FORMATION TESTED MISS

DRILL STEM TEST NUMBER 4

REPORT NUMBER 14681

ELEVATION KELLY BUSHINGS 1756

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 5315

TEST INTERVAL (to) 5360

ANCHOR LENGTH 45

TOTAL DEPTH (ft) 5360

TOP PACKER DEPTH 5310

BOTTOM PACKER DEPTH 5315

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 10:49P

INITIAL OPEN TOOL OPEN (to) 10:56P

DURATION (min.) 7

TOOL OPEN (from) 11:56P

TOOL OPEN (to) 12:56A

DURATION (min.) 60

TOOL CLOSED (from) 10:56P

INITIAL SHUT-IN TOOL CLOSED (to) 11:56P

DURATION (min.) 60

TOOL CLOSED (from) 12:56

TOOL CLOSED (to) 2:26A

DURATION (min.) 90

INITIAL FLOW

FAIR BLOW BOTTOM OF BUCKET IN 7 MIN

FINAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN LESS THEN 1 MIN

FEET OF	RECOVERY	%	%	%	%
Recovery	DESCRIPTION	GAS	OIL	MUD	WATER
1) 20	MUD			100	
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	BOX RANACH 1-8
TEST DATE	11/4/05	FORMATION TESTED	MISS
SECTION-TOWN-RANGE	8-35-19	DRILL STEM TEST NUMBER	4
STATE	KANSAS	REPORT NUMBER	14681
COUNTY	COMANCHE	ELEVATION KELLY BUSHINGS	1756
ELEVATION GROUND LEVEL	1743	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JOSH AUSTIN		

EXTRA EQUIPMENT


JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	242 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	5356	BOTTOM RECORDER DEPTH	5357
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING COMPANY RIG 7		
DRILL PIPE LENGTH	5006	DRILL COLLAR LENGTH	283
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.1
WEIGHT PIPE I.D.	2.25	VISCOSITY	46
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	5,000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-9-05 Location 8-35-19 Elevation 1743^{AB13} County Comanche
Company F.B. Hall Company LLC Number of Copies 5
Parts Mailed to 9431 E Central St #100 Wichita KS 67206
Drilling Contractor Duke Drilling Company LLC Rig #17
Length Drill Pipe 6028 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____
Length Drill Collars 283 I.D. Drill Collars 225 Tool Joint Size 4 1/2 XH
Top Packer Depth 6335 Bottom Packer Depth 6340 Number of Packers 2 Packer Size 6 3/4
TESTED FROM 6340 TO 6355 ANCHOR LENGTH 15 TOTAL DEPTH 6355 Hole Size 7 7/8
CASE & WELL NO. Box Ranch 1-8 FORMATION TESTED viola TEST NO. 5
Mud Weight 9.3 Viscosity 74 Water Loss 12.8 Chlorides - Pits 6.500 D.S.T. 7500
Maximum Temp. 133°F Initial Hydrostatic Pressure (A) 3206 P.S.I. Final Hydrostatic Pressure (H) 3083 P.S.I.
Total Open I.F.P. from 3:33 p.m. to 3:38 p.m. 5 min
Total Closed I.C.I.P. from 3:38 p.m. to 4:38 p.m. 60 min
Total Open F.F.P. from 4:38 p.m. to 5:38 p.m. 60 min
Total Closed F.C.I.P. from 5:38 p.m. to 7:08 p.m. 90 min
Initial Blow Fair Blow Finds into Bucket in 5 min
Final Blow Strong Blow Bottom of Bucket in 1 min
Total Feet Recovered 90 feet fluid total Gravity of Oil _____ Corrected _____
30 Feet of mud cut water % Gas _____ % Oil 90 % Mud 10 % Water
0 Feet of mud cut water % Gas _____ % Oil 45 % Mud 55 % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
Remarks _____

from [B] <u>61</u>	P.S.I. to [C] <u>55</u>	P.S.I.
[D] <u>2362</u>		P.S.I.
from [E] <u>57</u>	P.S.I. to [F] <u>76</u>	P.S.I.
[G] <u>2346</u>		P.S.I.

Extra Equipment - Jars yes Safety Joint yes Extra Packer - Straddle - Hook Wall -

Top Recorder No. 4023 Clock No. Electronica Depth 6351 Cir. Sub _____ Sampler _____

Bottom Recorder No. 3088 Clock No. 47441 Depth 6352 Insurance _____

Price of Job _____

Tool Operator Paul Schuch

Approved By _____

No. 14683

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
35 RGE. 19

Lease & Well No. BOX RANH 1-8

Test #: 5 Date: 11-09-05 SEC. 8 TWP.



1	Initial Hydrostatic Pressure	3208
2	Initial Flow Pressure	61
3	Final Initial Flow Pressure	55
4	Initial Shut-In Pressure	2362
5	Initial Final Flow Pressure	57
6	Final Flow Pressure	76
7	Final Shut-In Pressure	2346
8	Final Hydrostatic Pressure	3083

Maximum Temperature 133

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/9/05

SECTION-TOWN-RANGE 8-35W-19

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANCH 1-8

FORMATION TESTED VIOLA

DRILL STEM TEST NUMBER 5

REPORT NUMBER 14683

ELEVATION KELLY BUSHINGS 1756

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 6340

TEST INTERVAL (to) 6355

ANCHOR LENGTH 15

TOTAL DEPTH (ft) 6355

TOP PACKER DEPTH 6335

BOTTOM PACKER DEPTH 6340

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 3:33P

INITIAL OPEN TOOL OPEN (to) 3:38P

DURATION (min.) 5

TOOL OPEN (from) 4:38P

FINAL OPEN TOOL OPEN (to) 5:38P

DURATION (min.) 60

TOOL CLOSED (from) 3:38P

INITIAL SHUT-IN TOOL CLOSED (to) 4:38P

DURATION (min.) 60

TOOL CLOSED (from) 5:38P

FINAL SHUT-IN TOOL CLOSED (to) 7:08P

DURATION (min.) 90

INITIAL FLOW FAIR BLOW 7 INCHS IN TO BUCKET IN 5 MIN

FINAL FLOW STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FEET OF	RECOVERY	%	%	%	%
Recovery	DESCRIPTION	GAS	OIL	MUD	WATER
1) 30	MUD CUT WATER			90	10
2) 60	MUD CUT WATER			45	55
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	BOX RANCH 1-8
TEST DATE	11/9/05	FORMATION TESTED	VIOLA
SECTION-TOWN-RANGE	8-35W-19	DRILL STEM TEST NUMBER	5
STATE	KANSAS	REPORT NUMBER	14683
COUNTY	COMANCHE	ELEVATION KELLY BUSHINGS	1756
ELEVATION GROUND LEVEL	1743	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JOSH AUSTIN		

EXTRA EQUIPMENT


JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	242 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	6351	BOTTOM RECORDER DEPTH	6352
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #7	DRILL COLLAR LENGTH	283
DRILL PIPE LENGTH	6028	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.3
WEIGHT PIPE I.D.	2.25	VISCOSITY	74
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.8
		CHLORIDES-PITS	6,500
		CHLORIDES-DST	75,000

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 11-12-05 Location 8-35-19 Elevation 1743 County Comanche
Company F.G. Hall Company LLC Number of Copies 5
Charts Mailed to 4431 EC Cont'l St #100 Wichita KS 67206
Drilling Contractor Dixie Drilling R.M.
Length Drill Pipe 6294 I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____
Length Drill Collars 283 I.D. Drill Collars 2.85 Tool Joint Size 4 1/2 XH
Top Packer Depth 6598 Bottom Packer Depth 6623 Number of Packers 2 Packer Size 6 3/4
TESTED FROM 6403 TO 6623 ANCHOR LENGTH 20 TOTAL DEPTH 6623 Hole Size 7 1/8
LEASE & WELL NO. Box Ranch 1-8 FORMATION TESTED Simpson Sd TEST NO. 6
Mud Weight 9.8 Viscosity 54 Water Loss 10.4 Chlorides - Pits 7,000 D.S.T. _____
Maximum Temp. 153 °F Initial Hydrostatic Pressure (A) 3233 P.S.I. Final Hydrostatic Pressure (H) 3086 P.S.I.

Tool Open I.F.P. from 7:01 p.m. to 7:06 p.m. 5 min
Tool Closed I.C.I.P. from 7:06 p.m. to 8:06 p.m. 60 min
Tool Open F.F.P. from 8:06 p.m. to 8:36 p.m. 30 min
Tool Closed F.C.I.P. from 8:36 p.m. to 9:36 p.m. 60 min

from [B] 1423 P.S.I. to [C] 1620 P.S.I.
[D] 2630 P.S.I.
from [E] 1734 P.S.I. to [F] 2577 P.S.I.
[G] 2631 P.S.I.

Initial Blow Strong Blow Bottom Bucket 1 min
Final Blow Strong Blow Bottom Bucket 1 min

Total Feet Recovered 5300 feet water Gravity of Oil _____ Corrected _____
60 Feet of mudcut water % Gas _____ % Oil 90 % Mud 20 % Water
120 Feet of mudcut water % Gas _____ % Oil 80 % Mud 40 % Water
5120 Feet of water % Gas _____ % Oil _____ % Mud 100 % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks _____

Extra Equipment - Jars yes Safety Joint yes Extra Packer _____ Straddle _____ Hook Wall _____
Top Recorder No. 4623 Clock No. Electronic Depth 6619 Cir. Sub _____ Sampler _____
Bottom Recorder No. 3088 Clock No. 47441 Depth 6620 Insurance _____

Price of Job _____

Tool Operator Amel chm

Approved By _____

No 14684


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	3233
2	Initial Flow Pressure	1423
3	Final Initial Flow Pressure	1620
4	Initial Shut-In Pressure	2630
5	Initial Final Flow Pressure	1734
6	Final Flow Pressure	2577
7	Final Shut-In Pressure	2631
8	Final Hydrostatic Pressure	3086

Maximum Temperature 153

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 11/11/05

SECTION-TOWN-RANGE 8-35-19

STATE KANSAS

COUNTY COMANCHE

ELEVATION GROUND LEVEL 1743

COMPANY REPRESENTATIVE JOSH AUSTIN

LEASE AND WELL NUMBER BOX RANCH 1-8

FORMATION TESTED SIMPSON SD

DRILL STEM TEST NUMBER 6

REPORT NUMBER 14684

ELEVATION KELLY BUSHINGS 175

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 6603

TEST INTERVAL (to) 6623

ANCHOR LENGTH 20

TOTAL DEPTH (ft) 6623

TOP PACKER DEPTH 6598

BOTTOM PACKER DEPTH 6603

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 7:01P

INITIAL OPEN TOOL OPEN (to) 7:06

DURATION (min.) 5

FINAL OPEN

TOOL OPEN (from) 8:06

TOOL OPEN (to) 8:36

DURATION (min.) 30

TOOL CLOSED (from) 7:06

INITIAL SHUT-IN TOOL CLOSED (to) 8:06

DURATION (min.) 60

FINAL SHUT-IN

TOOL CLOSED (from) 8:36

TOOL CLOSED (to) 9:36

DURATION (min.) 60

INITIAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FINAL FLOW

STRONG BLOW BOTTOM OF BUCKET I 1 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 60	MUD CUT WATER			80	20
2) 120	WATER CUT MUD			60	40
3) 5120	WATER				100
4)					
5)					
6)					

Company: F.G HOLL COMPANY L.L.C
TWP. 35 RGE. 19

Lease & Well No. BOX RANCH 1-8

Test #: 6 Date: 11-11-05 SEC. 8

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	BOX RANCH 1-8
TEST DATE	11/11/05	FORMATION TESTED	SIMPSON SD
SECTION-TOWN-RANGE	8-35-19	DRILL STEM TEST NUMBER	6
STATE	KANSAS	REPORT NUMBER	14684
COUNTY	COMANCHE	ELEVATION KELLY BUSHINGS	175
ELEVATION GROUND LEVEL	1743	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JOSH AUSTIN		

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	242 MILES ROUND TRIP FROM		GREAT BEND
TOP RECORDER DEPTH	6619	BOTTOM RECORDER DEPTH	6620
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG 7	DRILL COLLAR LENGTH	283
DRILL PIPE LENGTH	6294	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.1
WEIGHT PIPE I.D.	2.25	VISCOSITY	54
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	10.4
		CHLORIDES-PITS	7,000
		CHLORIDES-DST	85,000

COMMENTS

Temperature / Pressure Data

