

17-35-29W



DRILL STEM TEST REPORT

Prepared For: **Raydon Exploration Inc.**

9400 N. Broadway, STE 400 Oklahoma City,
OK 73114

ATTN: Ed Grievies

17/35S/29

Wynona 2-17

Start Date: 2004.11.30 @ 00:00:00

End Date:

Job Ticket #: 18558

DST #: 1

S2 SW SE
660 FSL 2200 FEL
KB 2379

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2004.12.09 @ 11:48:57 Page 1

Raydon Exploration Inc.

Wynona 2-17

17/35S/29 W

DST # 1

Morrow Snd

2004.11.30

15-119-21133

TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18558

DST#: 1

ATTN: Ed Grieves

Test Start: 2004.11.30 @ 00:00:00

GENERAL INFORMATION:

Formation: **Morrow Snd**

Deviated: No Whipstock: ft (KB)

Time Tool Opened:

Time Test Ended:

Test Type: Conventional Bottom Hole

Tester: Chris Hagman

Unit No: 17

Interval: 5829.00 ft (KB) To 5876.00 ft (KB) (TVD)

Total Depth: 5876.00 ft (KB) (TVD)

Hole Diameter: 7.78 inches Hole Condition: Good

Reference Elevations: 2378.00 ft (KB)

2368.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6770 Inside

Press@RunDepth: psig @ 5831.00 ft (KB)

Start Date: 2004.11.29

End Date:

2004.11.29

Start Time: 11:37:34

End Time:

23:02:47


Capacity: 7000.00 psig

Last Calib.: 1899.12.30

Time On Btmc

Time Off Btmr

TEST COMMENT: NO packer seat, Missrun



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

[illegible]

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18558

DST#: 1

ATTN: Ed Grieves

Test Start: 2004.11.30 @ 00:00:00

Tool Information

Drill Pipe:	Length: 5534.00 ft	Diameter: 3.80 inches	Volume: 77.63 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 289.00 ft	Diameter: 2.25 inches	Volume: 1.42 bbl	Weight to Pull Loose: 100000.0 lb
		Total Volume:	79.05 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 90000.00 lb
Depth to Top Packer:	5829.00 ft			Final 10000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	47.00 ft			
Tool Length:	74.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5803.00	
Shut In Tool	5.00			5808.00	
Hydraulic tool	5.00			5813.00	
Jars	5.00			5818.00	
Safety Joint	2.00			5820.00	
Packer	5.00			5825.00	27.00 Bottom Of Top Packer
Packer	4.00			5829.00	
Stubb	1.00			5830.00	
Perforations	1.00			5831.00	
Recorder	0.00	6770	Inside	5831.00	
Perforations	9.00			5840.00	
Change Over Sub	1.00			5841.00	
Drill Pipe	31.00			5872.00	
Change Over Sub	1.00			5873.00	
Recorder	0.00	10993	Inside	5873.00	
Bullnose	3.00			5876.00	47.00 Bottom Packers & Anchor
Total Tool Length:	74.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18558

DST#: 1

ATTN: Ed Grieves

Test Start: 2004.11.30 @ 00:00:00

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 51.00 sec/qt

Water Loss: 7.97 in³

Resistivity: ohm.m

Salinity: 2000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl

Total Length:

ft

Total Volume:

bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Raydon Exploration Inc.**

9400 N. Broadway, STE 400 Oklahoma City,
OK 73114

ATTN: Ed Grieves

17/35S/29

Wynona 2-17

Start Date: 2004.11.29 @ 23:13:03

End Date: 2004.11.30 @ 12:52:46

Job Ticket #: 18559 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

ATTN: Ed Grieves

Job Ticket: 18559

DST#: 2

Test Start: 2004.11.29 @ 23:13:03

GENERAL INFORMATION:

Formation: **Morrow Snd.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 04:37:01

Time Test Ended: 12:52:46

Interval: **5782.00 ft (KB) To 5876.00 ft (KB) (TVD)**

Total Depth: 5876.00 ft (KB) (TVD)

Hole Diameter: 7.78 inches Hole Condition: Good

Test Type: Conventional Bottom Hole

Tester: Chris Hagman

Unit No: 17

Reference Elevations: 2378.00 ft (KB)

2368.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6770

Inside

Press@RunDepth: 93.08 psig @ 5785.00 ft (KB)

Start Date: 2004.11.29

End Date:

2004.11.30

Start Time: 23:13:03

End Time:

12:52:46


Capacity: 7000.00 psig

Last Calib.: 1899.12.30

Time On Btm: 2004.11.30 @ 04:35:31

Time Off Btm: 2004.11.30 @ 09:09:16

TEST COMMENT: IF: 10 inches in 30 min, weak blow
IS: No blow back
FF: 10 inches in 60 min, weak blow
FS: No blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2905.29	121.46	Initial Hydro-static
2	58.88	120.41	Open To Flow (1)
35	74.93	123.90	Shut-In(1)
92	247.88	125.24	End Shut-In(1)
93	78.84	125.09	Open To Flow (2)
150	93.08	125.51	Shut-In(2)
273	502.58	126.67	End Shut-In(2)
274	2618.84	129.09	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
180.00	100% Mud	0.89

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18559

DST#: 2

ATTN: Ed Grieves

Test Start: 2004.11.29 @ 23:13:03

Tool Information

Drill Pipe:	Length: 5472.00 ft	Diameter: 3.80 inches	Volume: 76.76 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 289.00 ft	Diameter: 2.25 inches	Volume: 1.42 bbl	Weight to Pull Loose: 110000.0 lb
		Total Volume:	78.18 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	6.00 ft			String Weight: Initial 90000.00 lb
Depth to Top Packer:	5782.00 ft			Final 96000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	94.00 ft			
Tool Length:	121.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5756.00	
Shut In Tool	5.00			5761.00	
Hydraulic tool	5.00			5766.00	
Jars	5.00			5771.00	
Safety Joint	2.00			5773.00	
Packer	5.00			5778.00	27.00 Bottom Of Top Packer
Packer	4.00			5782.00	
Stubb	1.00			5783.00	
Perforations	2.00			5785.00	
Recorder	0.00	6770	Inside	5785.00	
Perforations	9.00			5794.00	
Change Over Sub	1.00			5795.00	
Drill Pipe	62.00			5857.00	
Change Over Sub	1.00			5858.00	
Anchor	15.00			5873.00	
Recorder	0.00	10993	Inside	5873.00	
Bullnose	3.00			5876.00	94.00 Bottom Packers & Anchor
Total Tool Length:		121.00			



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18559

DST#: 2

ATTN: Ed Grieves

Test Start: 2004.11.29 @ 23:13:03

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 51.00 sec/qt

Water Loss: 7.96 in³

Resistivity: ohm.m

Salinity: 2000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

6000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
180.00	100% Mud	0.885

Total Length: 180.00 ft

Total Volume: 0.885 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW=1.443@52F=6000

Pressure vs. Time





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Raydon Exploration Inc.**

9400 N. Broadway, STE 400 Oklahoma City,
OK 73114

ATTN: Ed Grieves

17/35S/29

Wynona 2-17

Start Date: 2004.12.01 @ 11:11:08

End Date: 2004.12.01 @ 21:42:51

Job Ticket #: 18560 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18560

DST#: 3

ATTN: Ed Grieves

Test Start: 2004.12.01 @ 11:11:08

GENERAL INFORMATION:

Formation: **Morrow Sand**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 14:07:21

Time Test Ended: 21:42:51

Test Type: Conventional Bottom Hole

Tester: Chris Hagman

Unit No: 17

Interval: **5887.00 ft (KB) To 5899.00 ft (KB) (TVD)**

Total Depth: **5899.00 ft (KB) (TVD)**

Hole Diameter: **7.78 inches** Hole Condition: **Good**

Reference Elevations: **2378.00 ft (KB)**

2368.00 ft (CF)

KB to GR/CF: **10.00 ft**

Serial #: 6770

Inside

Press@RunDepth: **25.97 psig @ 5889.00 ft (KB)**

Start Date: **2004.12.01**

End Date:

2004.12.01

Capacity: **7000.00 psig**

Last Calib.: **1899.12.30**

Start Time: **11:11:08**


End Time:

21:42:51

Time On Btm: **2004.12.01 @ 14:05:51**

Time Off Btm: **2004.12.01 @ 18:32:51**

TEST COMMENT: IF: BOB ASAO, GTS 15 min, strong steady blow
IS: No blow back
FF: BOB & GTS ASAO, strong steady blow
FS: No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2895.82	112.90	Initial Hydro-static
2	19.31	119.95	Open To Flow (1)
32	34.41	114.35	Shut-In(1)
90	2019.35	115.03	End Shut-In(1)
91	17.28	90.58	Open To Flow (2)
148	25.97	99.27	Shut-In(2)
265	2018.40	113.54	End Shut-In(2)
268	2846.11	117.95	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	0.13	6.00	7.64
Last Gas Rate	0.13	15.00	11.00
Max. Gas Rate	0.13	15.00	11.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18560

DST#: 3

ATTN: Ed Grieves


Test Start: 2004.12.01 @ 11:11:08

Tool Information

Drill Pipe:	Length: 5598.00 ft	Diameter: 3.80 inches	Volume: 78.53 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 289.00 ft	Diameter: 2.25 inches	Volume: 1.42 bbl	Weight to Pull Loose: 100000.0 lb
			<u>Total Volume: 79.95 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial 92000.00 lb
Depth to Top Packer:	5887.00 ft			Final 92000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	12.00 ft			
Tool Length:	39.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			5861.00	
Shut In Tool	5.00			5866.00	
Hydraulic tool	5.00			5871.00	
Jars	5.00			5876.00	
Safety Joint	2.00			5878.00	
Packer	5.00			5883.00	27.00 Bottom Of Top Packer
Packer	4.00			5887.00	
Stubb	1.00			5888.00	
Perforations	1.00			5889.00	
Recorder	0.00	6770	Inside	5889.00	
Perforations	7.00			5896.00	
Recorder	0.00	10993	Inside	5896.00	
Bullnose	3.00			5899.00	12.00 Bottom Packers & Anchor

Total Tool Length: 39.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18560

DST#: 3

ATTN: Ed Grieves

Test Start: 2004.12.01 @ 11:11:08

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 53.00 sec/qt

Water Loss: 7.58 in³

Resistivity: ohm.m

Salinity: 2000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API:

deg API

Water Salinity:

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl

Total Length: ft Total Volume: bbl

Num Fluid Samples: 0

Num Gas Bombs: 1

Serial #:

Laboratory Name: Caraway

Laboratory Location: Liberal, KS

Recovery Comments: No Recovery



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18560

DST#: 3

ATTN: Ed Grieves

Test Start: 2004.12.01 @ 11:11:08

Gas Rates Information

Temperature: 59 deg C
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (mm)	Pressure (kPaa)	Gas Rate (m³/d)
1	20	0.13	6.00	7.64
1	30	0.13	8.00	8.38
2	10	0.13	12.00	9.88
2	20	0.13	13.00	10.26
2	30	0.13	14.00	10.63
2	40	0.13	15.00	11.00
2	50	0.13	15.00	11.00
2	60	0.13	15.00	11.00
2	60	0.13	15.00	11.00


Serial #: 6770

Inside

Raydon Exploration Inc.

17/35S/29

DST Test Number: 3



Trilobite Testing, Inc

Ref. No: 18560

Printed: 2004.12.09 @ 12:09:48 Page 6



DRILL STEM TEST REPORT

Prepared For: **Raydon Exploration Inc.**

9400 N. Broadway, STE 400 Oklahoma City,
OK 73114

ATTN: Ed Grieves

17/35S/29

Wynona 2-17

Start Date: 2004.12.04 @ 01:27:46

End Date: 2004.12.04 @ 13:17:29

Job Ticket #: 18561 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

ATTN: Ed Grieves

Job Ticket: 18561

DST#: 4

Test Start: 2004.12.04 @ 01:27:46

GENERAL INFORMATION:

Formation: **Lower Chester**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 05:59:29

Time Test Ended: 13:17:29

Test Type: **Conventional Bottom Hole**

Tester: **Chris Hagman**

Unit No: **17**

Interval: **6197.00 ft (KB) To 6230.00 ft (KB) (TVD)**

Total Depth: **6230.00 ft (KB) (TVD)**

Hole Diameter: **7.78 inches** Hole Condition: **Good**

Reference Elevations: **2378.00 ft (KB)**

2368.00 ft (CF)

KB to GR/CF: **10.00 ft**

Serial #: 6770

Inside

Press@RunDepth: **43.50 psig @ 6199.00 ft (KB)**

Start Date: **2004.12.04**

End Date:

2004.12.04

Start Time: **01:27:46**

End Time:

13:17:29


Capacity: **7000.00 psig**

Last Calib.: **1899.12.30**

Time On Btm: **2004.12.04 @ 05:57:59**

Time Off Btm: **2004.12.04 @ 10:35:29**

TEST COMMENT: IF: Weak surface blow, 1.5 inches in 10 min.
IS: No blow back
FF: Weak surface blow, .25 inches in 5 min.
FS: No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	3018.29	119.60	Initial Hydro-static
2	46.23	119.97	Open To Flow (1)
33	27.08	122.53	Shut-In (1)
94	2040.94	126.20	End Shut-In (1)
95	37.62	125.29	Open To Flow (2)
160	43.50	127.39	Shut-In (2)
276	179.95	130.06	End Shut-In (2)
278	2893.73	133.99	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
60.00	100% oil spotted mud	0.30

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18561

DST#: 4

ATTN: Ed Grieves

Test Start: 2004.12.04 @ 01:27:46

Tool Information

Drill Pipe:	Length: 5907.00 ft	Diameter: 3.80 inches	Volume: 82.86 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 289.00 ft	Diameter: 2.25 inches	Volume: 1.42 bbl	Weight to Pull Loose: 140000.0 lb
			<u>Total Volume: 84.28 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	26.00 ft			String Weight: Initial 102000.0 lb
Depth to Top Packer:	6197.00 ft			Final 102000.0 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	33.00 ft			
Tool Length:	60.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			6171.00	
Shut In Tool	5.00			6176.00	
Hydraulic tool	5.00			6181.00	
Jars	5.00			6186.00	
Safety Joint	2.00			6188.00	
Packer	5.00			6193.00	27.00 Bottom Of Top Packer
Packer	4.00			6197.00	
Stubb	1.00			6198.00	
Perforations	1.00			6199.00	
Recorder	0.00	6770	Inside	6199.00	
Perforations	28.00			6227.00	
Recorder	0.00	10993	Inside	6227.00	
Bullnose	3.00			6230.00	33.00 Bottom Packers & Anchor

Total Tool Length: 60.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Raydon Exploration Inc.

Wynona 2-17

9400 N. Broadway, STE 400 Oklahoma City, OK
73114

17/35S/29

Job Ticket: 18561

DST#: 4

ATTN: Ed Grieves

Test Start: 2004.12.04 @ 01:27:46

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 47.00 sec/qt

Water Loss: 7.98 in³

Resistivity: ohm.m

Salinity: 2800.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

6000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	100% oil spotted mud	0.295

Total Length: 60.00 ft Total Volume: 0.295 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW=910@77F=6000

Pressure vs. Time

