

CONFIDENTIAL

15-039-20938


KCC  
JUN 23 2005

CONFIDENTIAL

ORIGINAL

7-3s-26w

RECEIVED  
JUN 24 2005  
KCC WICHITA



**TRILOBITE**  
**TESTING, INC.**

### DRILL STEM TEST REPORT

Prepared For: **Murfin Drilling Company Inc.**

250 N. Water, Suite 300  
Wichita, KS 67202

ATTN: Paul Gunzelman

**7-3s-26w Decatur**

**Knutson 1-7**

Start Date: 2005.05.27 @ 04:11:27

End Date: 2005.05.27 @ 10:14:17

Job Ticket #: 22884                      DST #: 1

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Murfin Drilling Company Inc.


Knutson 1-7

7-3s-26w Decatur

DST # 1

Toronto - Polnow

2005.05.27



**TRILOBITE TESTING, INC**

# DRILL STEM TEST REPORT

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22884

DST#: 1

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 04:11:27

## GENERAL INFORMATION:

Formation: **Toronto - Pollnow**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 06:03:32

Time Test Ended: 10:14:17

Test Type: Conventional Bottom Hole

Tester: Brandon Turley

Unit No: 18

Interval: **3494.00 ft (KB) To 3570.00 ft (KB) (TVD)**

Reference Elevations: 2591.00 ft (KB)

Total Depth: 3570.00 ft (KB) (TVD)

2586.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

**Serial #: 6772 Inside**

Press@RunDepth: 16.56 psig @ 3571.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2005.05.27 End Date: 2005.05.27

Last Calib.: 1899.12.30

Start Time: 04:11:27 End Time: 10:14:17

Time On Btm: 2005.05.27 @ 06:02:02


Time Off Btm: 2005.05.27 @ 08:34:17

TEST COMMENT: IF: 1/4 blow died in 8 min.

IS: No return.

FF: No blow.

FS: No return.



## PRESSURE SUMMARY


| Time (Min.) | Pressure (psig) | Temp (deg F) | Annotation           |
|-------------|-----------------|--------------|----------------------|
| 0           | 1699.82         | 101.25       | Initial Hydro-static |
| 2           | 13.51           | 101.13       | Open To Flow (1)     |
| 32          | 15.37           | 100.99       | Shut-In(1)           |
| 62          | 50.10           | 101.33       | End Shut-In(1)       |
| 63          | 15.80           | 101.32       | Open To Flow (2)     |
| 92          | 16.56           | 101.83       | Shut-In(2)           |
| 152         | 53.35           | 102.61       | End Shut-In(2)       |
| 153         | 1657.54         | 103.75       | Final Hydro-static   |

## Recovery

| Length (ft) | Description           | Volume (bbl) |
|-------------|-----------------------|--------------|
| 1.00        | mud 100% <sub>m</sub> | 0.00         |
|             |                       |              |
|             |                       |              |
|             |                       |              |
|             |                       |              |

## Gas Rates

| Choke (inches) | Pressure (psig) | Gas Rate (Mcf/d) |
|----------------|-----------------|------------------|
|                |                 |                  |



**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

TOOL DIAGRAM

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22884

DST#: 1

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 04:11:27

### Tool Information


|                           |                    |                       |                                |                                    |
|---------------------------|--------------------|-----------------------|--------------------------------|------------------------------------|
| Drill Pipe:               | Length: 3081.00 ft | Diameter: 3.80 inches | Volume: 43.22 bbl              | Tool Weight: 1500.00 lb            |
| Heavy Wt. Pipe:           | Length: 0.00 ft    | Diameter: 0.00 inches | Volume: 0.00 bbl               | Weight set on Packer: 25000.00 lb  |
| Drill Collar:             | Length: 494.00 ft  | Diameter: 2.25 inches | Volume: 2.43 bbl               | Weight to Pull Loose: 62000.00 lb  |
|                           |                    |                       | <u>Total Volume: 45.65 bbl</u> | Tool Chased 0.00 ft                |
| Drill Pipe Above KB:      | 28.00 ft           |                       |                                | String Weight: Initial 52000.00 lb |
| Depth to Top Packer:      | 3570.00 ft         |                       |                                | Final 52000.00 lb                  |
| Depth to Bottom Packer:   | ft                 |                       |                                |                                    |
| Interval between Packers: | 76.00 ft           |                       |                                |                                    |
| Tool Length:              | 99.00 ft           |                       |                                |                                    |
| Number of Packers:        | 2                  | Diameter: 6.75 inches |                                |                                    |

Tool Comments:

### Tool Description

| Tool Description | Length (ft) | Serial No. | Position | Depth (ft) | Accum. Lengths                |
|------------------|-------------|------------|----------|------------|-------------------------------|
| Stubb            | 1.00        |            |          | 3548.00    |                               |
| Shut In Tool     | 5.00        |            |          | 3553.00    |                               |
| Hydraulic tool   | 5.00        |            |          | 3558.00    |                               |
| Safety Joint     | 3.00        |            |          | 3561.00    |                               |
| Packer           | 5.00        |            | Fluid    | 3566.00    | 23.00 Bottom Of Top Packer    |
| Packer           | 4.00        |            |          | 3570.00    |                               |
| Stubb            | 1.00        |            |          | 3571.00    |                               |
| Recorder         | 0.00        | 6772       | Inside   | 3571.00    |                               |
| Perforations     | 6.00        |            |          | 3577.00    |                               |
| Change Over Sub  | 1.00        |            |          | 3578.00    |                               |
| Drill Pipe       | 62.00       |            |          | 3640.00    |                               |
| Change Over Sub  | 1.00        |            |          | 3641.00    |                               |
| Recorder         | 0.00        | 10248      | Outside  | 3641.00    |                               |
| Bullnose         | 5.00        |            |          | 3646.00    | 76.00 Bottom Packers & Anchor |

**Total Tool Length: 99.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22884

DST#: 1

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 04:11:27

## Mud and Cushion Information

|                                  |                            |                 |           |
|----------------------------------|----------------------------|-----------------|-----------|
| Mud Type: Gel Chem               | Cushion Type:              | Oil API:        | 0 deg API |
| Mud Weight: 9.00 lb/gal          | Cushion Length: ft         | Water Salinity: | 0 ppm     |
| Viscosity: 51.00 sec/qt          | Cushion Volume: bbl        |                 |           |
| Water Loss: 6.38 in <sup>3</sup> | Gas Cushion Type:          |                 |           |
| Resistivity: 0.00 ohm.m          | Gas Cushion Pressure: psig |                 |           |
| Salinity: 700.00 ppm             |                            |                 |           |
| Filter Cake: 2.00 inches         |                            |                 |           |

## Recovery Information

Recovery Table

| Length<br>ft | Description | Volume<br>bbl |
|--------------|-------------|---------------|
| 1.00         | mud 100%m   | 0.005         |

Total Length: 1.00 ft      Total Volume: 0.005 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments:

Serial #: 6772


Inside

Murfin Drilling Company Inc.

7-3s-28w Decatur

DST Test Number: 1


### Pressure vs. Time



27 Fri May 2005

6AM

9AM



## DRILL STEM TEST REPORT

Prepared For: **Murfin Drilling Company Inc.**

250 N. Water, Suite 300  
Wichita, KS 67202

ATTN: Paul Gunzelman

**7-3s-26w Decatur**


**Knutson 1-7**

Start Date: 2005.05.27 @ 18:22:40

End Date: 2005.05.28 @ 00:47:40

Job Ticket #: 22885                      DST #: 2

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22885

**DST#: 2**

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 18:22:40

## GENERAL INFORMATION:

Formation: **Lansing " C-D& G**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 20:08:40

Time Test Ended: 00:47:40

Test Type: Conventional Bottom Hole

Tester: Brandon Turley

Unit No: 18

Interval: **3548.00 ft (KB) To 3630.00 ft (KB) (TVD)**

Total Depth: 3630.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Good

Reference Elevations: 2591.00 ft (KB)

2586.00 ft (CF)

KB to GR/CF: 5.00 ft

**Serial #: 6772** Inside

Press@RunDepth: 85.02 psig @ 3631.00 ft (KB)

Start Date: 2005.05.27

End Date:

2005.05.28

Capacity: 7000.00 psig

Last Calib.: 1899.12.30

Start Time: 18:22:50


End Time:

00:47:40

Time On Btm: 2005.05.27 @ 20:05:25

Time Off Btm: 2005.05.27 @ 23:10:10

**TEST COMMENT:** IF: 1/4 blow built to 2 died in 30 min.  
IS: No return.  
FF: Weak surface blow that never built or died.  
FS: No return.



## PRESSURE SUMMARY


| Time (Min.) | Pressure (psig) | Temp (deg F) | Annotation           |
|-------------|-----------------|--------------|----------------------|
| 0           | 1761.53         | 100.82       | Initial Hydro-static |
| 4           | 38.48           | 100.30       | Open To Flow (1)     |
| 34          | 61.99           | 100.73       | Shut-In(1)           |
| 63          | 1130.00         | 101.36       | End Shut-In(1)       |
| 64          | 64.70           | 101.12       | Open To Flow (2)     |
| 94          | 85.02           | 102.41       | Shut-In(2)           |
| 184         | 1180.16         | 103.05       | End Shut-In(2)       |
| 185         | 1729.74         | 103.36       | Final Hydro-static   |

## Recovery

| Length (ft) | Description           | Volume (bbl) |
|-------------|-----------------------|--------------|
| 135.00      | mud 100% <sub>m</sub> | 0.66         |
|             |                       |              |
|             |                       |              |
|             |                       |              |
|             |                       |              |

## Gas Rates

|  | Choke (inches) | Pressure (psig) | Gas Rate (Mcf/d) |
|--|----------------|-----------------|------------------|
|  |                |                 |                  |



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22885

**DST#: 2**

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 18:22:40

**Tool Information**

|                           |                    |                       |                                |                                    |
|---------------------------|--------------------|-----------------------|--------------------------------|------------------------------------|
| Drill Pipe:               | Length: 3147.00 ft | Diameter: 3.80 inches | Volume: 44.14 bbl              | Tool Weight: 1500.00 lb            |
| Heavy Wt. Pipe:           | Length: 0.00 ft    | Diameter: 0.00 inches | Volume: 0.00 bbl               | Weight set on Packer: 25000.00 lb  |
| Drill Collar:             | Length: 494.00 ft  | Diameter: 2.25 inches | Volume: 2.43 bbl               | Weight to Pull Loose: 80000.00 lb  |
|                           |                    |                       | <u>Total Volume: 46.57 bbl</u> | Tool Chased 4.00 ft                |
| Drill Pipe Above KB:      | 34.00 ft           |                       |                                | String Weight: Initial 70000.00 lb |
| Depth to Top Packer:      | 3630.00 ft         |                       |                                | Final 70000.00 lb                  |
| Depth to Bottom Packer:   | ft                 |                       |                                |                                    |
| Interval between Packers: | 82.00 ft           |                       |                                |                                    |
| Tool Length:              | 105.00 ft          |                       |                                |                                    |
| Number of Packers:        | 2                  | Diameter: 6.75 inches |                                |                                    |

Tool Comments:

| <b>Tool Description</b> | <b>Length (ft)</b> | <b>Serial No.</b> | <b>Position</b> | <b>Depth (ft)</b> | <b>Accum. Lengths</b> |
|-------------------------|--------------------|-------------------|-----------------|-------------------|-----------------------|
|-------------------------|--------------------|-------------------|-----------------|-------------------|-----------------------|

|                 |       |       |         |         |                               |
|-----------------|-------|-------|---------|---------|-------------------------------|
| Stubb           | 1.00  |       |         | 3608.00 |                               |
| Shut In Tool    | 5.00  |       |         | 3613.00 |                               |
| Hydraulic tool  | 5.00  |       |         | 3618.00 |                               |
| Safety Joint    | 3.00  |       |         | 3621.00 |                               |
| Packer          | 5.00  |       | Fluid   | 3626.00 | 23.00 Bottom Of Top Packer    |
| Packer          | 4.00  |       |         | 3630.00 |                               |
| Stubb           | 1.00  |       |         | 3631.00 |                               |
| Recorder        | 0.00  | 6772  | Inside  | 3631.00 |                               |
| Perforations    | 12.00 |       |         | 3643.00 |                               |
| Change Over Sub | 1.00  |       |         | 3644.00 |                               |
| Drill Pipe      | 62.00 |       |         | 3706.00 |                               |
| Change Over Sub | 1.00  |       |         | 3707.00 |                               |
| Recorder        | 0.00  | 10248 | Outside | 3707.00 |                               |
| Bullnose        | 5.00  |       |         | 3712.00 | 82.00 Bottom Packers & Anchor |

**Total Tool Length: 105.00**



**TRILOBITE**  
TESTING, INC

# DRILL STEM TEST REPORT

FLUID SUMMARY

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22885

DST#: 2

ATTN: Paul Gunzelman

Test Start: 2005.05.27 @ 18:22:40

## Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 51.00 sec/qt

Water Loss: 6.39 in<sup>3</sup>

Resistivity: 0.00 ohm.m

Salinity: 700.00 ppm

Filter Cake: 2.00 inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API:

0 deg API

Water Salinity: 0 ppm

## Recovery Information

Recovery Table

| Length<br>ft | Description | Volume<br>bbl |
|--------------|-------------|---------------|
| 135.00       | mud 100%m   | 0.664         |

Total Length: 135.00 ft      Total Volume: 0.664 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





## DRILL STEM TEST REPORT

Prepared For: **Murfin Drilling Company Inc.**

250 N. Water, Suite 300  
Wichita, KS 67202

ATTN: Paul Gunzelman

**7-3s-26w Decatur**

**Knutson 1-7**

Start Date: 2005.05.28 @ 13:04:08

End Date: 2005.05.28 @ 18:44:13

Job Ticket #: 22886                      DST #: 3

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

ATTN: Paul Gunzelman

Job Ticket: 22886

DST#: 3

Test Start: 2005.05.28 @ 13:04:08

## GENERAL INFORMATION:

Formation: **KC "H-K"**

Deviated: **No Whipstock:** ft (KB)

Time Tool Opened: 14:36:28

Time Test Ended: 18:44:13

Test Type: **Conventional Bottom Hole**

Tester: **Brandon Turley**

Unit No: **18**

Interval: **3628.00 ft (KB) To 3736.00 ft (KB) (TVD)**

Total Depth: **3736.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Good**

Reference Elevations: **2591.00 ft (KB)**

**2586.00 ft (CF)**

KB to GR/CF: **5.00 ft**

## Serial #: 6772

**Inside**

Press@RunDepth: **41.90 psig @ 3737.00 ft (KB)**

Start Date: **2005.05.28**

End Date:

**2005.05.28**

Start Time: **13:04:08**

End Time:

**18:44:13**

Capacity: **7000.00 psig**

Last Calib.: **1899.12.30**

Time On Btm: **2005.05.28 @ 14:35:58**


Time Off Btm: **2005.05.28 @ 17:07:13**

TEST COMMENT: **IF: Surface blow died in 7 min.**

**IS: No return.**

**FF: No blow.**

**FS: No retrun.**



## PRESSURE SUMMARY


| Time (Min.) | Pressure (psig) | Temp (deg F) | Annotation           |
|-------------|-----------------|--------------|----------------------|
| 0           | 1858.39         | 102.38       | Initial Hydro-static |
| 1           | 15.94           | 102.41       | Open To Flow (1)     |
| 31          | 27.91           | 102.80       | Shut-In(1)           |
| 60          | 569.12          | 104.05       | End Shut-In(1)       |
| 61          | 33.83           | 103.78       | Open To Flow (2)     |
| 92          | 41.90           | 104.15       | Shut-In(2)           |
| 150         | 839.13          | 104.65       | End Shut-In(2)       |
| 152         | 1765.44         | 104.11       | Final Hydro-static   |

## Recovery

| Length (ft) | Description   | Volume (bbl) |
|-------------|---------------|--------------|
| 60.00       | ocm 20%o 80%m | 0.30         |
|             |               |              |
|             |               |              |
|             |               |              |
|             |               |              |

## Gas Rates

|  | Choke (inches) | Pressure (psig) | Gas Rate (Mcf/d) |
|--|----------------|-----------------|------------------|
|  |                |                 |                  |



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22886

**DST#: 3**

ATTN: Paul Gunzelman

Test Start: 2005.05.28 @ 13:04:08

**Tool Information**

|                           |                    |                       |                                |                                    |
|---------------------------|--------------------|-----------------------|--------------------------------|------------------------------------|
| Drill Pipe:               | Length: 3233.00 ft | Diameter: 3.80 inches | Volume: 45.35 bbl              | Tool Weight: 1500.00 lb            |
| Heavy Wt. Pipe:           | Length: 0.00 ft    | Diameter: 0.00 inches | Volume: 0.00 bbl               | Weight set on Packer: 25000.00 lb  |
| Drill Collar:             | Length: 494.00 ft  | Diameter: 2.25 inches | Volume: 2.43 bbl               | Weight to Pull Loose: 80000.00 lb  |
|                           |                    |                       | <u>Total Volume: 47.78 bbl</u> | Tool Chased 8.00 ft                |
| Drill Pipe Above KB:      | 14.00 ft           |                       |                                | String Weight: Initial 70000.00 lb |
| Depth to Top Packer:      | 3736.00 ft         |                       |                                | Final 70000.00 lb                  |
| Depth to Bottom Packer:   | ft                 |                       |                                |                                    |
| Interval between Packers: | 108.00 ft          |                       |                                |                                    |
| Tool Length:              | 131.00 ft          |                       |                                |                                    |
| Number of Packers:        | 2                  | Diameter: 6.75 inches |                                |                                    |

Tool Comments:

| Tool Description | Length (ft) | Serial No. | Position | Depth (ft) | Accum. Lengths                 |
|------------------|-------------|------------|----------|------------|--------------------------------|
| Stubb            | 1.00        |            |          | 3714.00    |                                |
| Shut In Tool     | 5.00        |            |          | 3719.00    |                                |
| Hydraulic tool   | 5.00        |            |          | 3724.00    |                                |
| Safety Joint     | 3.00        |            |          | 3727.00    |                                |
| Packer           | 5.00        |            | Fluid    | 3732.00    | 23.00 Bottom Of Top Packer     |
| Packer           | 4.00        |            |          | 3736.00    |                                |
| Stubb            | 1.00        |            |          | 3737.00    |                                |
| Recorder         | 0.00        | 6772       | Inside   | 3737.00    |                                |
| Perforations     | 6.00        |            |          | 3743.00    |                                |
| Change Over Sub  | 1.00        |            |          | 3744.00    |                                |
| Drill Pipe       | 94.00       |            |          | 3838.00    |                                |
| Change Over Sub  | 1.00        |            |          | 3839.00    |                                |
| Recorder         | 0.00        | 10248      | Outside  | 3839.00    |                                |
| Bullnose         | 5.00        |            |          | 3844.00    | 108.00 Bottom Packers & Anchor |

**Total Tool Length: 131.00**



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

Murfin Drilling Company Inc.

**Knutson 1-7**

250 N. Water, Suite 300  
Wichita, KS 67202

**7-3s-26w Decatur**

Job Ticket: 22886

**DST#: 3**

ATTN: Paul Gunzelman

Test Start: 2005.05.28 @ 13:04:08

**Mud and Cushion Information**

|                                  |                            |                 |           |
|----------------------------------|----------------------------|-----------------|-----------|
| Mud Type: Gel Chem               | Cushion Type:              | Oil API:        | 0 deg API |
| Mud Weight: 9.00 lb/gal          | Cushion Length: ft         | Water Salinity: | 0 ppm     |
| Viscosity: 50.00 sec/qt          | Cushion Volume: bbl        |                 |           |
| Water Loss: 6.78 in <sup>3</sup> | Gas Cushion Type:          |                 |           |
| Resistivity: 0.00 ohm.m          | Gas Cushion Pressure: psig |                 |           |
| Salinity: 700.00 ppm             |                            |                 |           |
| Filter Cake: 2.00 inches         |                            |                 |           |

**Recovery Information**

Recovery Table

| Length<br>ft | Description   | Volume<br>bbl |
|--------------|---------------|---------------|
| 60.00        | ocm 20%o 80%m | 0.295         |

Total Length: 60.00 ft      Total Volume: 0.295 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments:


Serial #: 6772

Inside

Murfin Drilling Company Inc.

7-3s-26w Decatur

DST Test Number: 3



28 Sat May 2005

Trilobite Testing, Inc

Ref. No: 22886

Printed: 2005.06.02 @ 10:59:56 Page 5