EXHIBIT "B"

1800 FNL 920 FEL
NW SE SE
26-03S-42W

15-023-20430-01-00
Horizontal Well

Weatherford
Hailey

Job Number:
Company: Breck Operating Corp.
Lease/Well: Zweygardt # 2-26H
Location: Sec 26,T3S,R42W
Rig Name:
RKB: SHL: 1800 FNL & 920 FEL Sec 26
G.L. or M.S.L.: BHL: 1080 FNL & 2330 FEL Sec 26

State/Country: Kansas,Cheyenne
Declination:
Grid:
File name: C:\SURVEY\BRECKO~1\#2-26H.SVY
Date/Time: 28-Mar-01 / 14:01
Curve Name: 12/100/Tangent

26-35-42W

WINSERVE SURVEY CALCULATIONS
Minimum Curvature Method
Vertical Section Plane 297.05
Vertical Section Referenced to Wellhead
Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	Course Length FT	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	Dogleg Severity Deg/100	CLOSURE Distance FT	CLOSURE Direction Deg
KOP- Build @ 12.28°/ 100 Ft										
1000.00	.00	297.03		1000.00	.00	.00	.00	.00	.00	.00
1030.00	3.68	297.05	30.00	1029.98	.44	-.86	.96	12.28	.96	297.05
1060.00	7.37	297.05	30.00	1059.83	1.75	-3.43	3.85	12.28	3.85	297.05
1090.00	11.05	297.05	30.00	1089.44	3.94	-7.71	8.65	12.28	8.65	297.05
1120.00	14.74	297.05	30.00	1118.68	6.98	-13.67	15.35	12.28	15.35	297.05
1150.00	18.42	297.05	30.00	1147.43	10.87	-21.29	23.91	12.28	23.91	297.05
1180.00	22.11	297.05	30.00	1175.57	15.60	-30.55	34.30	12.28	34.30	297.05
1210.00	25.79	297.05	30.00	1202.98	21.13	-41.39	46.47	12.28	46.47	297.05
1240.00	29.48	297.05	30.00	1229.55	27.46	-53.78	60.39	12.28	60.39	297.05
1270.00	33.16	297.05	30.00	1255.18	34.55	-67.67	75.98	12.28	75.98	297.05
1300.00	36.85	297.05	30.00	1279.75	42.38	-82.99	93.18	12.28	93.18	297.05
1330.00	40.53	297.05	30.00	1303.16	50.90	-99.69	111.93	12.28	111.93	297.05
1360.00	44.22	297.05	30.00	1325.32	60.10	-117.69	132.15	12.28	132.15	297.05
1390.00	47.90	297.05	30.00	1346.13	69.92	-136.93	153.75	12.28	153.75	297.05
1420.00	51.58	297.05	30.00	1365.51	80.33	-157.31	176.64	12.28	176.64	297.05
1450.00	55.27	297.05	30.00	1383.39	91.28	-178.77	200.73	12.28	200.73	297.05
1480.00	58.95	297.05	30.00	1399.67	102.74	-201.20	225.91	12.28	225.91	297.05
Hold @ 59.99°, 297.05° Azm										
1488.46	59.99	297.05	8.46	1403.97	106.05	-207.69	233.20	12.28	233.20	297.05
1488.52	59.99	297.05	.06	1404.00	106.07	-207.73	233.25	.43	233.25	297.05
1518.52	59.99	297.05	30.00	1419.00	117.89	-230.87	259.23	.00	259.23	297.05
Build @ 11.99/100										
1548.52	63.59	297.05	30.00	1433.18	129.91	-254.41	285.66	11.99	285.66	297.05
1578.52	67.19	297.05	30.00	1445.67	142.31	-278.70	312.93	11.99	312.93	297.05

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	Course Length FT	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	Dogleg Severity Deg/100	CLOSURE Distance FT	CLOSURE Direction Deg
1608.52	70.79	297.05	30.00	1456.43	155.04	-303.64	340.93	11.99	340.93	297.05
1638.52	74.38	297.05	30.00	1465.41	168.06	-329.13	369.55	11.99	369.55	297.05
1668.52	77.98	297.05	30.00	1472.57	181.31	-355.07	398.68	11.99	398.68	297.05
1698.52	81.58	297.05	30.00	1477.89	194.73	-381.36	428.20	11.99	428.20	297.05
1728.52	85.18	297.05	30.00	1481.35	208.28	-407.89	457.99	11.99	457.99	297.05
1758.52	88.77	297.05	30.00	1482.93	221.90	-434.57	487.95	11.99	487.95	297.05
10' into top of Production										
1774.97	90.75	297.05	16.45	1483.00	229.38	-449.22	504.40	11.99	504.40	297.05
1775.00	90.75	297.05	.03	1483.00	229.40	-449.25	504.43	.02	504.43	297.05
1805.00	90.74	297.05	30.00	1482.61	243.04	-475.96	534.42	.01	534.42	297.05
1835.00	90.74	297.05	30.00	1482.22	256.68	-502.68	564.42	.01	564.42	297.05
1865.00	90.74	297.05	30.00	1481.84	270.32	-529.40	594.42	.01	594.42	297.05
1895.00	90.73	297.05	30.00	1481.45	283.96	-556.11	624.42	.01	624.42	297.05
1925.00	90.73	297.05	30.00	1481.07	297.61	-582.83	654.41	.01	654.41	297.05
1955.00	90.73	297.05	30.00	1480.69	311.25	-609.54	684.41	.01	684.41	297.05
1985.00	90.72	297.05	30.00	1480.31	324.89	-636.26	714.41	.01	714.41	297.05
2015.00	90.72	297.05	30.00	1479.93	338.53	-662.98	744.41	.01	744.41	297.05
2045.00	90.72	297.05	30.00	1479.55	352.18	-689.69	774.40	.01	774.40	297.05
2075.00	90.72	297.05	30.00	1479.18	365.82	-716.41	804.40	.01	804.40	297.05
2105.00	90.71	297.05	30.00	1478.80	379.46	-743.12	834.40	.01	834.40	297.05
2135.00	90.71	297.05	30.00	1478.43	393.10	-769.84	864.40	.01	864.40	297.05
2165.00	90.71	297.05	30.00	1478.06	406.74	-796.56	894.40	.01	894.40	297.05
2195.00	90.70	297.05	30.00	1477.69	420.39	-823.27	924.39	.01	924.39	297.05
2225.00	90.70	297.05	30.00	1477.32	434.03	-849.99	954.39	.01	954.39	297.05
2255.00	90.70	297.05	30.00	1476.96	447.67	-876.70	984.39	.01	984.39	297.05
2285.00	90.69	297.05	30.00	1476.59	461.31	-903.42	1014.39	.01	1014.39	297.05
2315.00	90.69	297.05	30.00	1476.23	474.96	-930.14	1044.38	.01	1044.38	297.05
2345.00	90.69	297.05	30.00	1475.87	488.60	-956.85	1074.38	.01	1074.38	297.05
2375.00	90.68	297.05	30.00	1475.51	502.24	-983.57	1104.38	.01	1104.38	297.05
2405.00	90.68	297.05	30.00	1475.15	515.88	-1010.29	1134.38	.01	1134.38	297.05
2435.00	90.68	297.05	30.00	1474.80	529.53	-1037.00	1164.38	.01	1164.38	297.05
2465.00	90.67	297.05	30.00	1474.44	543.17	-1063.72	1194.37	.01	1194.37	297.05
2495.00	90.67	297.05	30.00	1474.09	556.81	-1090.43	1224.37	.01	1224.37	297.05
2525.00	90.67	297.05	30.00	1473.74	570.45	-1117.15	1254.37	.01	1254.37	297.05
2555.00	90.67	297.05	30.00	1473.39	584.10	-1143.87	1284.37	.01	1284.37	297.05
2585.00	90.66	297.05	30.00	1473.04	597.74	-1170.58	1314.37	.01	1314.37	297.05
2615.00	90.66	297.05	30.00	1472.70	611.38	-1197.30	1344.36	.01	1344.36	297.05
2645.00	90.66	297.05	30.00	1472.35	625.02	-1224.02	1374.36	.01	1374.36	297.05
2675.00	90.65	297.05	30.00	1472.01	638.67	-1250.73	1404.36	.01	1404.36	297.05
2705.00	90.65	297.05	30.00	1471.67	652.31	-1277.45	1434.36	.01	1434.36	297.05
2735.00	90.65	297.05	30.00	1471.33	665.95	-1304.16	1464.36	.01	1464.36	297.05
2765.00	90.64	297.05	30.00	1470.99	679.60	-1330.88	1494.35	.01	1494.35	297.05
2795.00	90.64	297.05	30.00	1470.65	693.24	-1357.60	1524.35	.01	1524.35	297.05
2825.00	90.64	297.05	30.00	1470.32	706.88	-1384.31	1554.35	.01	1554.35	297.05
PBHL @ 1470 Ft TVD										
2853.84	90.63	297.05	28.84	1470.00	720.00	-1410.00	1583.19	.01	1583.19	297.05

12/100/Tangent File: C:\SURVEY\BRECKO~1\#2-26H.SVY

Company: Breck Operating Corp.
Lease/Well: Zweygardt # 2-26H
Location: Sec 26,T3S,R42W
Rig Name:

