

19-6-19W

# CENTRAL WIRELINE SERVICE

P.O. BOX 1547 Great Bend, Kansas 316-793-5762

## TEMPERATURE SURVEY

Date January 8, 1986

TXT 2183

Company PETX

**CONFIDENTIAL.**

Address 1700 Security Life Building City Denver State Colorado

Contractor Ostrom Well Service Place Webster Dam/ 24hwy. - 6n to DE, 3 1/2 w n/loc

Lease Buss Well No 4 County \_\_\_\_\_ Rocks \_\_\_\_\_ Sec \_\_\_\_\_ Twp \_\_\_\_\_ Range \_\_\_\_\_


Depth Well \_\_\_\_\_ Depth Casing \_\_\_\_\_ Shoe Jt \_\_\_\_\_ Size 4 1/2 Weight port collar 1743 Hole Size 7 7/8

Amount Cement 225sx lite 225sx common Cementing Co. Allied Cementing Company

Survey from 300' To 2000'

Details Started detailing at 300'. Found top of cement at 870'. Stopped survey at 2000'.

Ran temperature survey 100' every 90 seconds. Zeroed tool at GI-2'.



19-6-19w

# CENTRAL WIRELINE SERVICE

P.O. BOX 1547 Great Bend, Kansas 316-793-5762

## TEMPERATURE SURVEY

Date 1 / 9 / 86

**CONFIDENTIAL**

TXT 2164

Company Petex

Address 1700 Security Life Bldg City Denver State Colo

Contractor Ostrom Well Service Place 24 hwy & Webster Dam 6 n 3 1/2 w n/loc

Lease Buss Well No #4 County Rooks Sec \_\_\_\_\_ Twp \_\_\_\_\_ Range \_\_\_\_\_

Depth Well Perf \_\_\_\_\_ Depth Casing \_\_\_\_\_ At \_\_\_\_\_ Shoe Jt 820 ft Size 4 1/2 Weight \_\_\_\_\_ Hole Size 7 7/8


Amount Cement 350 sx Cementing Co. Allied Cementing Co - Russell-

Survey from \_\_\_\_\_ 300 ft To \_\_\_\_\_ 815 ft

Details Started detailing at 300 ft. Top of cement 550 ft. Tagged at 815 ft. Zeroed at GL.

Ran survey at 100 ft every 90 seconds.

**FEB 11 1986**  
State Geophysical Survey  
WICHITA BRANCH



**RECEIVED**  
STATE CORPORATION COMMISSION  
**FEB 10 1986**  
CONSERVATION DIVISION  
Wichita, Kansas

19-6-19W

# CENRAL WIRELINE SERVICE

P.O. BOX 1547 Great Bend, Kansas 316-793-5762

## TEMPERATURE SURVEY

Date January 10, 1986

TKT 2185

**CONFIDENTIAL**

Company PETX

Address 1700 Security Life Bldg. City Wichita State Kansas

Contractor Ostrom Well Service Place Webster Dam/ 21/2 Hwy. - 6n to DE 3 1/2 W n/loc

Lease Buss Well No 4 County Rooks Sec 17 Twp 17 Range 17

Depth Well \_\_\_\_\_ Depth Casing \_\_\_\_\_ Shoe Jt \_\_\_\_\_ Size 1 1/2 Weight perf-480 Hole Size 7 7/8

Amount Cement 200sx Cementing Co. Allied Cementing Company

Survey from GL-2' To 467'

Notes Started detailing at GL-2'. Found top of cement at 300'. Tagged the plug at 467'.

Ran temperature survey 100' every 2 minutes. Zeroed tool at GL-2'.

