

KANSAS GEOLOGICAL SOCIETY
KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
 KANSAS GEOLOGICAL SOCIETY BUILDING
 808 EAST MURDOCK - WICHITA, KANSAS

22-6-26W

COMPANY **OKMAR OIL**

SEC. 22 T. 6 R. 26W
 LOC. NW NW SW

FARM **Mowry**

NO. **1**

TOTAL DEPTH **3940**

COUNTY **Sheridan**


COMM. **10-23-66**

COMP. **11-3-66**

SHOT OR TREATED

CONTRACTOR **Paine Drlg.**

ISSUED **3-11-67**



CASING

20	10	
15	# 7"	@ 359' w/160 SX
12	6	
13	# 4 1/2"	@ 3939' w/125 SX

ELEVATION **2610' KB**

PRODUCTION **PMP 66 BOPT &**
5 % Wtr, (LANS 3751-54)
GR 39

FIGURES INDICATE BOTTOM OF FORMATIONS

0	30	Clay & Sand	
30	290	Sand w/Shale Streaks	TOPS: SCOUT
290	1295	Shale	
1295	1624	Shale & Sand	Anhydrite 2218
1624	1834	Shale	*B/Anhydrite 2252
1834	2000	Sand	Heebner 3683
2000	2218	Shale	Toronto 3706
2218	2252	Anhydrite	Lansing 3722
2252	2523	Shale & Red Bed	
2523	3245	Shale & Lime	
3245	3692	Lime & Shale	
3692	3940	Lime	
3940		Rotary Total Depth	

Set 7 inch surface casing @ 359 ft. with 160 sx cement.

Set 4-1/2 inch production casing @ 3939 ft. with 125 sx cement.

We hereby certify that the above is a correct and accurate log of the above mentioned well, as shown on the daily drilling reports.

PAINÉ DRILLING CO., INC.

BY: *R. J. McCarthy*
 Treasurer

Subscribed and sworn to before me this 4th day of November, 1966.

Carroll J. Miller
 Notary Public