

TYPE

AFFIDAVIT OF COMPLETION FORM

24-7-18W
NW SE SE
ACO-1 WELL HISTORY

State Geologist
WICHITA BRANCH

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 5900 EXPIRATION DATE 6-30-84

OPERATOR Lawbanco Drilling, Inc. API NO. 15-163-22,074

ADDRESS Box 289 Natoma, Kansas 67651 COUNTY Rooks

Natoma, Kansas 67651 FIELD

** CONTACT PERSON Reva Musgrove PROD. FORMATION

PHONE 913-885-4676

PURCHASER LEASE ROSS

ADDRESS WELL NO. 1

DRILLING Lawbanco Drilling, Inc. WELL LOCATION NW SE SE

CONTRACTOR 900 Ft. from South Line and

ADDRESS Box 289 1040 Ft. from East Line of

Natoma, Kansas 67651 the SE (Qtr.) SEC 24 TWP 7 RGE 18W

PLUGGING Lawbanco Drilling, Inc. WELL PLAT

CONTRACTOR (Office Use Only)

ADDRESS Box 289

Natoma, Kansas 67651

TOTAL DEPTH 3285 PBTD

SPUD DATE 6-18-83 DATE COMPLETED 6-25-83

ELEV: GR 1760 DF 1763 KB 1765

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE

KCC
KGS
SWD/REP
PLG.

Amount of surface pipe set and cemented 1210' ~~rod~~ DV Tool Used?

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, (Dry) Disposal, Injection, Temporarily Abandoned, OWWO. Other

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

R. L. Finnesy, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

R L Finnesy

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Lawbanco Drilling, INCREASE ROSS

SEC. 24 TWP. 7 RGE. 18 W

FILL IN WELL LOG AS REQUIRED:

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
0 to 71 Sand			Topeka	2709 -944
71 to 103 Surface clay and sand			Heebner	2918 -1153
103 to 1133 Sand and shale			Toronto	2944 -1179
1133 to 1210 Shale and sand			Lansing KC	2964 -1199
1210 to 1243 Anhydrite			Base K6	3188 -1423
1243 to 2065 Sand and shale			Marmaton	3190 -1425
2065 to 2645 Shale and lime			Arbuckle	3261 -1496
2645 to 3022 Lime and shale			RTD	3285 -1520
3022 to 3285 Shale and lime	RTD		Sample Tops	
DST # 1				
Interval tested: 3232-3285'				
Time Intervals: 30-30-10-NR				
Initial Flow Pressures: 84-84 PSI				
Final Flow Pressures: -				
Initial Closed-in Pressure: 808 PSI				
Final Closed-in Pressure: -				
Blow: First Open-Weak, died in 9 min.				
Second Open-No blow, flushed tool. Packers leaked slightly so bled off. then no blow				
Recovery: 55' of drilling mud, with no show of oil.				
No log				

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Socks	Type and percent additives
Conductor	17 1/4	13 3/8	54 1/2	98	common	120	Quikset
Surface	12 1/4	8 5/8	20	1210	60/40 poz	425	2% gel 3% cc

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

LOG FRACURE SHOT CEMENT SQUEEZE RECORD