









# BARREL TEST REPORT

SEP

6 1984

LEASE NAME City of Stockton

MONTH August 1984

DATE	WELL NO.	STROKES PER MINUTE	LENGTH OF STROKE	SIZE OF PUMP	MINUTES TO FILL BBL.	INCHES OIL	INCHES WATER	24 HOUR RATE - BBL.		% WATER	TOTAL FLUIDS 24 HOU
								BARRELS OIL	BARRELS WATER		
31	2-13	15	64	2	<sup>2</sup> 20 sec	2	23	49.36	567.64	92	61
31	3-13	12	54	1 1/2	<sup>5</sup> 50 sec	4	31	29.64	217.36	88	24
31	3-18	15	64	2	<sup>3</sup> 20 sec	2 1/2	22 1/2	43.20	388.80	90	43
TOTAL											

REMARKS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_





# BARREL TEST REPORT

LEASE NAME City of Stockton

DEC - 4 1984

MONTH November 1984

DATE	WELL NO	STROKES PER MINUTE	LENGTH OF STROKE	SIZE OF PUMP	MINUTES TO FILL BBL	INCHES OIL	INCHES WATER	24 HR. RATE - BBL.		% WATER	TOTAL FLUID 24 HRS
								BBL. OIL	BBL. WATER		
30	2-13	15	64	2	$\frac{2}{30}$ sec.	1½	23½	34.56	541.44	94	576
30	3-18	15	64	2	$\frac{2}{30}$ sec.	1½	23½	34.56	541.44	94	576
30	3-13	12	54	1½	7	3¼	21¾	26.78	179.22	87	206

COPY

REMARKS \_\_\_\_\_

# BARREL TEST REPORT

LEASE NAME City of Stock

MONTH December 1984

DATE	WELL NO	STROKES PER MINUTE	LENGTH OF STROKE	SIZE OF PUMP	MINUTES TO FILL BBL	INCHES		24 HR. RATE - BBL.		% WATER	TOTAL FLUID HRS
						OIL	WATER	BBL. OIL	BBL. WATER		
<u>31</u>	<u>2-13</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>30<sup>2</sup><sub>sec.</sub></u>	<u>1<math>\frac{1}{2}</math></u>	<u>23<math>\frac{1}{2}</math></u>	<u>34.56</u>	<u>541.44</u>	<u>94</u>	<u>576</u>
<u>31</u>	<u>3-18</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>30<sup>3</sup><sub>sec.</sub></u>	<u>1<math>\frac{1}{2}</math></u>	<u>23<math>\frac{1}{2}</math></u>	<u>24.72</u>	<u>387.28</u>	<u>94</u>	<u>412</u>
<u>31</u>	<u>3-13</u>	<u>12</u>	<u>54</u>	<u>1<math>\frac{1}{2}</math></u>	<u>8</u>	<u>2<math>\frac{1}{2}</math></u>	<u>22<math>\frac{1}{2}</math></u>	<u>18.00</u>	<u>162.00</u>	<u>90</u>	<u>180</u>

REMARKS 3-13 pounding fluid



MONTH February 19 85

MAR 5 1985

BARREL TEST REPORT



LEASE NAME City of Stockton

WELL NO.	STROKES PER MINUTE	LENGTH OF STROKE	PUMP SIZE	LEAD LINE PRESS.	TIME CYCLE MIN. DN/MIN. OFF	MIN. TO FILL CONTAINER	CONTAINER SIZE	INCHES OIL	INCHES WATER	24 HOUR RATE - BBL.		% WATER	TOTAL FLUID 24 HOURS	POUNDING FLUID YES OR NO	PUMP EFFICIENCY
										BARRELS OIL	BARRELS WATER				
28	2-13	15	64	2	25	2 20 sec	55 gals	1 1/4	23 3/4	30.85	586.15	95	617	no	
28	3-13	12	54	1 1/2	40	8	55 gals	2	23	14.40	165.60	92	180	yes	
28	3-18	15	64	2	20	4	55 gals	1 1/4	23 3/4	18.00	342.00	95	360	no	

TOTAL	
24 HOUR PRODUCTION IN STOCK	

REMARKS:

---



---



---

SIGNATURE W. E. Eaves

MONTH February 19 85

MAR 5 1985

BARREL TEST REPORT

LEASE NAME City of Stockton

DAY	WELL NO.	STROKES PER MINUTE	LENGTH OF STROKE	PUMP SIZE	LEAD LINE PRESS.	TIME CYCLE MIN. ON/MIN. OFF	MIN. TO FILL CONTAINER	CONTAINER SIZE	INCHES OIL	INCHES WATER	24 HOUR RATE - BBL.		% WATER	TOTAL FLUID 24 HOURS	POUNDING FLUID YES OR NO	PUMP EFFICIENCY
											BARRELS OIL	BARRELS WATER				
	<u>2-13</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>25</u>		<u>2</u> <u>20 sec.</u>	<u>55 gals</u>	<u>1 1/4</u>	<u>23 3/4</u>	<u>30.85</u>	<u>586.15</u>	<u>95</u>	<u>617</u>	<u>no</u>	
<u>28</u>	<u>3-13</u>	<u>12</u>	<u>54</u>	<u>1 1/2</u>	<u>40</u>		<u>8</u>	<u>55 gals</u>	<u>2</u>	<u>23</u>	<u>14.40</u>	<u>165.60</u>	<u>92</u>	<u>180</u>	<u>yes</u>	
<u>28</u>	<u>3-18</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>20</u>		<u>4</u>	<u>55 gals</u>	<u>1 1/4</u>	<u>23 3/4</u>	<u>18.00</u>	<u>342.00</u>	<u>95</u>	<u>360</u>	<u>no</u>	

TOTAL	
24 HOUR PRODUCTION IN STOCK	

REMARKS:

---



---



---

SIGNATURE W. E. Eaves

MONTH March 19 85

BARREL TEST REPORT



APR 3 1985

LEASE NAME City of Stockton

DAY	WELL NO.	STROKES PER MINUTE	LENGTH OF STROKE	PUMP SIZE	LEAD LINE PRESS.	TIME CYCLE MIN. ON/MIN. OFF	MIN. TO FILL CONTAINER	CONTAINER SIZE	INCHES OIL	INCHES WATER	24 HOUR RATE - BBL.		% WATER	TOTAL FLUID 24 HOURS	POUNDING FLUID YES OR NO	PUMP EFFICIENCY
											BARRELS OIL	BARRELS WATER				
<u>31</u>	<u>2-13</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>25</u>		<u>2</u> <u>30 sec.</u>	<u>55 gals</u>	<u>1 1/2</u>	<u>23 1/2</u>	<u>34.56</u>	<u>541.44</u>	<u>94</u>	<u>576</u>	<u>no</u>	
<u>31</u>	<u>3-13</u>	<u>12</u>	<u>54</u>	<u>1 1/2</u>	<u>40</u>		<u>7</u> <u>30 sec.</u>	<u>55 gals</u>	<u>3</u>	<u>22</u>	<u>23.04</u>	<u>168.96</u>	<u>88</u>	<u>192</u>	<u>yes</u>	
<u>31</u>	<u>3-18</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>20</u>		<u>3</u> <u>30 sec.</u>	<u>55 gals</u>	<u>1 1/4</u>	<u>23 3/4</u>	<u>20.60</u>	<u>391.40</u>	<u>95</u>	<u>412</u>	<u>no</u>	

TOTAL	
24 HOUR PRODUCTION IN STOCK	

REMARKS:

---



---



---

SIGNATURE W. E. Eaves

MONTH March 19 85

**BARREL TEST REPORT**

 APR 3 1985

LEASE NAME City of Stockton

DAY	WELL NO.	STROKES PER MINUTE	LENGTH OF STROKE	PUMP SIZE	LEAD LINE PRESS.	TIME CYCLE MIN. ON/MIN. OFF	MIN. TO FILL CONTAINER	CONTAINER SIZE	INCHES OIL	INCHES WATER	24 HOUR RATE - BBL.		% WATER	TOTAL FLUID 24 HOURS	POUNDING FLUID YES OR NO	PUMP EFFICIENCY
											BARRELS OIL	BARRELS WATER				
	<u>2-13</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>25</u>		<u>2</u> <u>30 sec.</u>	<u>55 gals</u>	<u>1 1/2</u>	<u>23 1/2</u>	<u>34.56</u>	<u>541.44</u>	<u>94</u>	<u>576</u>	<u>no</u>	
<u>31</u>	<u>3-13</u>	<u>12</u>	<u>54</u>	<u>1 1/2</u>	<u>40</u>		<u>7</u> <u>30 sec.</u>	<u>55 gals</u>	<u>3</u>	<u>22</u>	<u>23.04</u>	<u>168.96</u>	<u>88</u>	<u>192</u>	<u>yes</u>	
<u>31</u>	<u>3-18</u>	<u>15</u>	<u>64</u>	<u>2</u>	<u>20</u>		<u>3</u> <u>30 sec.</u>	<u>55 gals</u>	<u>1 1/4</u>	<u>23 3/4</u>	<u>20.60</u>	<u>391.40</u>	<u>95</u>	<u>412</u>	<u>no</u>	

TOTAL  
24 HOUR  
PRODUCTION IN STOCK

REMARKS:

SIGNATURE W. E. Egan

# PRODUCTIVITY TEST BARREL TEST

RULE 81-2-106 of the General Rules and Regulations of the State of Kansas:

Productivities; when to be taken. (b) Pool tests. Pool tests shall be taken as ordered by the Commission at twelve (12) month intervals thereafter.

REC'D APR 21 1986

COUNTY Rooks  
 FIELD Riffe  
 PRODUCING FORMATION Arbuckle  
 OPERATOR Rupe oil co.  
 LEASE City of Stockton

EFFECTIVE DATE \_\_\_\_\_  
 (Office use only)  
 PURCHASER \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 (if new operator)

* WELL NO.	SEC.	TWP.	RGE.	BOPD	WATER %	DATE TAKEN
1. <u>3-13</u>	<u>13</u>	<u>7</u>	<u>17</u>	<u>18</u>	<u>98</u>	<u>4.7.86</u>
2.	_____	_____	_____	_____	_____	_____
3.	_____	_____	_____	_____	_____	_____
4.	_____	_____	_____	_____	_____	_____
5.	_____	_____	_____	_____	_____	_____
6.	_____	_____	_____	_____	_____	_____
7.	_____	_____	_____	_____	_____	_____
8.	_____	_____	_____	_____	_____	_____
9.	_____	_____	_____	_____	_____	_____
10.	_____	_____	_____	_____	_____	_____

FIELDMAN'S REMARKS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

WITNESSES:  
Paul A. Bathazor FOR STATE  
Michael Rogers FOR OPERATOR  
 \_\_\_\_\_ FOR OFFSET

\* NOTE: IF THE WELL IS TEMPORARY ABANDONED AT TIME OF TEST, BUT AT A LATER DATE IS PUT ON PUMP, PLEASE HAVE IT TESTED AT THAT TIME. CALL (913)-735-2786, OR WRITE: GILBERT LEIKER, 805 MAIN, VICTORIA, KANSAS 67671 TO SCHEDULE A TEST. THIS PREVENTS OVER PRODUCTION ON THE TABLE "B" REPORT.

**STATE CORPORATION COMMISSION OF KANSAS.  
 CONSERVATION DIVISION**

mailed copy John Cecil 4/21/86



City of Stockton 3-13

date	pump	SPM-SL	BW-B0-BFPU	F.W	F.c	100%	MISC
2-15-84	-	2 1/4	5-54	22-50-72	80	45	160
5-84	-	"	9-54	135-45-180	75	63	287
7-84	-	"	12-54	204-36-240	85	63	381

FEB 20 1985