

State Geological Survey
WICHITA, BRANCH
KANSAS DRILLERS LOG


IMPORTANT
Kans. Geo. Survey request
samples on this well.

S. 14 T. 7 R. 19 E

Loc. SE NE NE

County Rooks

640 Acres
N



Locate well correctly

Elev.: Gr. 1958

DF _____ KB 1963

API No. 15 — 163 — 20,878
County Number

Operator
Altex Oil Corp.

Address
640 Guarantee Bank Bldg. Denver, Colo 80202

Well No. # 1 Lease Name Farr

Footage Location
990 feet from (N) line 330 feet from (E) line

Principal Contractor Pioneer Drilling Geologist Charles Comeau

Spud Date 1/8/79 Total Depth 3470 P.B.T.D.

Date Completed 1/17/79 Oil Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4	8 5/8	28#	203	Com.	140	2% gel 3% cc

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production None Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator <i>Altex Oil Corporation</i>		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. <i>1</i>	Lease Name <i>Farr</i>	<i>Dry Hole</i>
S <i>14</i> T <i>78</i> R <i>19</i> W <i>E</i> W <i>SENENE, 990 FNL & 330 FEL.</i>		

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
<p><i>See attached well log for formation description</i></p> <p><i>DST #1 2982-3090</i> <i>Rec 1260' Muddy Water NSD</i> <i>15min IF 138-192 60min ISI</i> <i>1148, 60min FF 381-669,</i> <i>120 min FSI 1132 IH 1573</i> <i>FH 1560</i></p> <p><i>DST #2 3131-65</i> <i>Rec 20' mud NSD</i> <i>30min IF 32, 60min ISI 41,</i> <i>90min F 30min FF 32,</i> <i>90min F&I 32 IH 1632, FH 1606</i></p> <p><i>DST #3 3326-96</i> <i>Rec 25' mud NSD</i> <i>30min IF 49, 60min ISI 349,</i> <i>15min FF 49, 60min FSI 389,</i> <i>IH 1731 FH 1720</i></p>				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	<i>Gary Nollen</i>
	Signature
	<i>Operations Mgr</i>
	Title
	<i>1/24/79</i>
	Date

14-7-19W

State Geological Survey
WICHITA, BRANCH

WELL LOG

OPERATOR: Altex Oil Corporation

WELL NAME: Farr #1 LOCATION: SE NE NE 14-7S-19W

COUNTY: Rooks STATE: Kansas

WELL COMMENCED: January 8, 1979 WELL COMPLETED: January 17, 1979

ELEVATION: 1963' KB TOTAL DEPTH: 3470'

PRODUCTION: D & A RIG NO: #2

CASING - 8-5/8": 202.49 cemented with 140 sxs common 2% gel 3% cc
5-1/2": none

ALL MEASUREMENTS TAKEN FROM THE TOP OF ROTARY BUSHING:

FROM	TO	FORMATION	DEVIATION FROM VERTICAL	REMARKS:
0'	210'			
210'	360'	sand and shale		
360'	1445'			
1445'	1459'	shale		
1476'	1513'	Anhydrite		
1503'	1765'	sand and shale		
1765'	2095'	sand and shale		
2095'	2430'			
2430'	2545'	shale and lime		
2545'	2695'	shale and lime	2550' - 1/4 degree	
2695'	2830'	shale and lime		
2830'	3019'	shale and lime and chert		
3019'	3090'	shaled lime		
3090'	3160'	lime	3090' - 0 degree	
3160'	3165'	shale and lime		
3165'	3240'			
3240'	3335'			
3335'	3391'	lime and shale		
3391'	3440'	lime		
3440'	3470'	lime		
3470'	3470'	RTD		