

15-065-23100

Ricketts Testing, Inc.

36-7s-2/w



Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
 Elevation 2022 G.L. Formation TOPEKA-OREAD Ticket No. 2438
 Date 10-19-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
 Test Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Formation Test No. 1 Interval Tested from 3168 ft. to 3176 ft. Total Depth 3176 ft.
 Packer Depth 3168 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
 Packer Depth 3165 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3173 ft. Recorder Number 11027 Cap. 4275
 Bottom Recorder Depth (Outside) 3176 ft. Recorder Number W1023 Cap. 10000
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 206 I.D. 2.25 in.
 Mud Type CHEMICAL Viscosity 47 Weight Pipe Length _____ I.D. _____ in.
 Weight 8.6 Water Loss 6.8 cc. Drill Pipe Length 2942 I.D. 3.25 in.
 Chlorides 1000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
 Jars: Make _____ Serial Number _____ Anchor Length 8 ft. Size 5 1/2 in.
 Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Gravity Oil _____ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Blow: WEAK BLOW BUILDING TO A STRONG BLOW IN 7 MINUTES INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO A STRONG BLOW IN 8 MINUTES FINAL FLOW PERIOD.

Recovered 950 ft. of SALT WATER.
 Recovered 5 ft. of DRILLING MUD.
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Remarks: DST FLUID CHLORIDES 76,000 PPM


RECEIVED
 DEC 27 2005
 KCC WICHITA

Time Set Packer (s) 5:56 P. M. Time Started Off Bottom 7:56 P. M. Maximum Temperature 107°
 Initial Hydrostatic Pressure(A) 1500 P.S.I.
 Initial Flow PeriodMinutes 30 (B) 28 P.S.I. to
 (C) 272 P.S.I.
 Initial Closed In PeriodMinutes 30 (D) 1077 P.S.I.
 Final Flow PeriodMinutes 30 (E) 280 P.S.I. to
 (F) 445 P.S.I.
 Final Closed In PeriodMinutes 30 (G) 1072 P.S.I.
 Final Hydrostatic Pressure(H) 1458 P.S.I.

Company Name
Well Name
Type of Test
Date(s) of Test

St Joseph Church #1
DST #1 3168 to 3176
10-19-2005

St Joseph Church #1 DST #1





Ricketts Testing, Inc.

Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
Elevation 2022 G.L. Formation TORONTO Ticket No. 2439
Date 10-20-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
Test Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Formation Test No. 2 Interval Tested from 3221 ft. to 3254 ft. Total Depth 3254 ft.
Packer Depth 3221 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Packer Depth 3218 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3226 ft. Recorder Number 11027 Cap. 4275
Bottom Recorder Depth (Outside) 3229 ft. Recorder Number W1023 Cap. 10000
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 90 I.D. 2.25 in.
Mud Type CHEMICAL Viscosity 45 Weight Pipe Length _____ I.D. _____ in.
Weight 8.9 Water Loss 8.0 cc. Drill Pipe Length 3111 I.D. 3.25 in.
Chlorides 2,000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
Jars: Make _____ Serial Number _____ Anchor Length 33 ft. Size 5 1/2 in.
Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Gravity Oil 32° Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Blow: WEAK BLOW BUILDING TO A STRONG BLOW IN 3 MINUTES INITIAL FLOW PERIOD. STRONG BLOW BACK DURING INITIAL SHUT-IN. STRONG BLOW THROUGHOUT FINAL FLOW PERIOD. 10" BLOW BACK FINAL SHUT-IN.

Recovered 590 ft. of SLIGHTLY GASSY OIL.
Recovered 125 ft. of HEAVY MUD CUT OIL. 45% MUD 55% OIL
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Remarks: _____

RECEIVED


DEC 27 2005

KCC WICHITA

Time Set Packer (s) 1:26 P. M. Time Started Off Bottom 3:26 P. M. Maximum Temperature 106°
Initial Hydrostatic Pressure(A) 1529 P.S.I.
Initial Flow PeriodMinutes 30 (B) 40 P.S.I. to
(C) 170 P.S.I.
Initial Closed In PeriodMinutes 30 (D) 1004 P.S.I.
Final Flow PeriodMinutes 30 (E) 181 P.S.I. to
(F) 276 P.S.I.
Final Closed In PeriodMinutes 30 (G) 953 P.S.I.
Final Hydrostatic Pressure(H) 1515 P.S.I.

Company Name Palomino Petroleum, Inc.
 Well Name St Joseph Church #1
 Type of Test DST #2 3221 to 3254
 Date(s) of Test 10-20-2005

St Joseph Church #1 DST #2





Ricketts Testing, Inc.

Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
Elevation 2022 G.L. Formation LANSING Ticket No. 2449
Date 10-21-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
Test Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Formation Test No. 3 Interval Tested from 3258 ft. to 3290 ft. Total Depth 3290 ft.
Packer Depth 3258 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Packer Depth 3255 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3261 ft. Recorder Number 11027 Cap. 4275
Bottom Recorder Depth (Outside) 3264 ft. Recorder Number W1023 Cap. 10000
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 90 I.D. 2.25 in.
Fluid Type CHEMICAL Viscosity 45 Weight Pipe Length _____ I.D. _____ in.
Weight 8.9 Water Loss 8.0 cc. Drill Pipe Length 3148 I.D. 3.25 in.
Chlorides 2,000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
Bars: Make _____ Serial Number _____ Anchor Length 32 ft. Size 5 1/2 in.
Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Gravity Oil _____ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Flow: WEAK BLOW BUILDING TO 2" INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO 1" FINAL FLOW PERIOD.

Recovered 2 ft. of OIL.
Recovered 65 ft. of OIL & HEAVY WATER CUT MUD. 3% OIL 27% WATER 70% MUD
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Remarks: DST FLUID CHLORIDES 28,000 PPM

RECEIVED


DEC 27 2005

KCC WICHITA

Time Set Packer (s) 5:21 AM. Time Started Off Bottom 8:21 AM. Maximum Temperature 99°
Initial Hydrostatic Pressure(A) 1543 P.S.I.
Initial Flow PeriodMinutes 30 (B) 17 P.S.I. to
(C) 33 P.S.I.
Initial Closed In PeriodMinutes 45 (D) 875 P.S.I.
Final Flow PeriodMinutes 45 (E) 36 P.S.I. to
(F) 55 P.S.I.
Final Closed In PeriodMinutes 60 (G) 836 P.S.I.
Final Hydrostatic Pressure(H) 1512 P.S.I.

Company Name Palomino Petroleum, Inc.
 Well Name St Joseph Church #1
 Type of Test DST #3 3258 to 3290
 Date(s) of Test 10-21-2005

St Joseph Church #1 DST #3





Ricketts Testing, Inc.

Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
Location 2022 G.L. Formation KANSAS CITY - C Ticket No. 2441
Date 10-21-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
Test Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Formation Test No. 4 Interval Tested from 3287 ft. to 3312 ft. Total Depth 3312 ft.
Packer Depth 3287 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Packer Depth 3284 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3292 ft. Recorder Number 11027 Cap. 4275
Bottom Recorder Depth (Outside) 3295 ft. Recorder Number W1023 Cap. 10000
Flow Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 90 I.D. 2.25 in.
Fluid Type CHEMICAL Viscosity 50 Weight Pipe Length _____ I.D. _____ in.
Height 9.0 Water Loss 8.0 cc. Drill Pipe Length 3177 I.D. 3.25 in.
Chlorides 1600 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
Pipes: Make _____ Serial Number _____ Anchor Length 25 ft. Size 5 1/2 in.
1 Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Gravity Oil _____ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Flow: WEAK BLOW BUILDING TO A STRONG BLOW IN 19 MINUTES INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO 2" FINAL FLOW PERIOD.


covered 90 ft. of VERY SLIGHTLY OIL SPECKED HEAVY MUD CUT WATER. 35% MUD 65% WATER
covered 180 ft. of SALT WATER.
covered _____ ft. of _____
covered _____ ft. of _____
covered _____ ft. of _____
Remarks: DST FLUID CHLORIDES 65,000 PPM

RECEIVED
DEC 27 2005
KCC WICHITA

Time Set Packer (s) 7:26 P.M. Time Started Off Bottom 9:26 P.M. Maximum Temperature 106°
Initial Hydrostatic Pressure (A) 1561 P.S.I.
Initial Flow Period Minutes 30 (B) 28 P.S.I. to
(C) 105 P.S.I.
Initial Closed In Period Minutes 30 (D) 759 P.S.I.
Initial Flow Period Minutes 30 (E) 113 P.S.I. to
(F) 150 P.S.I.
Initial Closed In Period Minutes 30 (G) 708 P.S.I.
Initial Hydrostatic Pressure (H) 1540 P.S.I.

Company Name Palomino Petroleum, Inc.
 Well Name St Joseph Church #1
 Type of Test DST #4 3287 to 3312
 Date(s) of Test 10-21-2005

St Joseph Church #1 DST #4





Ricketts Testing, Inc.

Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
Location 2022 G.L. Formation KANSAS CITY - D, E, F Ticket No. 2442
Date 10-22-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Interval Test No. 5 Interval Tested from 3311 ft. to 3347 ft. Total Depth 3347 ft.
Recorder Depth 3311 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Recorder Depth 3308 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Thickness of Selective Zone Set _____

Recorder Depth (Inside) 3316 ft. Recorder Number 11027 Cap. 4275
Bottom Recorder Depth (Outside) 3319 ft. Recorder Number W1023 Cap. 10000
New Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 90 I.D. 2.25 in.
Type CHEMICAL Viscosity 50 Weight Pipe Length _____ I.D. _____ in.
Height 9.0 Water Loss 8.0 cc. Drill Pipe Length 3201 I.D. 3.25 in.
Rides 1,600 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
Make _____ Serial Number _____ Anchor Length 36 ft. Size 5 1/2 in.
Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Crude Oil 32° Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

WEAK BLOW BUILDING TO 4" INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO A STRONG BLOW IN 36 MINUTES FINAL FLOW PERIOD. SURFACE BLOW BACK FINAL SHUT-IN.


Reversed 20 ft. of CLEAN OIL.
Reversed 100 ft. of HEAVY OIL & WATER CUT MUD. 10% OIL 27% WATER 63% MUD
Reversed 100 ft. of OIL & HEAVY MUD CUT WATER. 2% OIL 65% WATER 33% MUD
Reversed _____ ft. of _____
Reversed _____ ft. of _____
Remarks: DST FLUID CHLORIDES 44,000 PPM

Set Packer (s) 11:30 AM. Time Started Off Bottom 2:30 P M. Maximum Temperature 102°
Initial Hydrostatic Pressure(A) 1579 P.S.I.
Initial Flow PeriodMinutes 30 (B) 19 P.S.I. to
(C) 83 P.S.I.
Initial Closed In PeriodMinutes 45 (D) 695 P.S.I.
Flow PeriodMinutes 45 (E) 82 P.S.I. to
(F) 128 P.S.I.
Closed In PeriodMinutes 60 (G) 677 P.S.I.
Hydrostatic Pressure(H) 1547 P.S.I.

RECEIVED
DEC 27 2005
KCC WICHITA

Company Name Palomino Petroleum, Inc.
 Well Name St Joseph Church #1
 Type of Test DST #5 3311 to 3347
 Date(s) of Test 10-22-2005

St Joseph Church #1 DST #5





Ricketts Testing, Inc.

Company PALOMINO PETROLEUM, INC. Lease & Well No. ST. JOSEPH CHURCH #1
Elevation 2022 G.L. Formation KANSAS CITY - BOTTOM Ticket No. 2443
Date 10-23-05 Sec. 36 Twp. 7S Range 21W County GRAHAM State KS
Test Approved by ROGER FISHER Ricketts Representative JIMMY RICKETTS

Formation Test No. 6 Interval Tested from 3373 ft. to 3460 ft. Total Depth 3460 ft.
Packer Depth 3373 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Packer Depth 3370 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3378 ft. Recorder Number 11027 Cap. 4275
Bottom Recorder Depth (Outside) 3381 ft. Recorder Number W1023 Cap. 10000
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____

Drilling Contractor SOUTHWIND DRILLING RIG #1 Drill Collar Length 90 I.D. 2.25 in.
Mud Type CHEMICAL Viscosity 47 Weight Pipe Length _____ I.D. _____ in.
Weight 9.2 Water Loss 7.6 cc. Drill Pipe Length 3263 I.D. 3.25 in.
Chlorides 1,700 P.P.M. Test Tool Length 20 ft. Tool Size. 5 1/2 in.
Bars: Make _____ Serial Number _____ Anchor Length 87 ft. Size 5 1/2 in.
Old Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Gravity Oil _____ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Flow: WEAK BLOW BUILDING TO 1/2" INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO 1/2" FINAL FLOW PERIOD.

Recovered 125 ft. of HEAVY OIL CUT MUD. 39% OIL 61% MUD

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Remarks: _____

RECEIVED
DEC 27 2005
KCC WICHITA

Time Set Packer (s) 2:41 P. M. Time Started Off Bottom 4:41 P. M. Maximum Temperature 101°
Initial Hydrostatic Pressure(A) 1624 P.S.I.
Initial Flow PeriodMinutes 30 (B) 17 P.S.I. to
(C) 54 P.S.I.
Initial Closed In PeriodMinutes 30 (D) 1041 P.S.I.
Final Flow PeriodMinutes 30 (E) 53 P.S.I. to
(F) 67 P.S.I.
Final Closed In PeriodMinutes 30 (G) 1014 P.S.I.
Final Hydrostatic Pressure(H) 1597 P.S.I.

Company Name Palomino Petroleum, Inc.
 Well Name St Joseph Church #1
 Type of Test DST #6 3373 to 3460
 Date(s) of Test 10-23-2005

St Joseph Church #1 DST #6

